



SLOVENSKI STANDARD
oSIST prEN IEC 62541-4:2024
01-marec-2024

Enotna arhitektura OPC - 4. del: Storitve

OPC unified architecture - Part 4: Services

OPC Unified Architecture - Teil 4: Dienste

Architecture unifiée OPC - Partie 4: Services

Ta slovenski standard je istoveten z: prEN IEC 62541-4:2024

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

oSIST prEN IEC 62541-4:2024

en,fr,de

CONTENTS

1			
2			
3	FIGURES		v
4	TABLES		vi
5	FOREWORD		xiii
6	1	Scope	1
7	2	Normative references	1
8	3	Terms, definitions, abbreviated terms and conventions	1
9	3.1	Terms and definitions	1
10	3.2	Abbreviated terms	3
11	3.3	Conventions for Service definitions	3
12	4	Overview	4
13	4.1	Service Set model	4
14	4.2	Request/response Service procedures	7
15	5	Service Sets	8
16	5.1	General	8
17	5.2	Service request and response header	8
18	5.3	Service results	8
19	5.4	Discovery Service Set	9
20	5.4.1	Overview	9
21	5.4.2	FindServers	11
22	5.4.3	FindServersOnNetwork	12
23	5.4.4	GetEndpoints	13
24	5.4.5	RegisterServer	15
25	5.4.6	RegisterServer2	17
26	5.5	SecureChannel Service Set	18
27	5.5.1	Overview	18
28	5.5.2	OpenSecureChannel	20
29	5.5.3	CloseSecureChannel	22
30	5.6	Session Service Set	23
31	5.6.1	Overview	23
32	5.6.2	CreateSession	23
33	5.6.3	ActivateSession	27
34	5.6.4	CloseSession	30
35	5.6.5	Cancel	31
36	5.7	NodeManagement Service Set	31
37	5.7.1	Overview	31
38	5.7.2	AddNodes	31
39	5.7.3	AddReferences	33
40	5.7.4	DeleteNodes	35
41	5.7.5	DeleteReferences	36
42	5.8	View Service Set	37
43	5.8.1	Overview	37
44	5.8.2	Browse	37
45	5.8.3	BrowseNext	39
46	5.8.4	TranslateBrowsePathsToNodeIds	41
47	5.8.5	RegisterNodes	43

48	5.8.6	UnregisterNodes	44
49	5.9	Query Service Set	44
50	5.9.1	Overview	44
51	5.9.2	Querying Views	45
52	5.9.3	QueryFirst	45
53	5.9.4	QueryNext	49
54	5.10	Attribute Service Set	50
55	5.10.1	Overview	50
56	5.10.2	Read	50
57	5.10.3	HistoryRead	52
58	5.10.4	Write	55
59	5.10.5	HistoryUpdate	57
60	5.11	Method Service Set	58
61	5.11.1	Overview	58
62	5.11.2	Call	59
63	5.12	MonitoredItem Service Set	62
64	5.12.1	MonitoredItem model	62
65	5.12.2	CreateMonitoredItems	67
66	5.12.3	ModifyMonitoredItems	69
67	5.12.4	SetMonitoringMode	71
68	5.12.5	SetTriggering	72
69	5.12.6	DeleteMonitoredItems	73
70	5.13	Subscription Service Set	74
71	5.13.1	Subscription model	74
72	5.13.2	CreateSubscription	80
73	5.13.3	ModifySubscription	82
74	5.13.4	SetPublishingMode	83
75	5.13.5	Publish	85
76	5.13.6	Republish	87
77	5.13.7	TransferSubscriptions	87
78	5.13.8	DeleteSubscriptions	89
79	6	Service behaviours	90
80	6.1	Security	90
81	6.1.1	Overview	90
82	6.1.2	Obtaining and installing an Application Instance Certificate	90
83	6.1.3	Determining if a Certificate is trusted	91
84	6.1.4	Creating a SecureChannel	95
85	6.1.5	Creating a Session	97
86	6.1.6	Impersonating a User	97
87	6.1.7	Continuous security checks	98
88	6.2	Authorization Services	98
89	6.2.1	Overview	98
90	6.2.2	Indirect handshake with an Identity Provider	98
91	6.2.3	Direct handshake with an Identity Provider	99
92	6.3	Session-less Service invocation	100
93	6.3.1	Description	100
94	6.3.2	Parameters	101
95	6.3.3	Service results	102
96	6.4	Software Certificates	102

97	6.5	Auditing.....	102
98	6.5.1	Overview.....	102
99	6.5.2	General audit logs.....	102
100	6.5.3	General audit Events.....	102
101	6.5.4	Auditing for Discovery Service Set.....	102
102	6.5.5	Auditing for SecureChannel Service Set.....	102
103	6.5.6	Auditing for Session Service Set.....	103
104	6.5.7	Auditing for NodeManagement Service Set.....	103
105	6.5.8	Auditing for Attribute Service Set.....	103
106	6.5.9	Auditing for Method Service Set.....	104
107	6.5.10	Auditing for View, Query, MonitoredItem and Subscription Service Set.....	104
108	6.6	Redundancy.....	104
109	6.6.1	Redundancy overview.....	104
110	6.6.2	Server Redundancy.....	105
111	6.6.3	Client Redundancy.....	115
112	6.6.4	Network Redundancy.....	115
113	6.6.5	Manually Forcing Failover.....	116
114	6.7	Re-establishing connections.....	117
115	6.8	Durable Subscriptions.....	118
116	7	Common parameter type definitions.....	119
117	7.1	AdditionalParametersType.....	119
118	7.2	ApplicationDescription.....	120
119	7.3	ApplicationInstanceCertificate.....	120
120	7.4	ApplicationType.....	121
121	7.5	BrowseDirection.....	121
122	7.6	BrowseResult.....	121
123	7.7	ContentFilter.....	122
124	7.7.1	ContentFilter structure.....	122
125	7.7.2	ContentFilterResult.....	122
126	7.7.3	FilterOperator.....	123
127	7.7.4	FilterOperand parameters.....	130
128	7.8	Counter.....	131
129	7.9	ContinuationPoint.....	132
130	7.10	DataChangeTrigger.....	132
131	7.11	DataValue.....	132
132	7.11.1	General.....	132
133	7.11.2	PicoSeconds.....	133
134	7.11.3	SourceTimestamp.....	133
135	7.11.4	ServerTimestamp.....	133
136	7.11.5	StatusCode assigned to a value.....	134
137	7.12	DiagnosticInfo.....	134
138	7.13	DiscoveryConfiguration parameters.....	135
139	7.13.1	Overview.....	135
140	7.13.2	MdnsDiscoveryConfiguration.....	135
141	7.14	EndpointDescription.....	136
142	7.15	EphemeralKeyType.....	136
143	7.16	ExpandedNodeId.....	137
144	7.17	ExtensibleParameter.....	137
145	7.18	Index.....	137

146	7.19	IntegerId	137
147	7.20	MessageSecurityMode	138
148	7.21	MonitoringParameters	138
149	7.22	MonitoringFilter parameters.....	139
150	7.22.1	Overview.....	139
151	7.22.2	DataChangeFilter	140
152	7.22.3	EventFilter	140
153	7.22.4	AggregateFilter	142
154	7.23	MonitoringMode.....	143
155	7.24	NodeAttributes parameters	144
156	7.24.1	Overview.....	144
157	7.24.2	ObjectAttributes parameter	145
158	7.24.3	VariableAttributes parameter.....	145
159	7.24.4	MethodAttributes parameter	146
160	7.24.5	ObjectTypeAttributes parameter.....	146
161	7.24.6	VariableTypeAttributes parameter	146
162	7.24.7	ReferenceTypeAttributes parameter	147
163	7.24.8	DataTypeAttributes parameter	147
164	7.24.9	ViewAttributes parameter	147
165	7.24.10	GenericAttributes parameter	148
166	7.25	NotificationData parameters	148
167	7.25.1	Overview.....	148
168	7.25.2	DataChangeNotification parameter.....	148
169	7.25.3	EventNotificationList parameter.....	149
170	7.25.4	StatusChangeNotification parameter	149
171	7.26	NotificationMessage	150
172	7.27	NumericRange	150
173	7.28	QueryDataSet	151
174	7.29	ReadValueId	151
175	7.30	ReferenceDescription	152
176	7.31	RelativePath.....	153
177	7.32	RegisteredServer	154
178	7.33	RequestHeader	154
179	7.34	ResponseHeader.....	157
180	7.35	ServiceFault	157
181	7.36	SessionAuthenticationToken	157
182	7.37	SignatureData	158
183	7.38	SignedSoftwareCertificate	159
184	7.39	StatusCode	159
185	7.39.1	General.....	159
186	7.39.2	Common StatusCodes	161
187	7.40	TimestampsToReturn	163
188	7.41	UserIdentityToken parameters.....	164
189	7.41.1	Overview.....	164
190	7.41.2	Token Encryption and Proof of Possession	164
191	7.41.3	AnonymousIdentityToken	169
192	7.41.4	UserNameIdentityToken.....	169
193	7.41.5	X509IdentityTokens	170
194	7.41.6	IssuedIdentityToken	171

195	7.42	UserTokenPolicy	171
196	7.43	UserTokenType	172
197	7.44	VersionTime	172
198	7.45	ViewDescription	172
199	Annex A (informative)	BNF definitions	174
200	A.1	Overview over BNF	174
201	A.2	BNF of RelativePath	174
202	A.3	BNF of NumericRange	175
203	Annex B (informative)	ContentFilter and Query examples	176
204	B.1	Simple ContentFilter examples	176
205	B.1.1	Overview	176
206	B.1.2	Example 1	176
207	B.1.3	Example 2	177
208	B.2	Complex Examples of Query Filters	177
209	B.2.1	Overview	177
210	B.2.2	Used type model	178
211	B.2.3	Example Notes	180
212	B.2.4	Example 1	181
213	B.2.5	Example 2	182
214	B.2.6	Example 3	183
215	B.2.7	Example 4	185
216	B.2.8	Example 5	186
217	B.2.9	Example 6	188
218	B.2.10	Example 7	189
219	B.2.11	Example 8	191
220	B.2.12	Example 9	192

221

222

223

FIGURES

224	Figure 1 – Discovery Service Set	4
225	Figure 2 – SecureChannel Service Set	5
226	Figure 3 – Session Service Set	5
227	Figure 4 – NodeManagement Service Set	5
228	Figure 5 – View Service Set	6
229	Figure 6 – Attribute Service Set	6
230	Figure 7 – Method Service Set	7
231	Figure 8 – MonitoredItem and Subscription Service Sets	7
232	Figure 9 – Discovery process	10
233	Figure 10 – Using a Gateway Server	15
234	Figure 11 – The Registration Process – Manually Launched Servers	16
235	Figure 12 – The Registration Process – Automatically Launched Servers	16
236	Figure 13 – SecureChannel and Session Services	19
237	Figure 14 – Multiplexing users on a Session	25
238	Figure 15 – MonitoredItem model	62
239	Figure 16 – Typical delay in change detection	64
240	Figure 17 – Queue overflow handling	65

241	Figure 18 – Triggering model	66
242	Figure 19 – Obtaining and installing an Application Instance Certificate	91
243	Figure 20 – Determining if an Application Instance Certificate is trusted	95
244	Figure 21 – Establishing a SecureChannel	96
245	Figure 22 – Establishing a Session	97
246	Figure 23 – Impersonating a User	98
247	Figure 24 – Indirect handshake with an Identity Provider	99
248	Figure 25 – Direct handshake with an Identity Provider	100
249	Figure 26 – Transparent Redundancy setup example	106
250	Figure 27 – Non-Transparent Redundancy setup	107
251	Figure 28 – Client Start-up steps	110
252	Figure 29 – Cold Failover	111
253	Figure 30 – Warm Failover	112
254	Figure 31 – Hot Failover	113
255	Figure 32 – HotAndMirrored Failover	114
256	Figure 33 – Server proxy for Redundancy	114
257	Figure 34 – Transparent network Redundancy	115
258	Figure 35 – Non-transparent network Redundancy	116
259	Figure 36 – Reconnect sequence	117
260	Figure 37 – Logical layers of a Server	158
261	Figure 38 – Obtaining a SessionAuthenticationToken	158
262	Figure 39 – EncryptedSecret layout	166
263	Figure B.1 – Filter logic tree example	176
264	Figure B.2 – Filter logic tree example	177
265	Figure B.3 – Example Type Nodes	179
266	Figure B.4 – Example Instance Nodes	180
267	Figure B.5 – Example 1 Filter	181
268	Figure B.6 – Example 2 filter logic tree	183
269	Figure B.7 – Example 3 filter logic tree	184
270	Figure B.8 – Example 4 filter logic tree	186
271	Figure B.9 – Example 5 filter logic tree	187
272	Figure B.10 – Example 6 filter logic tree	188
273	Figure B.11 – Example 7 filter logic tree	190
274	Figure B.12 – Example 8 filter logic tree	191
275	Figure B.13 – Example 9 filter logic tree	193

276

277

278

TABLES

279	Table 1 – Service definition table	3
280	Table 2 – Parameter Types defined in OPC 10000-3	4
281	Table 3 – FindServers Service Parameters	12
282	Table 4 – FindServersOnNetwork Service Parameters	13
283	Table 5 – GetEndpoints Service Parameters	15

284	Table 6 – RegisterServer Service Parameters	17
285	Table 7 – RegisterServer Service Result Codes	17
286	Table 8 – RegisterServer2.....	18
287	Table 9 – RegisterServer2 Service Result Codes	18
288	Table 10 – RegisterServer2 Operation Level Result Codes	18
289	Table 11 – OpenSecureChannel Service Parameters	21
290	Table 12 – OpenSecureChannel Service Result Codes	22
291	Table 13 – CloseSecureChannel Service Parameters.....	23
292	Table 14 – CloseSecureChannel Service Result Codes.....	23
293	Table 15 – CreateSession Service Parameters.....	26
294	Table 16 – CreateSession Service Result Codes.....	27
295	Table 17 – ActivateSession Service Parameters.....	29
296	Table 18 – ActivateSession Service Result Codes.....	30
297	Table 19 – CloseSession Service Parameters	30
298	Table 20 – CloseSession Service Result Codes	30
299	Table 21 – Cancel Service Parameters.....	31
300	Table 22 – AddNodes Service Parameters	32
301	Table 23 – AddNodes Service Result Codes	32
302	Table 24 – AddNodes Operation Level Result Codes	33
303	Table 25 – AddReferences Service Parameters.....	34
304	Table 26 – AddReferences Service Result Codes.....	34
305	Table 27 – AddReferences Operation Level Result Codes.....	34
306	Table 28 – DeleteNodes Service Parameters	35
307	Table 29 – DeleteNodes Service Result Codes	35
308	Table 30 – DeleteNodes Operation Level Result Codes	36
309	Table 31 – DeleteReferences Service Parameters.....	36
310	Table 32 – DeleteReferences Service Result Codes.....	36
311	Table 33 – DeleteReferences Operation Level Result Codes.....	37
312	Table 34 – Browse Service Parameters.....	38
313	Table 35 – Browse Service Result Codes.....	39
314	Table 36 – Browse Operation Level Result Codes	39
315	Table 37 – BrowseNext Service Parameters.....	40
316	Table 38 – BrowseNext Service Result Codes.....	40
317	Table 39 – BrowseNext Operation Level Result Codes	41
318	Table 40 – TranslateBrowsePathsToNodeIds Service Parameters.....	42
319	Table 41 – TranslateBrowsePathsToNodeIds Service Result Codes.....	42
320	Table 42 – TranslateBrowsePathsToNodeIds Operation Level Result Codes.....	43
321	Table 43 – RegisterNodes Service Parameters	43
322	Table 44 – RegisterNodes Service Result Codes.....	44
323	Table 45 – UnregisterNodes Service Parameters	44
324	Table 46 – UnregisterNodes Service Result Codes	44
325	Table 47 – QueryFirst Request Parameters.....	47
326	Table 48 – QueryFirst Response Parameters	48

327	Table 49 – QueryFirst Service Result Codes	49
328	Table 50 – QueryFirst Operation Level Result Codes	49
329	Table 51 – QueryNext Service Parameters	50
330	Table 52 – QueryNext Service Result Codes	50
331	Table 53 – Read Service Parameters	51
332	Table 54 – Read Service Result Codes	51
333	Table 55 – Read Operation Level Result Codes	52
334	Table 56 – HistoryRead Service Parameters	53
335	Table 57 – HistoryRead Service Result Codes	55
336	Table 58 – HistoryRead Operation Level Result Codes	55
337	Table 59 – Write Service Parameters	56
338	Table 60 – Write Service Result Codes	57
339	Table 61 – Write Operation Level Result Codes	57
340	Table 62 – HistoryUpdate Service Parameters	58
341	Table 63 – HistoryUpdate Service Result Codes	58
342	Table 64 – HistoryUpdate Operation Level Result Codes	58
343	Table 65 – Call Service Parameters	60
344	Table 66 – Call Service Result Codes	61
345	Table 67 – Call Operation Level Result Codes	61
346	Table 68 – Call Input Argument Result Codes	61
347	Table 69 – CreateMonitoredItems Service Parameters	68
348	Table 70 – CreateMonitoredItems Service Result Codes	68
349	Table 71 – CreateMonitoredItems Operation Level Result Codes	69
350	Table 72 – ModifyMonitoredItems Service Parameters	70
351	Table 73 – ModifyMonitoredItems Service Result Codes	70
352	Table 74 – ModifyMonitoredItems Operation Level Result Codes	71
353	Table 75 – SetMonitoringMode Service Parameters	71
354	Table 76 – SetMonitoringMode Service Result Codes	71
355	Table 77 – SetMonitoringMode Operation Level Result Codes	71
356	Table 78 – SetTriggering Service Parameters	72
357	Table 79 – SetTriggering Service Result Codes	72
358	Table 80 – SetTriggering Operation Level Result Codes	73
359	Table 81 – DeleteMonitoredItems Service Parameters	73
360	Table 82 – DeleteMonitoredItems Service Result Codes	73
361	Table 83 – DeleteMonitoredItems Operation Level Result Codes	73
362	Table 84 – Subscription States	76
363	Table 85 – Subscription State Table	77
364	Table 86 – State variables and parameters	79
365	Table 87 – Functions	80
366	Table 88 – CreateSubscription Service Parameters	81
367	Table 89 – CreateSubscription Service Result Codes	82
368	Table 90 – ModifySubscription Service Parameters	83
369	Table 91 – ModifySubscription Service Result Codes	83

370	Table 92 – SetPublishingMode Service Parameters	84
371	Table 93 – SetPublishingMode Service Result Codes.....	84
372	Table 94 – SetPublishingMode Operation Level Result Codes.....	85
373	Table 95 – Publish Service Parameters	86
374	Table 96 – Publish Service Result Codes	86
375	Table 97 – Publish Operation Level Result Codes	87
376	Table 98 – Republish Service Parameters	87
377	Table 99 – Republish Service Result Codes	87
378	Table 100 – TransferSubscriptions Service Parameters	88
379	Table 101 – TransferSubscriptions Service Result Codes.....	88
380	Table 102 – TransferSubscriptions Operation Level Result Codes.....	89
381	Table 103 – DeleteSubscriptions Service Parameters	89
382	Table 104 – DeleteSubscriptions Service Result Codes	89
383	Table 105 – DeleteSubscriptions Operation Level Result Codes.....	89
384	Table 106 – Certificate validation steps.....	93
385	Table 107 – SessionlessInvoke Service Parameters.....	101
386	Table 108 – SessionlessInvoke Service Result Codes.....	102
387	Table 109 – ServiceLevel ranges	108
388	Table 110 – Server Failover modes	109
389	Table 111 – Redundancy Failover actions	110
390	Table 112 – AdditionalParametersType	120
391	Table 113 – ApplicationDescription	120
392	Table 114 – ApplicationInstanceCertificate	121
393	Table 115 – ApplicationType values	121
394	Table 116 – BrowseDirection values.....	121
395	Table 117 – BrowseResult.....	122
396	Table 118 – ContentFilter structure	122
397	Table 119 – ContentFilterResult structure	123
398	Table 120 – ContentFilterResult Result Codes	123
399	Table 121 – ContentFilterResult Operand Result Codes.....	123
400	Table 122 – Basic FilterOperator definition.....	124
401	Table 123 – Complex FilterOperator definition.....	126
402	Table 124 – Wildcard characters	127
403	Table 125 – Conversion rules.....	128
404	Table 126 – Data Precedence rules.....	129
405	Table 127 – Logical AND Truth table	129
406	Table 128 – Logical OR Truth table	130
407	Table 129 – FilterOperand parameter Typelds.....	130
408	Table 130 – ElementOperand	130
409	Table 131 – LiteralOperand	130
410	Table 132 – AttributeOperand	131
411	Table 133 – SimpleAttributeOperand	131
412	Table 134 – DataChangeTrigger values	132

413	Table 135 – DataValue	133
414	Table 136 – DiagnosticInfo	135
415	Table 137 – DiscoveryConfiguration parameterTypeIds	135
416	Table 138 – MdnsDiscoveryConfiguration	136
417	Table 139 – EndpointDescription	136
418	Table 140 – EphemeralKeyType	137
419	Table 141 – ExpandedNodeId	137
420	Table 142 – ExtensibleParameter base type	137
421	Table 143 – MessageSecurityMode values	138
422	Table 144 – MonitoringParameters	139
423	Table 145 – MonitoringFilter parameterTypeIds	140
424	Table 146 – DataChangeFilter	140
425	Table 147 – EventFilter structure	142
426	Table 148 – EventFilterResult structure	142
427	Table 149 – EventFilterResult Result Codes	142
428	Table 150 – AggregateFilter structure	143
429	Table 151 – AggregateFilterResult structure	143
430	Table 152 – MonitoringMode values	144
431	Table 153 – NodeAttributes parameterTypeIds	144
432	Table 154 – Bit mask for specified Attributes	145
433	Table 155 – ObjectAttributes	145
434	Table 156 – VariableAttributes	146
435	Table 157 – MethodAttributes	146
436	Table 158 – ObjectTypeAttributes	146
437	Table 159 – VariableTypeAttributes	147
438	Table 160 – ReferenceTypeAttributes	147
439	Table 161 – DataTypeAttributes	147
440	Table 162 – ViewAttributes	148
441	Table 163 – GenericAttributes	148
442	Table 164 – NotificationData parameterTypeIds	148
443	Table 165 – DataChangeNotification	149
444	Table 166 – EventNotificationList	149
445	Table 167 – StatusChangeNotification	150
446	Table 168 – NotificationMessage	150
447	Table 169 – NumericRange	151
448	Table 170 – QueryDataSet	151
449	Table 171 – ReadValueId	152
450	Table 172 – ReferenceDescription	152
451	Table 173 – RelativePath	153
452	Table 174 – RegisteredServer	154
453	Table 175 – RequestHeader	155
454	Table 176 – ResponseHeader	157
455	Table 177 – ServiceFault	157

456	Table 178 – SignatureData	159
457	Table 179 – SignedSoftwareCertificate	159
458	Table 180 – StatusCode bit assignments	160
459	Table 181 – DataValue InfoBits	161
460	Table 182 – Common Service Result Codes	161
461	Table 183 – Common Operation Level Result Codes	162
462	Table 184 – TimestampsToReturn values	164
463	Table 185 – UserIdentityToken parameterTypeIds	164
464	Table 186 – Legacy UserIdentityToken Encrypted Token Secret Format	165
465	Table 187 – EncryptedSecret layout	167
466	Table 188 – EncryptedSecret DataTypes	167
467	Table 189 – RsaEncryptedSecret structure	168
468	Table 190 – EccEncryptedSecret Layout	169
469	Table 191 – AnonymousIdentityToken	169
470	Table 192 – UserNameIdentityToken	170
471	Table 193 – EncryptionAlgorithm selection	170
472	Table 194 – X.509 v3 Identity Token	171
473	Table 195 – IssuedIdentityToken	171
474	Table 196 – UserTokenPolicy	172
475	Table 197 – UserTokenType values	172
476	Table 198 – ViewDescription	173
477	Table A.1 – RelativePath	174
478	Table A.2 – <i>RelativePath</i> Examples	175
479	Table B.1 – ContentFilter example	177
480	Table B.2 – ContentFilter example	177
481	Table B.3 – Example 1 NodeTypeDescription	181
482	Table B.4 – Example 1 ContentFilter	181
483	Table B.5 – Example 1 QueryDataSets	182
484	Table B.6 – Example 2 NodeTypeDescription	182
485	Table B.7 – Example 2 ContentFilter	183
486	Table B.8 – Example 2 QueryDataSets	183
487	Table B.9 – Example 3 - NodeTypeDescription	184
488	Table B.10 – Example 3 ContentFilter	185
489	Table B.11 – Example 3 QueryDataSets	185
490	Table B.12 – Example 4 NodeTypeDescription	186
491	Table B.13 – Example 4 ContentFilter	186
492	Table B.14 – Example 4 QueryDataSets	186
493	Table B.15 – Example 5 NodeTypeDescription	187
494	Table B.16 – Example 5 ContentFilter	187
495	Table B.17 – Example 5 QueryDataSets	187
496	Table B.18 – Example 6 NodeTypeDescription	188
497	Table B.19 – Example 6 ContentFilter	188
498	Table B.20 – Example 6 QueryDataSets	189