



SLOVENSKI STANDARD
oSIST prEN IEC 62541-3:2024
01-april-2024

Enotna arhitektura OPC - 3. del: Model naslovnega prostora

OPC unified architecture - Part 3: Address space model

OPC Unified Architecture - Teil 3: Adressraummodell

Architecture unifiée OPC - Partie 3: Modèle d'espace d'adressage

Ta slovenski standard je istoveten z: prEN IEC 62541-3:2024

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

oSIST prEN IEC 62541-3:2024

en,fr,de



65E/1061/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER: IEC 62541-3 ED4	
DATE OF CIRCULATION: 2024-02-02	CLOSING DATE FOR VOTING: 2024-04-26
SUPERSEDES DOCUMENTS: 65E/975/RR	

IEC SC 65E : DEVICES AND INTEGRATION IN ENTERPRISE SYSTEMS	
SECRETARIAT: United States of America	SECRETARY: Mr Donald (Bob) Lattimer
OF INTEREST TO THE FOLLOWING COMMITTEES:	PROPOSED HORIZONTAL STANDARD: <input type="checkbox"/> Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary.
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

OPC Unified Architecture - Part 3: Address Space Model

PROPOSED STABILITY DATE: 2026

NOTE FROM TC/SC OFFICERS:

CONTENTS

1			
2			
3	FIGURES		vii
4	TABLES		ix
5	FOREWORD		xi
6	1	Scope	1
7	2	Normative references	1
8	3	Terms, definitions, abbreviations and conventions	2
9	3.1	Terms and definitions	2
10	3.2	Abbreviated terms	3
11	3.3	Conventions	3
12	3.3.1	Conventions for AddressSpace figures	3
13	3.3.2	Conventions for defining NodeClasses	4
14	4	AddressSpace concepts	5
15	4.1	Overview	5
16	4.2	URIs	5
17	4.3	Object Model	6
18	4.4	Node Model	7
19	4.4.1	General	7
20	4.4.2	NodeClasses	7
21	4.4.3	Attributes	7
22	4.4.4	References	7
23	4.5	Variables	8
24	4.5.1	General	8
25	4.5.2	Properties	8
26	4.5.3	DataVariables	8
27	4.6	TypeDefinitionNodes	9
28	4.6.1	General	9
29	4.6.2	Complex TypeDefinitionNodes and their InstanceDeclarations	9
30	4.6.3	Subtyping	10
31	4.6.4	Instantiation of complex TypeDefinitionNodes	10
32	4.7	Event Model	11
33	4.7.1	General	11
34	4.7.2	EventTypes	12
35	4.7.3	Event Categorization	12
36	4.8	Methods	13
37	4.9	Roles	13
38	4.9.1	Overview	13
39	4.9.2	Well Known Roles	14
40	4.9.3	Evaluating Permissions with Roles	14
41	4.10	Interfaces and AddIns for Objects	16
42	4.10.1	Overview	16
43	4.10.2	Interface Model	17
44	4.10.3	AddIn model	20
45	5	Standard NodeClasses	22
46	5.1	Overview	22
47	5.2	Base NodeClass	22

48	5.2.1	General.....	22
49	5.2.2	NodeId.....	22
50	5.2.3	NodeClass.....	22
51	5.2.4	BrowseName.....	22
52	5.2.5	DisplayName.....	23
53	5.2.6	Description.....	23
54	5.2.7	WriteMask.....	23
55	5.2.8	UserWriteMask.....	23
56	5.2.9	RolePermissions.....	24
57	5.2.10	UserRolePermissions.....	25
58	5.2.11	AccessRestrictions.....	25
59	5.3	ReferenceType NodeClass.....	25
60	5.3.1	General.....	25
61	5.3.2	Attributes.....	26
62	5.3.3	References.....	27
63	5.4	View NodeClass.....	28
64	5.5	Objects.....	30
65	5.5.1	Object NodeClass.....	30
66	5.5.2	ObjectType NodeClass.....	31
67	5.5.3	Standard ObjectType FolderType.....	32
68	5.5.4	Client-side creation of Objects of an ObjectType.....	32
69	5.6	Variables.....	33
70	5.6.1	General.....	33
71	5.6.2	Variable NodeClass.....	33
72	5.6.3	Properties.....	36
73	5.6.4	DataVariable.....	37
74	5.6.5	VariableType NodeClass.....	38
75	5.6.6	Client-side creation of Variables of an VariableType.....	40
76	5.7	Methods.....	40
77	5.7.1	Method NodeClass.....	40
78	5.7.2	HasArgumentDescription ReferenceType.....	43
79	5.7.3	HasOptionalInputArgumentDescription ReferenceType.....	43
80	5.8	DataTypes.....	44
81	5.8.1	Data Type Model.....	44
82	5.8.2	Encoding Rules for different kinds of DataTypes.....	45
83	5.8.3	DataType NodeClass.....	45
84	5.8.4	DataTypeEncoding and Encoding Information.....	48
85	5.9	Summary of Attributes of the NodeClasses.....	49
86	6	Type Model for ObjectTypes and VariableTypes.....	49
87	6.1	Overview.....	49
88	6.2	Definitions.....	49
89	6.2.1	InstanceDeclaration.....	49
90	6.2.2	Instances without ModellingRules.....	50
91	6.2.3	InstanceDeclarationHierarchy.....	50
92	6.2.4	Similar Node of InstanceDeclaration.....	50
93	6.2.5	BrowsePath.....	50
94	6.2.6	BrowseName within a TypeDefinitionNode.....	50
95	6.2.7	Attribute Handling of InstanceDeclarations.....	50
96	6.2.8	Attribute Handling of Variable and VariableTypes.....	50

97	6.2.9	NodeIds of InstanceDeclarations	51
98	6.3	Subtyping of ObjectTypes and VariableTypes	51
99	6.3.1	Overview	51
100	6.3.2	Attributes	51
101	6.3.3	InstanceDeclarations	51
102	6.4	Instances of ObjectTypes and VariableTypes	54
103	6.4.1	Overview	54
104	6.4.2	Creating an Instance	54
105	6.4.3	Constraints on an Instance	55
106	6.4.4	ModellingRules	56
107	6.5	Changing Type Definitions that are already used	63
108	7	Standard ReferenceTypes	63
109	7.1	General	63
110	7.2	References ReferenceType	64
111	7.3	HierarchicalReferences ReferenceType	64
112	7.4	NonHierarchicalReferences ReferenceType	65
113	7.5	HasChild ReferenceType	65
114	7.6	Aggregates ReferenceType	65
115	7.7	HasComponent ReferenceType	65
116	7.8	HasProperty ReferenceType	65
117	7.9	HasOrderedComponent ReferenceType	66
118	7.10	HasSubtype ReferenceType	66
119	7.11	Organizes ReferenceType	66
120	7.12	HasModellingRule ReferenceType	66
121	7.13	HasTypeDefinition ReferenceType	66
122	7.14	HasEncoding ReferenceType	67
123	7.15	GeneratesEvent	67
124	7.16	AlwaysGeneratesEvent	67
125	7.17	HasEventSource	67
126	7.18	HasNotifier	68
127	7.19	HasInterface ReferenceType	69
128	7.20	HasAddIn ReferenceType	69
129	7.21	IsDeprecated ReferenceType	69
130	7.22	HasStructuredComponent ReferenceType	70
131	7.22.1	Overview	70
132	7.22.2	Differences between HasStructuredComponent and ExposesItsArray	70
133	7.23	AssociatedWith ReferenceType	71
134	8	Standard DataTypes	71
135	8.1	General	71
136	8.2	NodeId	71
137	8.2.1	General	71
138	8.2.2	NamespaceIndex	72
139	8.2.3	IdType	72
140	8.2.4	Identifier value	72
141	8.3	QualifiedName	73
142	8.4	LocaleId	73
143	8.5	LocalizedText	74
144	8.6	Argument	74
145	8.7	BaseDataType	74

146	8.8	Boolean.....	75
147	8.9	Byte	75
148	8.10	ByteString	75
149	8.11	DateTime	75
150	8.12	Double	75
151	8.13	Duration	75
152	8.14	Enumeration.....	75
153	8.15	Float.....	75
154	8.16	Guid	75
155	8.17	Sbyte	75
156	8.18	IdType.....	75
157	8.19	Image.....	75
158	8.20	ImageBMP	76
159	8.21	ImageGIF	76
160	8.22	ImageJPG	76
161	8.23	ImagePNG	76
162	8.24	Integer	76
163	8.25	Int16.....	76
164	8.26	Int32.....	76
165	8.27	Int64.....	76
166	8.28	TimeZoneDataType	76
167	8.29	NodeClass	76
168	8.30	Number	77
169	8.31	String	77
170	8.32	Structure	77
171	8.33	UInteger	77
172	8.34	UInt16	77
173	8.35	UInt32	77
174	8.36	UInt64	77
175	8.37	UtcTime	77
176	8.38	XmlElement.....	77
177	8.39	EnumValueType	77
178	8.40	OptionSet.....	78
179	8.41	Union	79
180	8.42	DateString	79
181	8.43	DecimalString.....	79
182	8.44	DurationString	79
183	8.45	NormalizedString.....	79
184	8.46	TimeString.....	80
185	8.47	DataTypeDefinition.....	80
186	8.48	StructureDefinition	80
187	8.49	StructureType	80
188	8.50	EnumDefinition.....	81
189	8.51	StructureField.....	81
190	8.52	EnumField	82
191	8.53	AudioDataType.....	82
192	8.54	Decimal	82
193	8.55	PermissionType.....	82
194	8.56	AccessRestrictionType	84

195	8.57	AccessLevelType	84
196	8.58	AccessLevelExType	84
197	8.59	EventNotifierType	86
198	8.60	AttributeWriteMask	86
199	8.61	CurrencyUnitType	87
200	9	Standard EventTypes	88
201	9.1	General	88
202	9.2	BaseEventType	88
203	9.3	SystemEventType	88
204	9.4	ProgressEventType	89
205	9.5	AuditEventType	89
206	9.6	AuditSecurityEventType	90
207	9.7	AuditChannelEventType	90
208	9.8	AuditOpenSecureChannelEventType	90
209	9.9	AuditSessionEventType	90
210	9.10	AuditCreateSessionEventType	91
211	9.11	AuditUrlMismatchEventType	91
212	9.12	AuditActivateSessionEventType	91
213	9.13	AuditCancelEventType	91
214	9.14	AuditCertificateEventType	91
215	9.15	AuditCertificateDataMismatchEventType	91
216	9.16	AuditCertificateExpiredEventType	91
217	9.17	AuditCertificateInvalidEventType	91
218	9.18	AuditCertificateUntrustedEventType	91
219	9.19	AuditCertificateRevokedEventType	91
220	9.20	AuditCertificateMismatchEventType	91
221	9.21	AuditNodeManagementEventType	92
222	9.22	AuditAddNodesEventType	92
223	9.23	AuditDeleteNodesEventType	92
224	9.24	AuditAddReferencesEventType	92
225	9.25	AuditDeleteReferencesEventType	92
226	9.26	AuditUpdateEventType	92
227	9.27	AuditWriteUpdateEventType	92
228	9.28	AuditHistoryUpdateEventType	92
229	9.29	AuditUpdateMethodEventType	92
230	9.30	DeviceFailureEventType	92
231	9.31	SystemStatusChangeEvent	92
232	9.32	ModelChangeEvents	92
233	9.32.1	General	92
234	9.32.2	NodeVersion Property	93
235	9.32.3	Views	93
236	9.32.4	Event compression	93
237	9.32.5	BaseModelChangeEvent	93
238	9.32.6	GeneralModelChangeEvent	93
239	9.32.7	Guidelines for ModelChangeEvents	93
240	9.33	SemanticChangeEvent	94
241	9.33.1	General	94
242	9.33.2	ViewVersion and NodeVersion Properties	94
243	9.33.3	Views	94

244	9.33.4	Event compression.....	94
245	Annex A (informative)	How to use the Address Space Model.....	95
246	A.1	Overview.....	95
247	A.2	Type definitions.....	95
248	A.3	ObjectTypes.....	95
249	A.4	VariableTypes.....	95
250	A.4.1	General.....	95
251	A.4.2	Properties or DataVariables.....	95
252	A.4.3	Many Variables and / or Structured DataTypes.....	96
253	A.5	Views.....	96
254	A.6	Methods.....	97
255	A.7	Defining ReferenceTypes.....	97
256	A.8	Defining ModellingRules.....	97
257	Annex B (informative)	OPC UA Meta Model in UML.....	98
258	B.1	Background.....	98
259	B.2	Notation.....	98
260	B.3	Meta Model.....	99
261	B.3.1	Base.....	99
262	B.3.2	ReferenceType.....	100
263	B.3.3	Predefined ReferenceTypes.....	101
264	B.3.4	Attributes.....	101
265	B.3.5	Object and ObjectType.....	102
266	B.3.6	EventNotifier.....	103
267	B.3.7	Variable and VariableType.....	103
268	B.3.8	Method.....	104
269	B.3.9	DataType.....	105
270	B.3.10	View.....	106
271	Annex C (normative)	Graphical notation.....	107
272	C.1	General.....	107
273	C.2	Notation.....	107
274	C.2.1	Overview.....	107
275	C.2.2	Simple notation.....	107
276	C.2.3	Extended notation.....	109
277	Bibliography.....		112
278			
279			

FIGURES

280		
281		
282	Figure 1 – AddressSpace Node diagrams.....	3
283	Figure 2 – OPC UA Object Model.....	6
284	Figure 3 – AddressSpace Node Model.....	7
285	Figure 4 – Reference Model	8
286	Figure 5 – Example of a Variable defined by a VariableType	9
287	Figure 6 – Example of a Complex TypeDefinition	10
288	Figure 7 – Object and its Components defined by an ObjectType	11
289	Figure 8 – Examples of Interfaces	18
290	Figure 9 – Example: Interface application to an ObjectType	19
291	Figure 10 – Example: One Interface applied to an ObjectType another one to the instance ..	19
292	Figure 11 – Example: Interface Hierarchy.....	20
293	Figure 12 – Example of AddIn with default BrowseName	21
294	Figure 13 – Example of AddIn applied to an instance	21
295	Figure 14 – Permissions in the Address Space.....	25
296	Figure 15 – Symmetric and Non-Symmetric References	27
297	Figure 16 – Method Metadata Example	43
298	Figure 17 – Variables, VariableTypes and their DataTypes.....	44
299	Figure 18 – DataType Model	44
300	Figure 19 – Example of DataType Modelling	48
301	Figure 20 – Subtyping TypeDefinitionNodes	52
302	Figure 21 – The Fully-Inherited InstanceDeclarationHierarchy for BetaType	53
303	Figure 22 – An Instance and its TypeDefinitionNode	55
304	Figure 23 – Example for several References between InstanceDeclarations.....	56
305	Figure 24 – Example on changing instances based on InstanceDeclarations.....	57
306	Figure 25 – Example on changing InstanceDeclarations based on an InstanceDeclaration ...	58
307	Figure 26 – Use of the Standard ModellingRule Mandatory	59
308	Figure 27 – Example using the Standard ModellingRules Optional and Mandatory	60
309	Figure 28 – Example on using ExposesItsArray.....	61
310	Figure 29 – Complex example on using ExposesItsArray.....	61
311	Figure 30 – Example using OptionalPlaceholder with an Object and Variable	61
312	Figure 31 – Example using OptionalPlaceholder with a Method	62
313	Figure 32 – Example on using MandatoryPlaceholder for Object and Variable.....	63
314	Figure 33 – Standard ReferenceType Hierarchy	64
315	Figure 34 – Event Reference Example	68
316	Figure 35 – Complex Event Reference Example.....	69
317	Figure 38 – Standard EventType Hierarchy	88
318	Figure 39 – Audit Behaviour of a Server	89
319	Figure 40 – Audit Behaviour of an Aggregating Server	90
320	Figure B.1 – Background of OPC UA Meta Model.....	98
321	Figure B.2 – Notation (I).....	99
322	Figure B.3 – Notation (II).....	99

323	Figure B.4 – Base	100
324	Figure B.5 – Reference and ReferenceType	100
325	Figure B.6 – Predefined ReferenceTypes	101
326	Figure B.7 – Attributes	102
327	Figure B.8 – Object and ObjectType	103
328	Figure B.9 – EventNotifier	103
329	Figure B.10 – Variable and VariableType	104
330	Figure B.11 – Method	105
331	Figure B.12 – DataType	106
332	Figure B.13 – View	106
333	Figure C.1 – Example of a Reference connecting two Nodes	108
334	Figure C.2 – Example of using a TypeDefinition inside a Node	110
335	Figure C.3 – Example of exposing Attributes	110
336	Figure C.4 – Example of exposing Properties inline	111
337		
338		

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN IEC 62541-3:2024](https://standards.iteh.ai/catalog/standards/sist/c79d1718-e025-4a77-8e20-2e06fc247e81/osist-pren-iec-62541-3-2024)

<https://standards.iteh.ai/catalog/standards/sist/c79d1718-e025-4a77-8e20-2e06fc247e81/osist-pren-iec-62541-3-2024>

TABLES

339		
340		
341	Table 1 – NodeClass Table Conventions	4
342	Table 2 – Well-Known Roles	14
343	Table 3 – Example Roles	14
344	Table 4 – Example Nodes	15
345	Table 5 – Example Role Assignment	15
346	Table 6 – Examples of Evaluating Access	15
347	Table 7 – Base NodeClass	22
348	Table 9 – ReferenceType NodeClass	26
349	Table 10 – View NodeClass	29
350	Table 11 – Object NodeClass	30
351	Table 12 – ObjectType NodeClass	31
352	Table 13 – Variable NodeClass	33
353	Table 14 – VariableType NodeClass	39
354	Table 15 – Method NodeClass	41
355	Table 16 – DataType NodeClass	46
356	Table 17 – Overview of Attributes	49
357	Table 18 – The InstanceDeclarationHierarchy for BetaType	52
358	Table 19 – The Fully-Inherited InstanceDeclarationHierarchy for BetaType	53
359	Table 20 – Rule for ModellingRules Properties when Subtyping	57
360	Table 21 – NodeId Definition	72
361	Table 22 – IdType Values	72
362	Table 23 – NodeId Alternative Null Values	73
363	Table 24 – QualifiedName Definition	73
364	Table 25 – LocaleId Examples	74
365	Table 26 – LocalizedText Definition	74
366	Table 27 – Argument Definition	74
367	Table 28 – TimeZoneDataType Definition	76
368	Table 29 – NodeClass Values	76
369	Table 30 – EnumValueType Definition	78
370	Table 31 – OptionSet Definition	78
371	Table 32 – StructureDefinition Structure	80
372	Table 33 – StructureType Values	81
373	Table 34 – EnumDefinition Structure	81
374	Table 35 – StructureField Structure	81
375	Table 36 – EnumField Structure	82
376	Table 37 – PermissionType Definition	82
377	Table 38 – AccessRestrictionType Definition	84
378	Table 39 – AccessLevelType Definition	84
379	Table 40 – Use Cases of Constant and NonVolatile Fields	85
380	Table 41 – AccessLevelExType Definition	85
381	Table 42 – EventNotifierType Definition	86

382	Table 43 – Bit mask for WriteMask and UserWriteMask.....	87
383	Table 44 – CurrencyUnitType Definition	87
384	Table C.1 – Notation of Nodes depending on the NodeClass.....	108
385	Table C.2 – Simple Notation of Nodes depending on the NodeClass	109
386	Table C.3 – Extended Notation of Reference Cardinality	111
387		
388		

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN IEC 62541-3:2024](https://standards.iteh.ai/catalog/standards/sist/c79d1718-e025-4a77-8e20-2e06fc247e81/osist-pren-iec-62541-3-2024)

<https://standards.iteh.ai/catalog/standards/sist/c79d1718-e025-4a77-8e20-2e06fc247e81/osist-pren-iec-62541-3-2024>

389 INTERNATIONAL ELECTROTECHNICAL COMMISSION

390

391

392

393

394

395

396

OPC UNIFIED ARCHITECTURE –**Part 3: Address Space Model****FOREWORD**

397 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all
398 national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-
399 operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to
400 other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available
401 Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical
402 committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work.
403 International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.
404 IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions
405 determined by agreement between the two organizations.

406 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
407 consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC
408 National Committees.

409 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees
410 in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate,
411 IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

412 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently
413 to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication
414 and the corresponding national or regional publication shall be clearly indicated in the latter.

415 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment
416 services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by
417 independent certification bodies.

418 6) All users should ensure that they have the latest edition of this publication.

419 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members
420 of its technical committees and IEC National Committees for any personal injury, property damage or other damage of
421 any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the
422 publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.

423 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable
424 for the correct application of this publication.

425 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights.
426 IEC shall not be held responsible for identifying any or all such patent rights.

427 International Standard IEC 62541-3 has been prepared by subcommittee 65E: Devices and integration
428 in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and
429 automation.

430 This fourth edition cancels and replaces the third edition published in 2020. This edition constitutes a
431 technical revision.

432 This edition includes the following significant technical changes with respect to the previous edition:

433 a) Added the concept and modelling elements for Interfaces and AddIns.

434 b) Added Currency

435 c) Added Method Meta Data to define additional attributes for Method Arguments

436 d) Added ApplyRestrictionToBrowse bit to AccessRestrictionType

437 e) Added a Non-Volatile Storage bit to AccessLevelExType

438 f) Added a Constant bit and ConfigurationConstant bit to AccessLevelExType

439 g) The View NodeClass was changed to define the EventNotifier as an EventNotifierType in the same
440 way the Object NodeClass defines it.

441 h) Corrected HasNotifier, HasEventSource, and Organizes, to include ObjectType as valid source
442 node