
Pomorska navigacijska in radiokomunikacijska oprema in sistemi - Digitalni vmesniki - 450. del: Več govorcev in poslušalcev - Povezovanje prek eterneta (IEC 61162-450:2024)

Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 450: Multiple talkers and multiple listeners - Ethernet interconnection (IEC 61162-450:2024)

Navigations- und Funkkommunikationsgeräte und -systeme für die Seeschifffahrt - Digitale Schnittstellen - Teil 450: Mehrere Datensender und mehrere Datenempfänger - Ethernet-Verbund (IEC 61162-450:2024)

Matériels et systèmes de navigation et de radiocommunication maritimes - Interfaces numériques - Partie 450: Émetteurs multiples et récepteurs multiples - Interconnexion Ethernet (IEC 61162-450:2024)

<https://standards.itech.ai/catalog/standards/sist/1c0ebe65-9af2-4565-83e0-2261236947f6/sist-en-iec-61162-450-2024>

Ta slovenski standard je istoveten z: EN IEC 61162-450:2024

ICS:

33.060.01	Radijske komunikacije na splošno	Radiocommunications in general
47.020.70	Navigacijska in krmilna oprema	Navigation and control equipment

SIST EN IEC 61162-450:2024**en**

EUROPEAN STANDARD

EN IEC 61162-450

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2024

ICS 47.020.70

Supersedes EN IEC 61162-450:2018

English Version

Maritime navigation and radiocommunication equipment and
systems - Digital interfaces - Part 450: Multiple talkers and
multiple listeners - Ethernet interconnection
(IEC 61162-450:2024)

Matériels et systèmes de navigation et de
radiocommunication maritimes - Interfaces numériques -
Partie 450: Émetteurs multiples et récepteurs multiples -
Interconnexion Ethernet
(IEC 61162-450:2024)

Navigations- und Funkkommunikationsgeräte und -systeme
für die Seeschifffahrt - Digitale Schnittstellen - Teil 450:
Mehrere Datensender und mehrere Datenempfänger -
Ethernet-Verbund
(IEC 61162-450:2024)

This European Standard was approved by CENELEC on 2024-05-09. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/1c0ebe65-9af2-4565-83e0-2261236947f6/sist-en-iec-61162-450-2024>



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61162-450:2024 (E)**European foreword**

The text of document 80/1094/FDIS, future edition 3 of IEC 61162-450, prepared by IEC/TC 80 "Maritime navigation and radiocommunication equipment and systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61162-450:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2025-02-09
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2027-05-09

This document supersedes EN IEC 61162-450:2018 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61162-450:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60603-7:2020 NOTE Approved as EN IEC 60603-7:2020 (not modified)

IEC 60603-7-3 NOTE Approved as EN 60603-7-3

IEC 60603-7-7 NOTE Approved as EN 60603-7-7

IEC 61076-2-101 NOTE Approved as EN 61076-2-101

IEC 61162-2 NOTE Approved as EN 61162-2

IEC 61162-460 NOTE Approved as EN IEC 61162-460

IEC 61174 NOTE Approved as EN 61174

IEC 61754-20 NOTE Approved as EN 61754-20

IEC 61996-1 NOTE Approved as EN 61996-1

IEC 62388 NOTE Approved as EN 62388

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60825-2	-	Safety of laser products - Part 2: Safety of optical fibre communication systems (OFCSs)	EN 60825-2	-
IEC 60945	-	Maritime navigation and radiocommunication equipment and systems - General requirements - Methods of testing and required test results	EN 60945	-
IEC 61162-1	-	Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 1: Single talker and multiple listeners	EN IEC 61162-1	-
IEC 61162-3	-	Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 3: Serial data instrument network	EN 61162-3	-
IEEE Std 802.3	2022	IEEE Standard for Ethernet	-	-
ISOC RFC 768	-	User Datagram Protocol, Standard STD0006	-	-
ISOC RFC 791	-	Internet Protocol (IP), Standard STD0005 (and updates)	-	-
ISOC RFC 826	-	An ethernet Address Resolution Protocol	-	-
ISOC RFC 1112	-	Host Extensions for IP Multicasting, Standard, Standard STD0005 (and updates), (include IGMP version 1)	-	-
ISOC RFC 1918	-	Address Allocation for Private Internets, Best Current Practice BCP0005	-	-
ISOC RFC 2236	-	Internet Group Management Protocol, Version 2	-	-
ISOC RFC 2474	-	Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers	-	-

EN IEC 61162-450:2024 (E)

ISOC RFC 3376	-	Internet Group Management Protocol, Version 3	-	-
ISOC RFC 5000	-	Internet Official Protocol Standards, Standard 0001	-	-
ISOC RFC 5227	-	IPv4 Address Conflict Detection	-	-
ISOC RFC 5424	-	The Syslog Protocol	-	-

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN IEC 61162-450:2024](https://standards.iteh.ai/catalog/standards/sist/1c0ebe65-9af2-4565-83e0-2261236947f6/sist-en-iec-61162-450-2024)

<https://standards.iteh.ai/catalog/standards/sist/1c0ebe65-9af2-4565-83e0-2261236947f6/sist-en-iec-61162-450-2024>



IEC 61162-450

Edition 3.0 2024-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Maritime navigation and radiocommunication equipment and systems – Digital interfaces –

Part 450: Multiple talkers and multiple listeners – Ethernet interconnection

Matériels et systèmes de navigation et de radiocommunication maritimes – Interfaces numériques –

Partie 450: Émetteurs multiples et récepteurs multiples – Interconnexion Ethernet

[SIST EN IEC 61162-450:2024](https://standards.iteh.ai/catalog/standards/sist/1c0ebe65-9af2-4565-83e0-2261236947f6/sist-en-iec-61162-450-2024)

<https://standards.iteh.ai/catalog/standards/sist/1c0ebe65-9af2-4565-83e0-2261236947f6/sist-en-iec-61162-450-2024>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 47.020.70

ISBN 978-2-8322-7861-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
4 General network and equipment requirements.....	14
4.1 Network topology example	14
4.2 Basic requirements	15
4.2.1 Requirements for equipment to be connected to the network	15
4.2.2 Additional requirements for network infrastructure equipment	16
4.3 Network function (NF) requirements.....	16
4.3.1 General requirements	16
4.3.2 Maximum data rate requirements	16
4.3.3 Error logging function	17
4.3.4 Provisions for network traffic filtering – IGMP	19
4.4 System function block (SF) requirements	19
4.4.1 General requirements	19
4.4.2 Implementing configurable transmission groups.....	19
4.4.3 Assignment of unique system function ID (SFI).....	20
4.5 Serial to network gateway function (SNGF) requirements.....	20
4.5.1 General requirements	20
4.5.2 Serial line output buffer management	22
4.5.3 Datagram output requirements.....	23
4.5.4 Multi SF serial port	23
4.5.5 Handling malformed data received on serial line	24
4.6 PGN to network gateway function (PNGF) requirements	24
4.6.1 General requirements	24
4.6.2 Output buffer management from IEC 61162-450 network to IEC 61162-3 network.....	24
4.6.3 Datagram output requirements.....	24
4.6.4 PGN group number	25
4.7 Other network function (ONF) requirements	25
5 Low level network requirements.....	25
5.1 Electrical and mechanical requirements	25
5.2 Network protocol requirements.....	26
5.3 IP address assignment for equipment	27
5.4 Multicast address range	27
5.5 Device address for instrument networks.....	27
6 Transport layer specification.....	28
6.1 General.....	28
6.2 UDP messages	29
6.2.1 UDP multicast protocol	29
6.2.2 Use of multicast addresses and port numbers.....	29
6.2.3 UDP checksum	31
6.2.4 Datagram size	31
7 Application layer specification.....	31
7.1 Datagram header	31

7.1.1	Valid header	31
7.1.2	Error logging.....	32
7.2	General IEC 61162-1 sentence transmissions.....	32
7.2.1	Application of this protocol.....	32
7.2.2	Types of messages for which this protocol can be used.....	32
7.2.3	TAG block parameters for sentences transmitted in the datagram.....	32
7.2.4	Requirements for processing incoming datagrams	38
7.2.5	Error logging for processing incoming datagrams	38
7.3	Binary file transfer using UDP multicast – Single transmitter, multiple receivers.....	39
7.3.1	Application of this protocol.....	39
7.3.2	Binary file structure.....	39
7.3.3	61162-450 header	40
7.3.4	Binary file descriptor structure	42
7.3.5	Binary file data fragment.....	43
7.3.6	Sender process for binary file transfer	44
7.3.7	Receiver process for binary file transfer.....	47
7.3.8	Other requirements.....	49
7.3.9	Error logging.....	51
7.4	General IEC 61162-3 PGN message transmissions.....	51
7.4.1	Message structure	51
7.4.2	Message format.....	52
7.4.3	Address translation requirements.....	52
7.4.4	Message processing	53
7.4.5	Additional management requirements	53
7.5	System function ID resolution.....	53
7.5.1	General	54
7.5.2	Transmitter functions	54
7.6	Binary file transfer using TCP point-to-point.....	54
7.6.1	Definition.....	54
7.6.2	Data field structure for transfer of files.....	55
7.6.3	Structure of the transfer stream	57
7.6.4	TCP port and IP addresses.....	58
7.6.5	Implementation guidance	58
8	Methods of test and required results.....	59
8.1	Test set-up and equipment.....	59
8.2	Basic requirements	60
8.2.1	Equipment to be connected to the network	60
8.2.2	Network infrastructure equipment	60
8.2.3	Documentation	60
8.3	Network function (NF).....	60
8.3.1	Maximum data rate	60
8.3.2	Error logging function	60
8.4	System function block (SF)	61
8.4.1	General	61
8.4.2	Assignment of unique system function ID (SFI).....	61
8.4.3	Implementing configurable transmission groups.....	61
8.5	Serial to network gateway function (SNGF).....	61
8.5.1	General	61

8.5.2	Serial line output buffer management	62
8.5.3	Datagram output.....	62
8.5.4	Multi SF serial port	62
8.5.5	Handling malformed data received on serial line	63
8.6	Other network function (ONF)	66
8.7	Low level network	66
8.7.1	Electrical and mechanical requirements	66
8.7.2	Network protocol.....	66
8.7.3	IP address assignment for equipment	66
8.7.4	Multicast address range.....	67
8.8	Transport layer	67
8.9	Application layer	67
8.9.1	Application.....	67
8.9.2	Datagram header.....	67
8.9.3	Types of messages.....	68
8.9.4	TAG block parameters	68
8.9.5	General authentication.....	69
8.10	Error logging.....	69
8.11	Binary file transfer using UDP multicast – Single transmitter, multiple receiver	70
8.11.1	Sender process test.....	70
8.11.2	Receiver process test	71
8.11.3	Binary file descriptor test	72
8.11.4	Binary file transfer error logging.....	72
8.11.5	Maximum outgoing rate	72
8.12	PGN to network gateway function (PNGF).....	72
8.12.1	General	72
8.12.2	Output buffer management	72
8.12.3	Datagram output.....	73
8.12.4	PGN group	73
8.12.5	Address conflicts	73
8.13	System function ID resolution.....	73
8.14	Binary file transfer using TCP point-to-point.....	73
8.14.1	Test of transmit client	73
8.14.2	Test of receiver server.....	74
8.14.3	Maximum outgoing rate	75
8.14.4	TCP port and IP addresses.....	75
Annex A (normative) Classification of IEC 61162-1 talker identifier mnemonics and sentences		76
A.1	General.....	76
A.2	Talker identifier mnemonic to transmission group mapping	76
A.3	List of all sentence formatters and the sentence type	78
Annex B (normative) TAG block definitions		82
B.1	Validity.....	82
B.2	Valid TAG block characters.....	82
B.3	TAG block format.....	82
B.4	TAG block "hexadecimal checksum" (*hh).....	83
B.5	TAG block "line"	83
B.6	TAG block parameter-code dictionary	84

Annex C (normative) Reliable transmission of command-response pair messages	85
C.1 Purpose	85
C.2 Information exchange examples	85
C.3 Characteristics	85
C.4 Requirements	85
C.5 Data flow description	86
C.5.1 Heartbeat message	86
C.5.2 Command response pair	86
Annex D (informative) Compatibility between nodes based on IEC 61162-450:2011 connected to a network which uses methods based on later editions of IEC 61162-450	87
D.1 General	87
D.2 Alternative methods for compatibility	87
D.2.1 Use of IGMP proxy node	87
D.2.2 Use of virtual LAN (VLAN)	87
D.2.3 Use of static multicast switch configuration	88
Annex E (informative) Use of switch setup configuration to filter network traffic	89
Annex F (normative) Sentence to support SFI collision detection	90
F.1 General	90
F.2 SRP – System function ID resolution protocol	90
Annex G (informative) Examples for SRP sentences and SFI collision detection	91
G.1 SFI collision detection	91
G.2 Examples for SRP sentences	91
G.2.1 Redundancy on network level only	91
G.2.2 Examples for redundancy on network and serial (to network) level	95
G.3 Other uses of SRP sentence	97
Annex H (normative) Reserved cluster identifiers	98
Bibliography	99
https://standards.itec.org/en/standards/sist-en-iec-61162-450-2024	
Figure 1 – Network topology example	15
Figure 2 – SNGF examples	21
Figure 3 – SNGF example, multi SF serial port	21
Figure 4 – Ethernet frame example for a SBM from a rate of turn sensor	28
Figure 5 – Non re-transmittable sender process	45
Figure 6 – Re-transmittable sender process	47
Figure 7 – Re-transmittable receive process	49
Figure C.1 – Command response communications	85
Figure G.1 – Two separate network interfaces connected to the same single network	91
Figure G.2 – An example of two equipment	92
Figure G.3 – Two separate networks interfaces connected to the same single network, but only one of the network interfaces is sending at any one time	93
Figure G.4 – An example of two equipment	93
Figure G.5 – Two separate network interfaces connected to the same single network but a network switch makes the equipment to be seen as one	94
Figure G.6 – An example of two equipment	95
Figure G.7 – One equipment with two separate serial interfaces connected through separate SNGFs to the network	96

Table 1 – Syslog message format	18
Table 2 – Syslog error message codes	19
Table 3 – Interfaces, connectors and cables	26
Table 4 – Destination multicast addresses and port numbers	29
Table 5 – Destination multicast addresses and port numbers for binary data transfer.....	30
Table 6 – Destination multicast addresses and port numbers for other services	31
Table 7 – Description of terms	39
Table 8 – Binary file structure	40
Table 9 – 61162-450 header format	41
Table 10 – Binary file descriptor format.....	43
Table 11 – Examples of MIME content type for DataType codes	43
Table 12 – Binary file data fragment format.....	43
Table 13 – Structure for PGN message.....	51
Table 14 – PGN message descriptor	52
Table 15 – Description of terms	55
Table 16 – Binary file structure	55
Table 17 – Header structure	56
Table 18 – Package data structure.....	57
Table A.1 – Classification of IEC 61162-1 talker identifier mnemonics	76
Table A.2 – Classification of IEC 61162-1 sentences	78
Table B.1 – Defined parameter-codes	84
Table H.1 – List of reserved cluster identifiers	98

Document Preview

[SIST EN IEC 61162-450:2024](https://standards.iteh.ai/catalog/standards/sist/1c0ebe65-9af2-4565-83e0-2261236947f6/sist-en-iec-61162-450-2024)

<https://standards.iteh.ai/catalog/standards/sist/1c0ebe65-9af2-4565-83e0-2261236947f6/sist-en-iec-61162-450-2024>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND RADIOCOMMUNICATION
EQUIPMENT AND SYSTEMS –
DIGITAL INTERFACES –****Part 450: Multiple talkers and multiple listeners –
Ethernet interconnection**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61162-450 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems. It is an International Standard.

This third edition cancels and replaces the second edition published in 2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) clarification of serial to network gateway function (SNGF) in 4.5 with the addition of two new figures;

- b) addition of further destination multicast addresses and port numbers in 6.2;
- c) clarification of TAG block parameters in 7.2 together with Annex B, a new Annex H and associated tests in 8.9.4;
- d) clarification of the sender process for binary files in 7.3.6 and the receiver process for binary files in 7.3.7 with updated Figure 6 and Figure 7;
- e) clarifications of SFI collision detection and use of SRP sentence in 7.5 together with a new Annex G;
- f) revision of tests for handling malformed data received on the serial line in 8.5.5.

The text of this International Standard is based on the following documents:

Draft	Report on voting
80/1094/FDIS	80/1098/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61162 series, published under the general title *Maritime navigation and radiocommunication equipment and systems - Digital interfaces*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.