

SLOVENSKI STANDARD kSIST-TP FprEN ISO/IEC/TR 24029-1:2023

01-november-2023

Umetna inteligenca (UI) - Ocenjevanje robustnosti nevronskih omrežij - 1. del: Pregled (ISO/IEC TR 24029-1:2021)

Artificial Intelligence (AI) - Assessment of the robustness of neural networks - Part 1: Overview (ISO/IEC TR 24029-1:2021)

Informationstechnik - Künstliche Intelligenz - Bewertung der Robustheit neuronaler Netze (ISO/IEC TR 24029-1:2021)

Intelligence artificielle (IA) - Évaluation de la robustesse des réseaux de neurones - Partie 1: Vue d'ensemble (ISO/IEC TR 24029-1:2021)

Ta slovenski standard je istoveten z: FprEN ISO/IEC/TR 24029-1

ICS:

35.020 Informacijska tehnika in

tehnologija na splošno

Information technology (IT) in

general

kSIST-TP FprEN ISO/IEC/TR 24029-

en,fr,de

1:2023

kSIST-TP FprEN ISO/IEC/TR 24029-1:2023

iTeh Standards (https://standards.iteh.ai) Document Preview

kSIST-TP FprEN ISO/IEC/TR 24029-1:2023

https://standards.iteh.ai/catalog/standards/sist/5e9f996e-6cha-4a1a-ad1h-716a4923310a/ksist-tn-fpren-iso-iec-tr-24029-1-2

TECHNICAL REPORT ISO/IEC TR 24029-1

First edition 2021-03

Artificial Intelligence (AI) — Assessment of the robustness of neural networks —

Part 1: **Overview**

iTeh Standards (https://standards.iteh.ai) Document Preview

kSIST-TP FprEN ISO/IEC/TR 24029-1:2023

ttps://standards.iteh.ai/catalog/standards/sist/5e9f996e-6cba-4a1a-ad1b-716a4923310a/ksist-tp-fpren-iso-iec-tr-24029-1-2



iTeh Standards (https://standards.iteh.ai) Document Preview

kSIST-TP FprEN ISO/IEC/TR 24029-1:2023

nttps://standards.iteh.ai/catalog/standards/sist/5e9f996e-6cba-4a1a-ad1b-716a4923310a/ksist-tp-fpren-iso-iec-tr-24029-1-2



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents Foreword Introduction			Page
			iv
			v
1	Scope		1
2	-	native references	
3		s and definitions	
4	Overview of the existing methods to assess the robustness of neural networks		3
	4.1 General		
		4.1.1 Robustness concept	
		4.1.2 Typical workflow to assess robustness	3
	4.2	Classification of methods	6
5	Statistical methods		7
	5.1	General	
	5.25.3	Robustness metrics available using statistical methods	
		5.2.1 General	8
		5.2.2 Examples of performance measures for interpolation	
		5.2.3 Examples of performance measures for classification	
		5.2.4 Other measures	
		Statistical methods to measure robustness of a neural network	
		5.3.1 General	
		5.3.2 Contrastive measures	
6	Formal methods Standards		14
	6.1	General	
	6.2	Robustness goal achievable using formal methods	15
		6.2.1 General 55.//Standard 45.1tell.al)	
		6.2.2 Interpolation stability	
	()	6.2.3 Maximum stable space for perturbation resistance	
	6.3	Conduct the testing using formal methods	
		6.3.2 Using solver to prove a maximum stable space property	
		6.3.3 Using optimization techniques to prove a maximum stable space property	tr-2 1 629-1-2
		6.3.4 Using abstract interpretation to prove a maximum stable space property	
7	Empirical methods		17
	7.1 General		
	7.2	Field trials	
	7.3	A posteriori testing	
	7.4	Benchmarking of neural networks	19
Annex A (informative) Data perturbation			20
Annex B (informative) Principle of abstract interpretation			25
Rihlingranhy			26

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 42, *Artificial intelligence*.

A list of all parts in the ISO/IEC 24029 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

When designing an AI system, several properties are often considered desirable, such as robustness, resiliency, reliability, accuracy, safety, security, privacy. A definition of robustness is provided in 3.6. Robustness is a crucial property that poses new challenges in the context of AI systems. For example, in AI systems there are some risks specifically tied to the robustness of AI systems. Understanding these risks is essential for the adoption of AI in many contexts. This document aims at providing an overview of the approaches available to assess these risks, with a particular focus on neural networks, which are heavily used in industry, government and academia.

In many organizations, software validation is an essential part of putting software into production. The objective is to ensure various properties including safety and performance of the software used in all parts of the system. In some domains, the software validation and verification process is also an important part of system certification. For example, in the automotive or aeronautic fields, existing standards, such as ISO 26262 or Reference [2], require some specific actions to justify the design, the implementation and the testing of any piece of embedded software.

The techniques used in AI systems are also subject to validation. However, common techniques used in AI systems pose new challenges that require specific approaches in order to ensure adequate testing and validation.

AI technologies are designed to fulfil various tasks, including interpolation/regression, classification and other tasks.

While many methods exist for validating non-AI systems, they are not always directly applicable to AI systems, and neural networks in particular. Neural network systems represent a specific challenge as they are both hard to explain and sometimes have unexpected behaviour due to their non-linear nature. As a result, alternative approaches are needed.

Methods are categorized into three groups: statistical methods, formal methods and empirical methods. This document provides background on these methods to assess the robustness of neural networks.

It is noted that characterizing the robustness of neural networks is an open area of research, and there are limitations to both testing and validation approaches.

kSIST-TP FprEN ISO/IEC/TR 24029-1:2023

kSIST-TP FprEN ISO/IEC/TR 24029-1:2023

iTeh Standards (https://standards.iteh.ai) Document Preview

kSIST-TP FprEN ISO/IEC/TR 24029-1:2023

https://standards.iteh.ai/catalog/standards/sist/5e9f996e-6cba-4a1a-ad1h-716a4923310a/ksist-tn-fpren-iso-iec-tr-24029-1-2

Artificial Intelligence (AI) — Assessment of the robustness of neural networks —

Part 1:

Overview

1 Scope

This document provides background about existing methods to assess the robustness of neural networks.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1

artificial intelligence

ΑI

<system>capability of an engineered system to acquire, process and apply knowledge and skills

3.2

field trial

trial of a new system in actual situations for which it is intended (potentially with a restricted user group)

Note 1 to entry: Situation encompasses environment and process of usage.

3.3

input data

data for which a deployed machine learning model calculates a predicted output or inference

Note 1 to entry: Input data is also referred to by machine learning practitioners as out-of-sample data, new data and production data.

3.4

neural network

neural net

NN

artificial neural network

ANN

network of primitive processing elements connected by weighted links with adjustable weights, in which each element produces a value by applying a non-linear function to its input values, and transmits it to other elements or presents it as an output value

Note 1 to entry: Whereas some neural networks are intended to simulate the functioning of neurons in the nervous system, most neural networks are used in artificial intelligence as realizations of the connectionist model.

Note 2 to entry: Examples of non-linear functions are a threshold function, a sigmoid function and a polynomial function.

[SOURCE: ISO/IEC 2382:2015, 2120625, modified — Abbreviated terms have been added under the terms and Notes 3 to 5 to entry have been removed.]

3.5

requirement

statement which translates or expresses a need and its associated constraints and conditions

[SOURCE: ISO/IEC/IEEE 15288:2015, 4.1.37]

3.6

robustness

ability of an AI system to maintain its level of performance under any circumstances

Note 1 to entry: This document mainly describes data input circumstances such as domain change but the definition is broader not to exclude hardware failure and other types of circumstances.

3.7

testing

activity in which a system or component is executed under specified conditions, the results are observed or recorded, and an evaluation is made of some aspect of the system or component

[SOURCE: ISO/IEC/IEEE 26513:2017, 3.42]) 1996e-6cba-4a1a-ad1b-716a4923310a/ksist-tp-fpren-iso-iec-tr-24029-1-2

3.8

test data

subset of *input data* (3.3) samples used to assess the generalization error of a final machine learning (ML) model selected from a set of candidate ML models

[SOURCE: Reference [2]]

3.9

training dataset

set of samples used to fit a machine learning model

3.10

validation

confirmation, through the provision of objective evidence, that the *requirements* (3.5) for a specific intended use or application have been fulfilled

[SOURCE: ISO/IEC 25000:2014, 4.41, modified — Note 1 to entry has been removed.]

3.11

validation data

subset of $input\ data\ (3.3)$ samples used to assess the prediction error of a candidate machine learning model

Note 1 to entry: Machine learning (ML) model validation (3.10) can be used for ML model selection.

[SOURCE: Reference [2]]

3.12

verification

confirmation, through the provision of objective evidence, that specified requirements have been fulfilled

[SOURCE: ISO/IEC 25000:2014, 4.43, modified — Note 1 to entry has been removed.]

4 Overview of the existing methods to assess the robustness of neural networks

4.1 General

4.1.1 Robustness concept

Robustness goals aim at answering the question "To what degree is the system required to be robust?" or "What are the robustness properties of interest?". Robustness properties demonstrate the degree to which the system performs with atypical data as opposed to the data expected in typical operations.

4.1.2 Typical workflow to assess robustness 110 210 S

This subclause explains how the robustness of neural networks is assessed for different classes of AI applications such as classification, interpolation and other complex tasks.

There are different ways to assess the robustness of neural networks using objective information. A typical workflow for determining neural network (or other technique) robustness is as shown in Figure 1.