

SLOVENSKI STANDARD
SIST ETS 300 213 E1:2003

01-december-2003

Ca fYyb]j]X]_J`fB5 ŁE JYYa Ygħbc ca fYyYfA 5 BŁE? cbj Yf[Yb b]`dcgħċdY_ bU
żgħiġi b]`d`Ugħi fD@ DŁeñU\]ħfcigh & \$ (, `AV]ħtg

Network Aspects (NA); Metropolitan Area Network (MAN); Physical layer convergence procedure for 2,048 Mbit/s

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: [SIST ETS 300 213 E1:2003](https://standards.iteh.ai/catalog/standards/sist/70513ca-e021-4e8c-928f-deab0db2b826/sist-ets-300-213-e1-2003) **ETS 300 213 Edition 1**
<https://standards.iteh.ai/catalog/standards/sist/70513ca-e021-4e8c-928f-deab0db2b826/sist-ets-300-213-e1-2003>

ICS:

35.110 Omreževanje Networking

SIST ETS 300 213 E1:2003 en

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST ETS 300 213 E1:2003
<https://standards.iteh.ai/catalog/standards/sist/c70513ca-e021-4e8c-928f-deab0db2b826/sist-ets-300-213-e1-2003>



EUROPEAN TELECOMMUNICATION STANDARD

ETS 300 213

December 1992

Source: ETSI TC-NA

Reference: DE/NA-053025

ICS: 33.040

Key words: Network, access, MAN

iTeh STANDARD REVIEW Network Aspects (NA), (standards.iteh.ai) Metropolitan Area Network (MAN)

Physical layerconvergence procedure for
<https://standards.iteh.ai/catalog/standards/sist/c70513ca-e021-4e8c-928f-deab0db2b826/iss/0000000000000003>
2,048 Mbit/s

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Page 2

ETS 300 213: December 1992

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 213 E1:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/c70513ca-e021-4e8c-928f-deab0db2b826/sist-ets-300-213-e1-2003>

Contents

Foreword	5
1 Scope	7
2 Normative references.....	7
3 Definitions.....	7
4 Symbols and abbreviations	7
5 Physical Layer Convergence Procedure (PLCP) for E1 ¹) based systems	8
5.1 Introduction	8
5.1.1 E1 relationship to the PLCP	8
5.2 The PLCP frame format.....	8
5.3 PLCP field definitions.....	9
5.3.1 Framing octets (A1, A2)	9
5.3.2 Path overhead identifier (P0..P9)	9
5.3.3 PLCP path overhead octets	10
5.3.3.1 PLCP path user channel (F1)	10
5.3.3.2 Bit interleaved parity - 8 (B1)	10
5.3.3.3 PLCP path status (G1)	10
5.3.3.4 DQDB layer management information octets (M1, M2)	11
5.3.3.5 Stuffing (octet C1).....	11
5.3.3.6 Growth octets (Z1..Z4).....	11
5.3.4 Trailer octets.....	11
5.4 PLCP behaviour during faults	12
5.5 PLCP behaviour during DQDB layer out of service	12
5.6 PLCP framing	12
5.6.1 Link status signal operations table	15
5.6.2 Physical layer frame timing operations table.....	16
History.....	17

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 213 E1:2003
<https://standards.iteh.ai/catalog/standards/sist/c70513ca-e021-4e8c-928f-deab0db2b826/sist-ets-300-213-e1-2003>

Foreword

This European Telecommunication Standard (ETS) has been prepared by the Network Aspects (NA) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS details the physical layer convergence procedure for an European Metropolitan Area Network (MAN) based on the Distributed Queue Dual Bus (DQDB) access method as defined in IEEE Standard 802.6 [6] operating at a transmission rate of 2,048 Mbit/s in accordance with CCITT Recommendation G.703 [2].

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 213 E1:2003](#)
<https://standards.iteh.ai/catalog/standards/sist/c70513ca-e021-4e8c-928f-deab0db2b826/sist-ets-300-213-e1-2003>

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 213 E1:2003
<https://standards.iteh.ai/catalog/standards/sist/c70513ca-e021-4e8c-928f-deab0db2b826/sist-ets-300-213-e1-2003>

1 Scope

This European Telecommunication Standard (ETS) defines the physical layer convergence procedure at 2,048 Mbit/s for use in the context of a subnetwork of a Metropolitan Area Network (MAN). Additional slot mappings for use in transit networks and use of methods defined in this ETS for other purposes are outside the scope of this ETS.

Methods of testing will be the subject of separate arrangements.

2 Normative references

This ETS incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to, or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] CCITT Recommendation G.704 (1991): "Synchronous frame structures used at primary and secondary hierarchical levels".
- [2] CCITT Recommendation G.703 (1991): "Physical/electrical characteristics of hierarchical digital interfaces".
- [3] CCITT Recommendation G.707 (1991): "Synchronous digital hierarchy bit rates".
- [4] CCITT Recommendation G.708 (1991): "Network node interface for the synchronous digital hierarchy".
iTeh STANDARD PREVIEW
(standards.itech.ai)
- [5] CCITT Recommendation G.709 (1991): "Synchronous multiplexing structure".
- [6] IEEE Standard 802.6 (1990): "Distributed Queue Dual Bus (DQDB) Subnetwork of a Metropolitan Area Network (MAN)".
<https://standards.ieee.org/catalog/standards/sist/ets-300-213-e1-2003/deab0db2b826/sist-ets-300-213-e1-2003>

3 Definitions

For the purposes of this ETS, the definitions as defined in IEEE Standard 802.6 [6] shall apply.

4 Symbols and abbreviations

For the purposes of this ETS, the symbols and abbreviations as defined in IEEE Standard 802.6 [6] shall apply.