INTERNATIONAL STANDARD

ISO 14404-4

First edition 2020-12

Calculation method of carbon dioxide emission intensity from iron and steel production —

Part 4: **Guidance for using the ISO 14404 iTeh STANDARD PREVIEW**

Méthode de calcul de l'intensité de l'émission de dioxyde de carbone de la production de la fonte et de l'acier —

Partie 4: Lignes directrices pour l'utilisation de la série de normes https://standards.iteh.dsQud49440dards/sist/4703c1a9-190c-4370-a728-a1afa38f1882/iso-14404-4-2020



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 14404-4:2020 https://standards.iteh.ai/catalog/standards/sist/4703c1a9-190c-4370-a728-a1afa38f1882/iso-14404-4-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			Page
Fore	eword		v
Intr	oductio	1	vi
1	Scope	3	1
2	-	native references	
3	Terms and definitions		
3	3.1	Emissions	
	3.2	Gas fuel	
	3.3	Liquid fuel	
	3.4	Solid fuel	3
	3.5	Auxiliary material	
	3.6	Energy carriers	
	3.7	Ferrous containing materials	
	3.8	Alloys	
	3.9 3.10	Product and by-product Others	
4		ools	
5		riples	
	5.1	General	
	5.2 5.3	Relevance STANDARD PREVIEW Completeness	9 0
	5.4	Consistency	 10
	5.5	Consistency (standards.iteh.ai) Accuracy	10
	5.6	Transparency	
6	Chara	ISO 14404-4:2020 acteristic features of the ISO 14404 series 3c1a9~190c~4370~a728~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	10
		ance for applying the ISO 14404 series to all types of steel plants	
7	7.1	GeneralGeneral	
	7.1	Application of the ISO 14404 series for steel plants not covered in ISO 14404-1,	10
	,	ISO 14404-2 and ISO 14404-3	13
		7.2.1 Steel Plants with iron making processes other than BF and on-site	
		production of DRI	13
		7.2.2 Steel Plants with multiple process routes	13
		7.2.3 Steel plants which purchase pig iron from outside	13
		7.2.4 Steel plants which purchase all or part of semi-finished steel product	12
	7.3	from outsideGuideline for making comparisons using the ISO 14404 series	
_			
8		lation using the Universal Calculation Sheet	
	8.1	General	
	8.2	Calculation procedure	
		8.2.2 Data collection of direct and/or upstream CO ₂ emission sources	
		8.2.3 Data collection of credit CO ₂ emissions sources	17
		8.2.4 Calculation	
9	Δddii	tional guidance to the entire ISO 14404 series	24
	9.1	Evaluation of slag	
	9.2	Explanation of emission factors for by-product gases	
		9.2.1 General	
		9.2.2 Explanation of emission factors based on world average electricity equivalen	
		9.2.3 Explanation of emission factors based on natural gas equivalent	
	0.0	9.2.4 Evaluation of stock	
	93	Selection of calorific values and emission factors for electricity and fuel	27

Annex A (informative) Calculation of energy consumption and intensity	28
Annex B (informative) Application of the ISO 14404 series	31
Annex C (informative) Universal Calculation Sheet	32
Annex D (informative) Example of template for using different emission factors or emission sources from Table 7	34
Annex E (Informative) Boundary calculation for a steel plant which produces crude steel and uses purchased semi-finished steel products	36
Bibliography	40

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 14404-4:2020 https://standards.iteh.ai/catalog/standards/sist/4703c1a9-190c-4370-a728-a1afa38f1882/iso-14404-4-2020

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information/about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 17, Steel.

A list of all parts in the ISO 14404 series can be found on the ISO website. 728-

a1afa38f1882/iso-14404-4-2020

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The steel industry recognizes the urgent need to take actions concerning climate change. Slowing and halting global warming requires reductions in GHG emissions on a global scale. To play a part in achieving these reductions, it is necessary for steel plants to identify the amount of CO_2 emitted during the production of steel products, in order to identify next opportunities for reduction of CO_2 .

As the calculation methods for ${\rm CO_2}$ emission and intensity in iron and steel industry, ISO 14404-1 (for steel plants with blast furnace) and ISO 14404-2 (for steel plants with electric arc furnace) were published in 2013, and ISO 14404-3 (for steel plants with electric arc furnace and coal-based or gas-based direct reduction iron facility) was published in 2017.

The ISO 14404 series specifies calculation methods for the carbon dioxide (CO_2) intensity of a steel plant from the amounts of the major inputs (purchased items) and outputs (sold items), such as natural resources, intermediate products, and energy. The concept is shown in Figure 1.





Figure 1 — Conceptual diagram of calculation method in the ISO 14404 series

This calculation method only uses basic imports and exports that are commonly measured and recorded by the plants; thus, the method requires neither the measurement of the specific efficiency of individual equipment or processes nor dedicated measurements of the complex flow and recycling of materials and waste heat. In this way, the calculation method ensures its simplicity and universal applicability without requiring steel plants to install additional dedicated measuring devices or to collect additional dedicated data other than commonly used data in the management of plants.

In addition, the ISO 14404 series provides the guidance to consider the activities in the boundary that are located outside of the site boundary by considering the upstream emissions of the intermediate products produced in such "outsourced steel production activities". The conceptual diagram of boundary and site boundary is shown in Figure 2.



= Includes all necessary activities

Figure 2 — Conceptual diagram of boundary and site boundary iTeh STANDARD PREVIEW

Intermediate products with possibilities of considering upstream emissions include the following:

- Electricity / steam;
- Substances produced in the basic activities existing in the target process route (e.g. purchased coke used in the BF BOF route); alafa38f1882/iso-14404-4-2020
- Substances that substitute the iron source of the process route even if they do not exist in the target process route (e.g. purchased DRI used in the BF - BOF route).

The ISO 14404 series is based on " CO_2 Emissions Data Collection User Guide" established by the World Steel Association (worldsteel), which consists more than 161 major steel companies in 60 countries and regions of the world. Actual data collection among worldsteel members has been conducted yearly based upon this guide since 2007. While the ISO 14404 series of standards and worldsteel " CO_2 Emissions Data Collection User Guide" share the same concept, they have different characteristics where the worldsteel's User Guide provides the method suitable for collecting data from steel plants across the world in a uniform way, and the ISO 14404 series provide methods suitable for the evaluation of CO_2 intensity of steel plant for each process route (i.e. combination of iron source and steelmaking process).

Therefore, while worldsteel method applies common boundary and CO_2 emission factors to all steelworks regardless of their process routes, the ISO 14404 series defines the boundary, CO_2 emission factors and intermediate products for which upstream emissions are considered for each of the process routes, such as BF-BOF (14404-1), Scrap-EAF (14404-2) and DRI-EAF (14404-3).

This document provides the guidance for calculating the $\rm CO_2$ intensity at all types of steel plants, including steel plants with process routes not covered in ISO 14404-1, ISO 14404-2 and ISO 14404-3 (steel plants with process routes other than BF - BOF, Scrap - EAF, DRI - EAF) as well as steel plants with multiple process routes, by defining the boundary, $\rm CO_2$ emission factors and the intermediate products for which upstream emissions are considered for each of all types of steel plants. This document also includes Universal Calculation Sheet, which covers all relevant emission sources from ISO 14404-1, ISO 14404-2 and ISO 14404-3 to assist the calculation of $\rm CO_2$ emissions.

Moreover, this document provides additional guidance to the entire ISO 14404 series for the following topics, which have not been covered by ISO 14404-1, ISO 14404-2 and ISO 14404-3.

- a) Evaluation of exported slags
- b) Evaluation of by-product gas
- c) Evaluation of stock
- d) Selection of calorific values and emission factors for electricity and fuel

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 14404-4:2020 https://standards.iteh.ai/catalog/standards/sist/4703c1a9-190c-4370-a728-a1afa38f1882/iso-14404-4-2020

Calculation method of carbon dioxide emission intensity from iron and steel production —

Part 4:

Guidance for using the ISO 14404 series

1 Scope

This document provides guidance for calculating the CO_2 intensity at steel plants with all types of process routes, by defining the boundary, CO_2 emission factors and the intermediate products for which upstream emissions are considered for all types of process routes. In particular, this document provides guidance applicable to the ISO 14404 series to the types of steel plants listed below. This document also includes the Universal Calculation Sheet, which covers all relevant emission sources from ISO 14404-1, ISO 14404-2 and ISO 14404-3 to assist the calculation of CO_2 emissions.

- i. Steel plants with different process routes from ISO 14404-1, ISO 14404-2 and ISO 14404-3 (7.2.1)
- ii. Steel plants with more than one process route (7.2.2)
- iii. Steel plants purchasing pig iron from the outside (723) EVIEW
- iv. Steel plants and rerollers purchasing part of all of crude steel from outside (7.2.4)

Moreover, this document provides additional guidance to the entire ISO 14404 series for the following topics. https://standards.iteh.ai/catalog/standards/sist/4703c1a9-190c-4370-a728-

- a) Evaluation of exported slags alafa38f1882/iso-14404-4-2020
- b) Evaluation of by-product gas
- c) Evaluation of stock
- d) Selection of calorific values and emission factors for electricity and fuel

Conversion to energy consumption and to consumption efficiency can be obtained using Annex A.

While the use of the calculation result is outside the scope of this document, appropriate applications and inappropriate application are recommended in <u>Annex B</u>.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1 Emissions

3.1.1

emission source

process emitting CO₂ during the production of steel products

Note 1 to entry: There are three categories of CO_2 emission sources: direct, upstream and credit. Examples of emission sources that are subject to this document are given in *direct CO2 emission* (3.1.2), *upstream CO2 emission* (3.1.3) and *credit CO2 emission* (3.1.4).

[SOURCE: ISO 14404-1:2013, 2.1.1]

3.1.2

direct CO₂ emission

 CO_2 emissions from steel production activity inside the *boundary* (3.10.2)

Note 1 to entry: Direct CO₂ emission is categorized as "direct GHG emissions" in ISO 14064-1.

[SOURCE: ISO 14404-1:2013, 2.1.2]

3.1.3

upstream CO2 emission

 CO_2 emissions from imported material related to outsourced steel production activities outside the *site* boundary (3.10.3) and from imported *electricity* (3.6.1) and *steam* (3.6.2) into the *site* boundary (3.10.3)

Note 1 to entry: CO₂ emissions from imported material in this term are categorized as "other indirect GHG emissions" in ISO 14064-1.

Note 2 to entry: CO₂ emissions from imported *electricity* (3.4.1) and steam (3.6.2) in this term are categorized as "energy indirect GHG emissions" in ISO 14064-1.

[SOURCE: ISO 14404-1:2013, 2.1.3, modified — boundary (3.10.2) is changed to site boundary (3.10.3)]

https://standards.iteh.ai/catalog/standards/sist/4703c1a9-190c-4370-a728-

3.1.4

a1afa38f1882/iso-14404-4-2020

credit CO₂ emission

 CO_2 emission that corresponds to exported material and *electricity* (3.6.1) or *steam* (3.6.2)

Note 1 to entry: Credit CO₂ emission is categorized as "direct GHG emissions" in ISO 14064-1.

[SOURCE: ISO 14404-1:2013, 2.1.4]

3.2 Gas fuel

3.2.1

natural gas

mixture of gaseous hydrocarbons, primarily methane, naturally occurring in the earth and used principally as a fuel

[SOURCE: ISO 14404-1:2013, 2.2.1]

3.2.2

coke oven gas

COG

gas recovered from coke (3.4.6) oven

[SOURCE: ISO 14404-1:2013, 2.2.2]

3.2.3

blast furnace gas

BFG

gas recovered from blast furnace

[SOURCE: ISO 14404-1:2013, 2.2.3]

3.2.4

BOF gas

LDG

gas recovered from basic oxygen furnace (Linz Donawitz converter)

Note 1 to entry: BOF: basic oxygen furnace

[SOURCE: ISO 14404-1:2013, 2.2.4]

3.2.5

town gas

fuel gas manufactured for domestic and industrial use

[SOURCE: ISO 14404-2:2013, 2.2.2]

3.2.6

COREX gas

gas recovered from COREX

3.2.7

other gas

gas other than natural gas (3.2.1), coke oven gas (3.2.2), blast furnace gas (3.2.3), BOF gas (3.2.4), town gas(3.2.5), and COREX gas(3.2.6)

3.3 Liquid fuel

iTeh STANDARD PREVIEW

3.3.1

No. 4 to No.6 fuel oil defined by ASTM

Note 1 to entry: ASTM: American Society for Testing and Materials

https://standards.iteh.ai/catalog/standards/sist/4703c1a9-190c-4370-a728-

[SOURCE: ISO 14404-1:2013, 2.3.1] a1afa38f1882/iso-14404-4-2020

3.3.2

light oil

No. 2 to No.3 fuel oil defined by ASTM

[SOURCE: ISO 14404-1:2013, 2.3.2]

3.3.3

kerosene

paraffin (oil)

[SOURCE: ISO 14404-1:2013, 2.3.3]

3.3.4

LPG

liquefied petroleum gas

[SOURCE: ISO 14404-1:2013, 2.3.4]

3.4 Solid fuel

3.4.1

coking coal

coal for making coke (3.4.6), including anthracite

[SOURCE: ISO 14404-1:2013, 2.4.1]

3.4.2

BF injection coal

pulverized coal injection (PCI) coal, including anthracite

Note 1 to entry: BF: blast furnace

[SOURCE: ISO 14404-1:2013, 2.4.2]

3.4.3

sinter coal

BOF coal

coal for sinter (3.7.2)/BOF, including anthracite

[SOURCE: ISO 14404-1:2013, 2.4.3]

3.4.4

EAF coal

coal used for an *electric arc furnace (EAF)* (3.10.5), including anthracite

[SOURCE: ISO 14404-2:2013, 2.4.1, modified — "EAF" is changed to "electric arc furnace (EAF)". Note 1 to entry is deleted.]

3.4.5

steam coal

boiler coal for producing electricity (3.6.1) and steam (3.6.2), including anthracite

[SOURCE: ISO 14404-1:2013, 2.44] h STANDARD PREVIEW

3.4.6

(standards.iteh.ai)

coke

solid carbonaceous material

ISO 14404-4:2020

[SOURCE: ISO 14404-1:2013; 2.4:5] dards.iteh.ai/catalog/standards/sist/4703c1a9-190c-4370-a728-a1afa38f1882/iso-14404-4-2020

3.4.7

charcoal

devolatilized or coked carbon neutral materials

EXAMPLE Trees, plants.

[SOURCE: ISO 14404-1:2013, 2.4.6]

3.4.8

SR/DRI coal

coal used for smelting reduction (SR, including COREX)/ direct reduction iron (DRI), including anthracite

[SOURCE: ISO 14404-2:2013, 2.4.5, modified — Note 1 to entry is integrated into the definition]

3.4.9

other coal

coal other than steam coal (3.4.5), coking coal (3.4.1), BF injection coal (3.4.2), sinter coal (3.4.3), EAF coal (3.4.4), coke (3.4.6), charcoal (3.4.7) and SR/DRI coal (3.4.8)

3.5 Auxiliary material

3.5.1

limestone

calcium carbonate

 $CaCO_3$

[SOURCE: ISO 14404-1:2013, 2.5.1]

3.5.2

burnt lime

Ca₀

[SOURCE: ISO 14404-1:2013, 2.5.2]

3.5.3

crude dolomite

calcium magnesium carbonate

 $CaMg(CO_3)_2$

[SOURCE: ISO 14404-1:2013, 2.5.3]

3.5.4

burnt dolomite

CaMgO₂

[SOURCE: ISO 14404-1:2013, 2.5.4]

3.5.5

electric arc furnace graphite electrodes

EAF graphite electrodes

net use of EAF (3.10.5) graphite electrodes or attrition loss

[SOURCE: ISO 14404-2:2013, 2.5.5]

3.5.6

iTeh STANDARD PREVIEW

nitrogen

 N_2

(standards.iteh.ai)

inert gas separated from air at an *oxygen plant* (3.10.8), imported from/exported to outside the boundary (3.10.2) ISO 14404-4:2020

[SOURCE: ISO 14404-1:2013, 2.5.5, modified 27, the definition is simplified]

3.5.7

argon

Ar

inert gas separated from air at an *oxygen plant* (3.10.8), imported from/exported to outside the *boundary* (3.10.2)

[SOURCE: ISO 14404-1:2013, 2.5.6, modified — the definition is simplified]

3.5.8

oxygen

 0_2

gas separated from air at an *oxygen plant* (3.10.8), imported from/exported to outside the *boundary* (3.10.2)

[SOURCE: ISO 14404-1:2013, 2.5.7, modified — the definition is simplified]

3.6 Energy carriers

3.6.1

electricity

electrical energy imported from/exported to outside the *boundary* (3.10.2)

[SOURCE: ISO 14404-1:2013, 2.6.1, modified — the definition is simplified]

3.6.2

steam

pressurized water vapour imported from/exported to outside the boundary (3.10.2)

[SOURCE: ISO 14404-1:2013, 2.6.2]

3.7 Ferrous containing materials

3.7.1

pellets

agglomerated spherical iron ore calcinated by rotary kiln

[SOURCE: ISO 14404-1:2013, 2.7.1]

3.7.2

sinter

bulk iron ore sintered by baking mixture of fine iron ore, coke (3.4.6) breeze and pulverized lime

[SOURCE: ISO 14404-1:2013, 2.7.2]

3.7.3

hot metal

intermediate liquid iron products containing 30~g/kg to 50~g/kg by mass carbon produced by smelting iron ore with equipment such as blast furnace

[SOURCE: ISO 14404-1:2013, 2:7.3, modified—"3 %, 5 %" is replaced with "30 g/kg, 50 g/kg"]

3.7.4

cold iron

(standards.iteh.ai)

solidified hot metal (3.7.3) as an intermediate solid iron product

ISO 14404-4:2020

[SOURCE: ISO 14404-1:2013p2:/7.4]|dards.iteh.ai/catalog/standards/sist/4703c1a9-190c-4370-a728-a1afa38f1882/iso-14404-4-2020

3.7.5

scrap

used steel available for reprocessing

[SOURCE: ISO 14404-2:2013, 2.7.4]

3.7.6

gas-based DRI

direct reduced iron (DRI) reduced by a reducing gas such as reformed *natural gas* (3.2.1)

[SOURCE: ISO 14404-1:2013, 2.7.5]

3.7.7

coal-based DRI

direct reduced iron (DRI) reduced by coal

[SOURCE: ISO 14404-1:2013, 2.7.6]

3.8 Alloys

3.8.1

ferro-nickel

alloy of iron and nickel

[SOURCE: ISO 14404-1:2013, 2.8.1]

3.8.2

ferro-chromium

alloy of iron and chromium

[SOURCE: ISO 14404-1:2013, 2.8.2]

3.8.3

ferro-molybdenum

alloy of iron and molybdenum

[SOURCE: ISO 14404-1:2013, 2.8.3]

3.9 Product and by-product

3.9.1

CO₂ for external use

 CO_2 exported to outside the *boundary* (3.10.2)

[SOURCE: ISO 14404-1:2013, 2.9.1]

3.9.2

coal tar

by-products of the carbonization of coal to *coke* (3.4.6), containing complex and variable mixtures of phenols and polycyclic aromatic hydrocarbons

[SOURCE: ISO 14404-1;2013] 2.92] **ANDARD PREVIEW**

3.9.3

(standards.iteh.ai)

coal light oil

benzole

light oil (3.3.2) recovered by COG (3.2.2) purification, consisting mainly of benzene, toluene and xylene (BTX) https://standards.iteh.ai/catalog/standards/sist/4703c1a9-190c-4370-a728-a1afa38f1882/iso-14404-4-2020

[SOURCE: ISO 14404-1:2013, 2.9.3, modified — "COG gas" is changed to "COG"]

3.9.4

BF slag to cement

blast furnace slag supplied to cement industry

[SOURCE: ISO 14404-1:2013, 2.9.4]

3.9.5

BOF slag to cement

BOF slag supplied to cement industry

[SOURCE: ISO 14404-1:2013, 2.9.5]

3.10 Others

3.10.1

other emission source

other related *emission sources* (3.1.1) such as plastics, *scraps* (3.7.5), desulfurization additives, alloys, fluxes for secondary metallurgy, dust, sludge, etc.

[SOURCE: ISO 14404-1:2013, 2.10.1]

3.10.2

boundary

limit of activity used to calculate CO₂ emissions intensity for steel production activities

Note 1 to entry: boundary (3.10.2) may be different from the site boundary (3.10.3)