INTERNATIONAL STANDARD

ISO 24059

First edition 2021-10

Ships and marine technology — Anchor chain releasers

Navires et technologie maritime — Systèmes de détente pour chaînes d'ancre

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 24059:2021 https://standards.iteh.ai/catalog/standards/sist/ce769710-916a-41f0-b2b0-13819f59d505/iso-24059-2021



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 24059:2021 https://standards.iteh.ai/catalog/standards/sist/ce769710-916a-41f0-b2b0-13819f59d505/iso-24059-2021



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Co	ntent	ts	Page
Fore	word		iv
1	Scop	pe	1
2	Nor	mative references	1
3	Terr	ms and definitions	1
4	Clas 4.1 4.2	Sification, structures and main dimensions Classification Structure and main dimensions	1
5	Req 5.1 5.2 5.3 5.4 5.5 5.6 5.7	uirements Materials External appearance Operational performance Derusting Tolerance Strength Tightness	
6	6.1 6.2 6.3 6.4 6.5 6.6	Materials External appearance Operational performance DARD PREVIEW Derusting Tolerance Strength Tightness ISO 24059:2021	
7	Mar	kinghttps://standards.iteh.ai/catalog/standards/sist/ce769710-916a-41f0-b2b0	9
8	Sign	ns 13819f59d505/iso-24059-2021	9
Ann	ex A (n	ormative) Strength calculations	10
Bibl	iograp	hy	13

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 8, *Ships and marine technology*, Subcommittee SC 4, *Outfitting and deck machiner* 9.0 24059:2021 https://standards.iteh.ai/catalog/standards/sist/ce769710-916a-41f0-b2b0-

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Ships and marine technology — Anchor chain releasers

1 Scope

This document provides a classification of anchor chain releasers and a description of their structure. It also specifies their basic dimensions, requirements and test methods, and their marking and surface signs.

It is applicable to the design, production and acceptance of anchor chain releasers.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1, General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications

ISO 3828, Shipbuilding and marine structures — Deck machinery — Vocabulary and symbols

ISO 8501-1, Preparation of steel substrates before application of paints and related products — Visual assessment of surface cleanliness — Part 1: Rust grades and preparation grades of uncoated steel substrates and of steel substrates after overall removal of previous coatings

ISO 24059:2021

Terms and definitions: iteh.ai/catalog/standards/sist/ce769710-916a-41f0-b2b0-13819f59d505/iso-24059-2021

For the purposes of this document, the terms and definitions given in ISO 3828 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

4 Classification, structures and main dimensions

4.1 Classification


Anchor chain releasers are classified into the types shown in <u>Table 1</u>, based on their structure and application.

Nominal size No. Classification Type code **Application** mm Tongue anchor chain releaser 36 to 152 1 Α Grade 3 anchor chains 2 Plug type anchor chain releaser В 50 to 120 of the sizes specified in ISO 1704 3 Plug type anchor chain releaser C 50 to 120

Table 1 — Types and parameters of anchor chain releasers

4.2 Structure and main dimensions

4.2.1 The structure and main dimensions of Type A anchor chain releasers are shown in Figure 1 and Table 2.



Key

1	trunk	5	reinforced stiffener	9	cover	13	spring washer	16	securing nut
2	chain hook	6	securing buckle	10	handle	14	tongued pin	17	reinforced bracket
3	liner	7	flange	11	hexagon bolt	15	packing	18	instructions plate
4	threaded shaft	8	gasket	12	hexagon nut				

Figure 1 — Structure of Type A anchor chain releasers

Table 2 — Main dimensions of Type A anchor chain releasers

Dimensions in millimetres

Chain diameter	L_1	L_2	$L_3 \times t_2$	L_4	D_1	D_2	$D_3 \times t_1$	D_4	М	m	$n \times d_1$	Theoretic mass kg
36 to 46	735	342	150 × 36	119	375	325	273 × 13	360	Tr60 × 4	110	12 × ø 18	79
48 to 56	835	378	174 × 50	131	440	390	325 × 14	410	Tr70 × 4	134	12 × ø 22	114
58 to 68	995	455	212 × 55	177	540	480	406 × 16	460	Tr75 × 4	172	16 × ø 22	188


 Table 2 (continued)

Chain diameter	L_1	L_2	$L_3 \times t_2$	L_4	D_1	D_2	$D_3 \times t_1$	D_4	М	m	$n \times d_1$	Theoretic mass kg
70 to 81	1 245	551	286 × 70	227	645	585	508 × 18	470	Tr90 × 4	206		312
84 to 92	1 245	508	302 × 85	221	043	363		525	Tr100 × 4	222	20 × ø 22	342
95 to 105	1 430	598	337 × 95	272	754	694	610 × 20	535	Tr110 × 12	257	20 × Ø 22	495
107 to 114	1 430	563	366 × 110	2/2	/54			620	Tr115 × 12	266		535
117 to 127	1 615	653	398 × 120	312	856	786	711 × 22	630	Tr125 × 12	298	24 × ø 22	737
130 to 137	1 790	744	438 × 130	334	958	885	813 × 22	640	Tr135 × 12	338	4 × Ø 22	962
142 to 152	1 970	822	472 × 140	370	1 060	990	914 × 25	730	Tr145 × 12	372	28 × ø 22	1 308

4.2.2 The structure and main dimensions of Type B anchor chain releasers are shown in Figure 2 and Table 3.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 24059:2021 https://standards.iteh.ai/catalog/standards/sist/ce769710-916a-41f0-b2b0-13819f59d505/iso-24059-2021



Kev

- packing gland body 4 check pin 7 10 stud bolt hexagon bolt 1 13 2 stopper 8 packing hexagon nut cover 5 11 14 hexagon nut pin split pin stop plate gasket 12
- 3 pin 6 For ϕ 52 to 60.
- b For φ 64 to 120.

Figure 2 — Structure of Type B anchor chain releasers

Table 3 — Main dimensions of Type B anchor chain releasers

Dimensions in millimetres

Nom- inal size	Chain diameter	L_1	L_2	L_3	l_1	B_1	B_2	B_3	D_1	D_2	H_1	Н2	t_1	t_2	N	Theoretic mass
52	50 to 52	384	270	460	256	64	238	114	54	112	63	82	14	10	10	41
56	54 to 56	420	296	486	272	68	246	122	58	120	69	88	14	12	10	48
60	58 to 60	448	314	504	288	72	254	130	62	128	74	94	14	14	14	54
64	62 to 64	478	334	524	308	78	264	138	66	136	80	100	14	16	14	60
68	66 to 68	504	352	542	322	82	272	148	70	144	84	107	16	16	14	71
73	70 to 73	540	380	570	348	88	282	156	75	154	87	114	16	18	14	81

Nom- inal size	Chain diameter	L_1	L_2	L_3	l_1	B_1	B_2	B_3	D_1	D_2	H_1	H ₂	t_1	t_2	N	Theoretic mass
78	76 to 78	576	404	594	368	94	292	166	80	164	95	122	16	20	14	93
84	81 to 84	624	438	628	388	100	302	178	85	174	102	131	16	22	14	106
90	87 to 90	670	470	660	414	106	316	190	90	184	110	140	18	24	14	128
95	92 to 95	708	496	686	442	112	330	200	95	194	118	148	18	28	14	146
102	98 to 102	762	534	724	478	120	346	212	100	206	128	158	22	28	14	188
111	105 to 111	828	580	770	512	130	364	230	110	224	139	171	24	30	18	231
120	114 to 120	892	620	810	556	140	386	246	120	242	150	184	24	36	18	274

4.2.3 The structure and main dimensions of Type C anchor chain releasers are shown in Figure 3 and Table 4. Where it is forbidden to use port state control (PSC) with butterfly nuts for locking, Type C shall not be selected.

Dimensions in millimetres

3 9 5 4

(Standards iteh.ai)

-58 × 8 1819159450 124059-2021 2

-6 M20

4

- 1 cover 6 packing
 2 coaming 7 plug
 3 hinge 8 body
- 5 handle

butterfly nuts

Figure 3 — Structure of Type C anchor chain releasers

warning signs

Table 4 — Main dimensions of Type C anchor chain releasers

Dimensions in millimetres

Nominal	Chain	L	В	L_1	L_2	L_3	D	H_1	H_2	Theoretic mass
size	diameter				2	3		1	2	kg
50	50	400	222	244	70	104	60		115	64
52	52	400	332	246	72	106	62	100	115	69
54	54	435	420	252	74	112	64		120	72
56	56	435	420	256	78	114	67	105	120	76
58	58	475	450	262	80	122	69	105	130	80
60	60	4/5	450	265	82	125	71		130	82
62	62	480	480	269	84	130	73		135	85
64	64	480	480	272	86	135	75	110	135	86
66	66	500	504	201	88	140	78		140	90
68	68	500	504	281	92	140	79		140	92
70	70	F26	F40	200	94	146	81	115	148	93
73	73	536	540	288	98	150	84	115	148	94
76	76	570	F70	300	102	158	88	120	155	95
78	78	5/0	570	303	105	162	90	120	133	96
81	81	630e	h _s T	A309	/108	167 R	H93/	E W 125	165	96
84	84	030	620	312	111	170	96			98
87	87	((0	(70	325	115	181	100			100
90	90	668	670	327	118	183	103		175	106
92	92	https://stan	dards.iteh.	ai/c333bg/s	tan <mark>t 2</mark> rtds/s	ist/ 1 95697	10 10 56a-	41f0 ₃ b2b()- 10E	113
95	95	700		138142590	150 1/24 0-2	40 198 02	1 108	130	185	119
97	97			353	127	205	110	135		121
100	100	750		356	130	208	113			150
102	102			358	132	210	115	140	102	186
105	105		710	371	137	221	118	140	192	214
107	107	810		374	140	225	120			257
111	111]		376	142	226	123			244
114	114			200	150	246	127	145		286
117	117	830		398	153	248	130		225	327
120	120			403	156	253	133	150		372

NOTE For nominal sizes 50 to 73, there are seven butterfly nuts; for nominal sizes 76 to 120, there are eight butterfly clips.