

**SLOVENSKI STANDARD
SIST ETS 300 269 E1:2003
01-december-2003**

Ca fYyb]j]X]_J'fB5 ŁE JYYa Ygħbc ca fYyYfA 5 BŁE? cbj Yf[Yb b]dcgħcdY_ bU
żgħiġi b]d`Ugħi fD@ DŁeñU\]ħfcigh & (, 'AV]ħtg ā-riżi Uc ġe UXbċgħ]nj YXVY dfċċek c'U
fD-ż-żejt Għiex

Network Aspects (NA); Metropolitan Area Network (MAN); Physical Layer Convergence
Procedure (PLCP) for 2,048 Mbit/s Protocol Implementation Conformance Statement
(PICS)

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST ETS 300 269 E1:2003](#)

[https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-
bbb637533147/sist-ets-300-269-e1-2003](https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-bbb637533147/sist-ets-300-269-e1-2003)

Ta slovenski standard je istoveten z: ETS 300 269 Edition 1

ICS:

35.110 Omreževanje Networking

SIST ETS 300 269 E1:2003 en

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST ETS 300 269 E1:2003
[https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-
bbb637533147/sist-ets-300-269-e1-2003](https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-bbb637533147/sist-ets-300-269-e1-2003)



**EUROPEAN
TELECOMMUNICATION
STANDARD**

ETS 300 269

March 1994

Source: ETSI TC-NA

Reference: DE/NA-053026

ICS: 33.080

Key words: MAN, PICS

iTeh STANDARD REVIEW
**Network Aspects (NA),
 (standards.iteh.ai)**
Metropolitan Area Network (MAN)

**Physical Layer Convergence Procedure (PLCP) for 2,048 Mbit/s
 Protocol Implementation Conformance Statement (PICS)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 269 E1:2003
[https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-
bbb637533147/sist-ets-300-269-e1-2003](https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-bbb637533147/sist-ets-300-269-e1-2003)

Contents

Foreword	5
1 Scope	7
2 Normative references	7
3 Definitions.....	7
4 Symbols and abbreviations.....	7
5 PICS for the "PLCP for E1 based systems".....	8
5.1 E1 relationship to the PLCP	8
5.2 The PLCP frame format.....	8
5.3 PLCP field definitions.....	9
5.4 PLCP behaviour during faults	10
5.5 PLCP behaviour during DQDB layer out of service	10
5.6 PLCP framing	10
5.6.1 Link status signal operations table	11
5.6.2 Physical layer frame timing operations table	11
History	12

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 269 E1:2003
[https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-
bbb637533147/sist-ets-300-269-e1-2003](https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-bbb637533147/sist-ets-300-269-e1-2003)

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 269 E1:2003
[https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-
bbb637533147/sist-ets-300-269-e1-2003](https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-bbb637533147/sist-ets-300-269-e1-2003)

Foreword

This European Telecommunication Standard (ETS) has been prepared by the Network Aspects (NA) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS details the Protocol Implementation Conformance Statement (PICS) for the Physical Layer Convergence Procedure (PLCP) for a European Metropolitan Area Network (MAN) based on the Distributed Queue Dual Bus (DQDB) access method as defined in ETS 300 212 [2] operating at a transmission rate of 2,048 Mbit/s in accordance with ETS 300 213 [1].

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 269 E1:2003
[https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-
bbb637533147/sist-ets-300-269-e1-2003](https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-bbb637533147/sist-ets-300-269-e1-2003)

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 269 E1:2003
[https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-
bbb637533147/sist-ets-300-269-e1-2003](https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-bbb637533147/sist-ets-300-269-e1-2003)

1 Scope

This European Telecommunication Standard (ETS) defines Protocol Implementation Conformance Statement (PICS) for the Physical Layer Convergence Procedure (PLCP) at 2,048 Mbit/s for use in the context of a subnetwork of a MAN as defined in ETS 300 213 [1].

2 Normative references

This ETS incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed below. For dated references, subsequent amendments to or revisions of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 213: "Network Aspects (NA); Metropolitan Area Network (MAN) Physical layer convergence procedure for 2,048 Mbit/s".
- [2] ETS 300 212: "Network Aspects (NA); Metropolitan Area Network (MAN) Media access control layer and physical layer specification".
- [3] IEEE Standard 802.6 (1990): "Distributed Queue Dual Bus (DQDB) Subnetwork of a Metropolitan Area Network".

3 Definitions

For the purposes of this ETS, the definitions as defined in IEEE Standard 802.6 [3] shall apply.

ITEH STANDARD PREVIEW (standards.iteh.ai)

For the purposes of this ETS, the symbols and abbreviations as defined in IEEE Standard 802.6 [3] shall apply.

<https://standards.iteh.ai/catalog/standards/sist/b409b443-ce60-4866-b6b1-1bb637533147/sist-ets-300-269-e1-2003>

In addition, for this PICS proforma, the following abbreviations are used in defining the support type of a feature, parameter or capability:

m	mandatory
o	optional
c	conditional
d	default value defined
n/a	not applicable

When used in the column labelled "Value" the following abbreviations are defined:

xx - yy	from number xx to number yy
xx/yy	either number xx or number yy applies, depending on the actual conditions

For each of the conditional items, an explanation of the parameter or capability under which the feature, parameter or capability is mandatory is given in the Clause or subclause in which the conditional items appear.

The notation X_ in the column "Support" means that numbers may be entered in this place pointing to notes which indicate deviation from the standard.