
**Agricultural irrigation equipment —
Sprinklers —**

**Part 2:
Design and operation requirements**

Matériel agricole d'irrigation — Asperseurs —

Partie 2: Exigences de conception et de fonctionnement

ITeH Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 15886-2:2021

<https://standards.iteh.ai/catalog/standards/iso/b43d3f84-ce2f-44c8-bb00-50ffcce7643f/iso-15886-2-2021>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 15886-2:2021](https://standards.iteh.ai/catalog/standards/iso/b43d3f84-ce2f-44c8-bb00-50ffcce7643f/iso-15886-2-2021)

<https://standards.iteh.ai/catalog/standards/iso/b43d3f84-ce2f-44c8-bb00-50ffcce7643f/iso-15886-2-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative reference	1
3 Terms and definitions	1
4 General requirements	3
4.1 Materials	3
4.2 Manufacture and installation	3
4.3 Connections	3
4.4 Performance requirements	3
5 General test conditions	4
5.1 Accuracy of measuring devices	4
5.2 Test pressure	4
5.3 Test liquid	4
5.4 Atmospheric conditions	4
6 Strength tests	4
6.1 Construction and parts test	4
6.2 Resistance of threaded connections test	5
6.2.1 Threaded connections to riser	5
6.2.2 Nozzle threads intended for threaded connection	5
6.3 Resistance to hydrostatic pressure at ambient temperature test	5
6.3.1 General	5
6.3.2 Metal sprinklers	5
6.3.3 Plastics sprinklers	5
6.4 Resistance to hydrostatic pressure at high temperature test	5
6.5 Watertightness test	6
7 Operating tests	6
7.1 General	6
7.2 Installation of sprinklers under test	6
7.3 Rotation speed uniformity test	6
7.4 Flow rate uniformity test	6
7.5 Distribution characteristics test	7
7.6 Radius of throw test	7
7.7 Trajectory height test	7
7.8 Flow rate as a function of inlet pressure test	7
7.9 Range of working pressure test	7
8 Durability tests	7
9 Identification and marking	7
9.1 Sprinklers	7
9.2 Nozzles	7
10 Data to be supplied by the manufacturer	8
10.1 General data	8
10.2 Operating and performance data	8
Annex A (informative) Drop size test	9

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 18, *Irrigation and drainage equipment and systems*.

This first edition of ISO 15886-2 cancels and replaces ISO 7749-1:1995, which has been technically revised.

The main changes compared to the previous are as follows:

- the definitions have been updated;
- the sampling and acceptance tests have been deleted;
- references to ISO 7749-2 have been deleted;
- the distribution tests have been modified and developed in ISO 15886-3;
- a new [Annex A](#) "Drop size test" has been added.

A list of all parts in the ISO 15886 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Agricultural irrigation equipment — Sprinklers —

Part 2: Design and operation requirements

1 Scope

This document specifies the design and operational requirements of irrigation sprinklers and their test methods.

The term sprinkler is used in this document in a broad generic sense and it means to cover a wide variety of products as classified by ISO 15886-1. This document applies to rotating sprinklers.

This document is applicable to sprinklers intended for installation on a pipe lateral and for operation with irrigation water.

2 Normative reference

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7-1, *Pipe threads where pressure-tight joints are made on the threads — Part 1: Dimensions, tolerances and designation*

ISO 15886-1, *Agricultural irrigation equipment — Sprinklers — Part 1: Definition of terms and classification*

ISO 15886-3, *Agricultural irrigation equipment — Sprinklers — Part 3: Characterization of distribution and test methods*

ISO 15886-4, *Irrigation equipment — Irrigation sprinklers — Part 4: Test methods for durability*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 15886-1, ISO 15886-3 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

ambient temperature

temperature of the air surrounding a *sprinkler* (3.3)

3.2

clean water

water processed, if necessary, so as to contain suspended particles no larger than 74 µm (200 mesh equivalent) and to contain no dissolved chemicals known to have short-term effects on the sprinkler materials

3.3

sprinkler

water distribution device of a variety of sizes and types

EXAMPLE Impact sprinklers, fixed-nozzle sprinklers, irrigation guns.

3.4

nozzle

aperture of a sprinkler through which water is discharged

3.5

regulated flow sprinkler

sprinkler (3.3) that maintains a relatively constant *flow rate* (3.6) at varying water pressures at the sprinkler inlet within the limits specified by the manufacturer

3.6

flow rate

volume of water flowing through a device per unit time

3.7

nominal flow rate

volume of water discharged per unit of time from a *sprinkler* (3.3) under *test pressure* (3.14)

3.8

inlet connection size

numerical designation used to characterize the *sprinkler* (3.3) which is identical to the size of the connection to the irrigation pipe

3.9

distribution curve

graphical plot of *effective application rate* (3.12) as a function of distance from a *sprinkler* (3.3) along a specified radius

3.10

irrigation lateral

branch supply line in an irrigation system on which distribution devices are mounted directly or by means of fittings, risers or tubes

3.11

sprinkler spacing

conventional designation including the distance between the *sprinklers* (3.3) along an *irrigation lateral* (3.11) and the distance between consecutive irrigation laterals

3.12

effective application rate

application rate equal to or exceeding 0.26 mm/h for *sprinklers* (3.3) with *flow rates* (3.6) exceeding 120 l/h and 0,13 mm/h for sprinklers with flow rates equal to or less than 120 l/h

3.13

range of working pressure

pressures between the minimum working pressure and the maximum working pressure

3.14

test pressure

P_n
pressure at the inlet of a *sprinkler* (3.3) declared by the manufacturer as the pressure to be used for test purposes