

FINAL
DRAFT

INTERNATIONAL
STANDARD

ISO/FDIS
24081

ISO/TC 34/SC 3

Secretariat: TSE

Voting begins on:
2020-10-23

Voting terminates on:
2020-12-18

Ground cassava leaves (Isombe) — Specification

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/FDIS 24081](https://standards.iteh.ai/catalog/standards/sist/e9dbf362-ac80-4e89-90db-da2373db847c/iso-fdis-24081)

<https://standards.iteh.ai/catalog/standards/sist/e9dbf362-ac80-4e89-90db-da2373db847c/iso-fdis-24081>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number
ISO/FDIS 24081:2020(E)

© ISO 2020

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/FDIS 24081

<https://standards.iteh.ai/catalog/standards/sist/e9dbf362-ae80-4e89-90db-da2373db847c/iso-fdis-24081>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 Essential composition and quality factors.....	2
4.1 Raw material.....	2
4.2 Essential composition factors.....	2
4.3 General quality factors.....	2
4.4 Specific quality factors.....	3
4.4.1 Particle size.....	3
4.4.2 Hydrocyanic acid content.....	3
5 Food additives.....	3
6 Contaminants.....	3
6.1 Heavy metals.....	3
6.2 Pesticide residues.....	3
6.3 Mycotoxins.....	3
7 Hygiene.....	4
8 Packaging.....	4
9 Labelling.....	4
10 Method of sampling.....	4
Bibliography.....	5

iTech STANDARD PREVIEW
(standards.itech.ai)

[ISO/FDIS 24081](https://standards.itech.ai/catalog/standards/sist/e9dbf362-ae80-4e89-90db-da2373db847c/iso-fdis-24081)

<https://standards.itech.ai/catalog/standards/sist/e9dbf362-ae80-4e89-90db-da2373db847c/iso-fdis-24081>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 3, *Fruits and vegetables and their derived products*. [ISO/FDIS 24081](https://standards.iteh.ai/catalog/standards/sist/e9dbf362-ac80-4e89-90db-f5321845e1d6/iso-fdis-24081)

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Cassava, originally from Brazil, is a staple root crop throughout the tropics where it is used in a variety of dishes. Cassava is grown overwhelmingly for its roots and is found in markets.

In some countries there is a market for cassava leaves, where it is used in soups and stews. Cassava contains cyanide, which varies greatly among cultivars and needs to be detoxified before human consumption. Cassava roots are cooked and this sufficiently detoxifies them. Cassava leaves also contain cyanide, and research has shown that traditional methods for preparing cassava leaves for consumption, including grinding, cooking and heat-treating them before consumption, sufficiently detoxifies the cyanide.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/FDIS 24081](https://standards.iteh.ai/catalog/standards/sist/e9dbf362-ae80-4e89-90db-da2373db847c/iso-fdis-24081)

<https://standards.iteh.ai/catalog/standards/sist/e9dbf362-ae80-4e89-90db-da2373db847c/iso-fdis-24081>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/FDIS 24081

<https://standards.iteh.ai/catalog/standards/sist/e9dbf362-ae80-4e89-90db-da2373db847c/iso-fdis-24081>

Ground cassava leaves (Isombe) — Specification

1 Scope

This document specifies requirements and methods of sampling and testing for ground cassava leaves, which are obtained from the processing of fresh cassava leaves (*Manihot esculenta* Crantz or *Manihot glaziovii*) intended for human consumption.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 763, *Fruit and vegetable products — Determination of ash insoluble in hydrochloric acid*

ISO 874, *Fresh fruits and vegetables — Sampling*

ISO 1026, *Fruit and vegetable products — Determination of dry matter content by drying under reduced pressure and of water content by azeotropic distillation*

ISO 2171, *Cereals, pulses and by-products — Determination of ash yield by incineration*

ISO 4833-1, *Microbiology of the food chain — Horizontal method for the enumeration of microorganisms — Part 1: Colony count at 30 °C by the pour plate technique*

ISO 4833-2, *Microbiology of the food chain — Horizontal method for the enumeration of microorganisms — Part 2: Colony count at 30 °C by the surface plating technique*

ISO 5498, *Agricultural food products — Determination of crude fibre content — General method*

ISO 6579-1, *Microbiology of the food chain — Horizontal method for the detection, enumeration and serotyping of Salmonella — Part 1: Detection of Salmonella spp.*

ISO 6633, *Fruits, vegetables and derived products — Determination of lead content — Flameless atomic absorption spectrometric method*

ISO 6634, *Fruits, vegetables and derived products — Determination of arsenic content — Silver diethyldithiocarbamate spectrophotometric method*

ISO 6637, *Fruits, vegetables and derived products — Determination of mercury content — Flameless atomic absorption method*

ISO 7952, *Fruits, vegetables and derived products — Determination of copper content — Method using flame atomic absorption spectrometry*

ISO 16050, *Foodstuffs — Determination of aflatoxin B1, and the total content of aflatoxins B1, B2, G1 and G2 in cereals, nuts and derived products — High-performance liquid chromatographic method*

ISO 16649-1, *Microbiology of the food chain — Horizontal method for the enumeration of beta-glucuronidase-positive Escherichia coli — Part 1: Colony-count technique at 44 °C using membranes and 5-bromo-4-chloro-3-indolyl beta-D-glucuronide*

ISO 21527-1, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of yeasts and moulds — Part 1: Colony count technique in products with water activity greater than 0,95*

EN 16160, *Animal feeding stuffs — Determination of Hydrocyanic acid by HPLC*

CXC 1-1969, *General Principles of Food Hygiene*

CXS 1-1985, *General Standard for the Labelling of Pre-packaged Foods*

CXS 192-1995, *General Standard for Food Additives*

CXS 193-1995, *General Standard for Contaminants and Toxins in Food and Feed*

Codex Pesticides Residues in Food Online Database

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 ground cassava leaves
product prepared from fresh cassava leaves by pounding or grinding, and detoxified from cyanide by heat treatment

4 Essential composition and quality factors

4.1 Raw material

Fresh cassava leaves conforming to this document.
ISO/FDIS 24081
<https://standards.iteh.ai/catalog/standards/sist/e9dbf362-ac80-4e89-90db-da2373db847c/iso-fdis-24081>

4.2 Essential composition factors

Ground cassava leaves shall conform to the compositional requirements given in [Table 1](#).

Table 1 — Compositional requirements for ground cassava leaves

No.	Characteristics	Requirement	Method of test
1	Crude ash content, % by mass on a dry matter basis, max.	3,0	ISO 2171
2	Moisture content, % by mass, max.	5	ISO 1026
3	Crude fibre content, % by mass on a dry matter basis, max.	2,0	ISO 5498
4	Acid insoluble ash, % by mass, max.	0,35	ISO 763

4.3 General quality factors

Ground cassava leaves shall be:

- free from filth (impurities of animal origin, including dead insects) in amounts that can represent a hazard to human health;
- free from abnormal flavours, odours and living insects;
- safe and suitable for human consumption;
- tender;

- e) fresh in appearance and smell;
- f) sound/wholesome;
- g) free of damage caused by unsuitable washing or soaking;
- h) practically free of any visible foreign and extraneous matter;
- i) free of any foreign smell and odour.

4.4 Specific quality factors

4.4.1 Particle size

Not less than 90 % by mass shall pass through a 0,60 mm sieve for fine ground leaves. Not less than 90 % by mass shall pass through a 1,20 mm sieve for coarse ground leaves.

4.4.2 Hydrocyanic acid content

The total hydrocyanic acid content shall not exceed 10 mg/kg, when tested in accordance with EN 16160.

5 Food additives

The product shall contain only permitted additives in accordance with CXS 192-1995.

6 Contaminants

(standards.iteh.ai)

6.1 Heavy metals

ISO/FDIS 24081

<https://standards.iteh.ai/catalog/standards/sist/e9dbf362-ac80-4e89-90db-6a2975bb4707/iso-24081>

Ground cassava leaves shall be free from heavy metals in amounts that can represent a hazard to human health. They shall conform to the limits given in [Table 2](#).

Table 2 — Limits for metal contaminants

S/N	Heavy metal	Maximum limits (mg/kg)	Method of test
1	Copper	2,0	ISO 7952
2	Lead	0,1	ISO 6633
3	Arsenic	0,1	ISO 6634
4	Mercury	0,01	ISO 6637

6.2 Pesticide residues

Ground cassava leaves shall conform to the maximum residue limits established by the Codex Alimentarius Commission in the Codex Pesticides Residues in Food Online Database for this commodity.

6.3 Mycotoxins

Ground cassava leaves shall conform to the maximum mycotoxin limits established by the Codex Alimentarius Commission in CXS 193-1995.

Ground cassava leaves, when tested in accordance with ISO 16050, shall conform to the following maximum limits of aflatoxins:

- a) total aflatoxins content: 10 µg/kg;