
Optični spojni elementi in pasivne komponente - Vmesniki optičnih konektorjev za izboljšana mnogorodna optična vlakna z makro upogibom - 3-81. del: Parametri konektorjev s fizičnim stikom za vlakna s premerom jedra 50 µm - Brezkotna pravokotna tulka iz polifenilen sulfida z eno vrsto 12, 8, 4 ali 2 vlaken za uporabo referenčnih konektorjev

Fibre optic interconnecting devices and passive components - Connector optical interfaces for enhanced macro bend multimode fibre - Part 3-81: Connector parameters of physically contacting 50 µm core diameter fibres - Non-angled polyphenylene sulphide rectangular ferrules with a single row of 12, 8, 4, or 2 fibres for reference connector applications

(<https://standards.iteh.ai>)
Document Preview

Dispositifs d'interconnexion et composants passifs fibroniques - Interfaces optiques des connecteurs pour fibres multimodales améliorées en macrocourbures - Partie 3-81: Paramètres de connexion des fibres d'un diamètre de cœur de 50 µm en contact physique - Ferrules rectangulaires non inclinées en polysulfure de phénylène avec une seule rangée de 12, 8, 4 ou 2 fibres, pour les applications de connecteurs de référence

Ta slovenski standard je istoveten z: prEN IEC 63267-3-81:2024

ICS:

33.180.20	Povezovalne naprave za optična vlakna	Fibre optic interconnecting devices
-----------	---------------------------------------	-------------------------------------

oSIST prEN IEC 63267-3-81:2024 en



86B/4837/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

IEC 63267-3-81 ED1

DATE OF CIRCULATION:

2024-01-26

CLOSING DATE FOR VOTING:

2024-04-19

SUPERSEDES DOCUMENTS:

86B/4766/CD, 86B/4800A/CC

IEC SC 86B : FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS	
SECRETARIAT: Japan	SECRETARY: Mr Shigeru Tomita
OF INTEREST TO THE FOLLOWING COMMITTEES:	PROPOSED HORIZONTAL STANDARD: <input type="checkbox"/> Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary.
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Fibre optic interconnecting devices and passive components – Connector optical interfaces for enhanced Macro bend multimode fibre – Part 3-81: Connector parameters of physically contacting 50 µm core diameter fibres – Non-angled polyphenylene sulphide rectangular ferrules with a single row of 12, 8, 4, or 2 fibres for reference connector applications

PROPOSED STABILITY DATE: 2029

NOTE FROM TC/SC OFFICERS:

CONTENTS

1		
2	FOREWORD	3
3	1 Scope	5
4	2 Normative references	5
5	3 Terms and definitions	6
6	4 Reference grade variants and fibre numbering conventions	6
7	5 Attenuation grade	6
8	6 Description	7
9	7 Reference interface parameters	8
10	7.1 Geometry of reference plug after termination	8
11	7.2 Use of selected fibre in multimode reference-grade connectors	15
12	Annex A (informative) Attenuation test limit of reference connectors mated to grade B _m	
13	connectors	16
14	A.1 Introduction	16
15	A.2 Performance grade B _m test limit against reference connectors	16
16	A.3 Attenuation grade of reference connectors	16
17		
18	Figure 1 – Fibre numbering conventions	6
19	Figure 2 – Interface dimensions related to lateral and angular offset	8
20	Figure 3 – Alignment pin	9
21	Figure 4 – Interface dimensions related to longitudinal offset (physical contact)	11
22	Figure A.1 – Calculated attenuation of random mated Grade R _{m12} reference connectors	16
23		
24	Table 1 – Reference connector optical interface variant information	6
25	Table 2 – Multimode reference attenuation grade at 850 nm	7
26	Table 3 - Optical interface dimensions related to lateral and angular offset for optical	
27	interface variant R _{M2}	9
28	Table 4 - Optical interface dimensions related to lateral and angular offset for optical	
29	interface variants R _{M4} , R _{M8} , and R _{M12}	10
30	Table 5 – Optical interface end face geometry dimensions related to physical contact	
31	for optical interface variant R _{M2}	12
32	Table 6 – Optical interface end face geometry dimensions related to physical contact	
33	for optical interface variant R _{M4}	13
34	Table 7 – Optical interface end face geometry dimensions related to physical contact	
35	for optical interface variant R _{M8}	14
36	Table 8 – Optical interface end face geometry dimensions related to physical contact	
37	for optical interface variant R _{M12}	15
38	Table A.1 – Performance grade test limits at 850 nm	16
39		

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC INTERCONNECTING DEVICES AND
PASSIVE COMPONENTS –
CONNECTOR OPTICAL INTERFACES FOR ENHANCED
MACRO BEND MULTIMODE FIBRE –**

**Part 3-81: Connector parameters of physically contacting 50 µm core
diameter fibres – Non-angled polyphenylene sulphide rectangular ferrules
with a single row of 12, 8, 4, or 2 fibres for
reference connector applications**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
 - 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
 - 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
 - 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
 - 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
 - 6) All users should ensure that they have the latest edition of this publication.
 - 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.
- International Standard IEC 63267-3-81 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.
- This document is partly replacing IEC 61755-6-2.

The text of this standard is based on the following documents:

FDIS	Report on voting
------	------------------

XX/XX/FDIS	XX/XX/RVD
------------	-----------

93
94 Full information on the voting for the approval of this standard can be found in the report on
95 voting indicated in the above table.

96 This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

97 The committee has decided that the contents of this publication will remain unchanged until
98 the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data
99 related to the specific publication. At this date, the publication will be

- 100 • reconfirmed,
101 • withdrawn,
102 • replaced by a revised edition, or
103 • amended.

104

105 A bilingual version of this publication may be issued at a later date.

106

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[oSIST prEN IEC 63267-3-81:2024](https://standards.iteh.ai/catalog/standards/sist/ed698468-d70a-4909-afae-118b938e0427/osist-pren-iec-63267-3-81-2024)

<https://standards.iteh.ai/catalog/standards/sist/ed698468-d70a-4909-afae-118b938e0427/osist-pren-iec-63267-3-81-2024>