



SLOVENSKI STANDARD

SIST EN 50098-1:2003

01-februar-2003

BUKca Yý U
SIST EN 50098-1:1997

Customer premises cabling for Information Technology - Part 1: ISDN basic access

Customer premises cabling for Information Technology -- Part 1: ISDN basic access

Informationstechnische Verkabelung von Gebäudekomplexen -- Teil 1: ISDN-Basisanschluss

Câblages dans les locaux des usagers pour les technologies de l'information -- Partie 1: Accès de base RNIS

<https://standards.iteh.ai/catalog/standards/sist/482f11c1-1ba3-45f2-838a-72d29ef61edf/sist-en-50098-1-2003>

Ta slovenski standard je istoveten z: EN 50098-1:1998

ICS:

33.060.40	Kabelski razdelilni sistemi	Cabled distribution systems
33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)

SIST EN 50098-1:2003

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 50098-1:2003

<https://standards.iteh.ai/catalog/standards/sist/482f11c1-1ba3-45f2-838a-72d29efe1edf/sist-en-50098-1-2003>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 50098-1

November 1998

ICS 33.080.40; 33.080

Supersedes EN 50098-1:1994

Descriptors: Cabling topology, cabling qualification, design requirements, ISDN basic access, ISDN S-bus, requirements for cabling components

English version

**Customer premises cabling for Information Technology
Part 1: ISDN basic access**

Cablages dans les locaux des usagers
pour les technologies de l'information
Partie 1: Accès de base RNIS

Informationstechnische Verkabelung von
Gebäudekomplexen
Teil 1: ISDN-Basisanschluß

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 50098-1:2003

<https://standards.iteh.ai/catalog/standards/sist/482f11c1-1ba3-45f2-838a-72d29ef61edf/sist-en-50098-1-2003>

This European Standard was approved by CENELEC on 1998-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This second edition of the European Standard has been prepared by CENELEC/TC 215 *Electrotechnical aspects of telecommunication equipment*. It has been developed with the cooperation of CENELEC/SC 46XC *Multicore, multipair and quad data communication cables* and ETSI/TM3 *Architecture, functional requirements and interfaces of transmission networks* under the framework of the Mandates M/212 on "Telecommunication cables and cabling systems" and M/239 on "Air traffic management equipment and systems".

The text of this European Standard was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 50098-1 on 1998-10-01.

This European Standard supersedes EN 50098-1:1994.

The following dates were fixed:

- | | | |
|--|-------|------------|
| - latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 1999-10-01 |
| - latest date by which national standards conflicting with the EN have to be withdrawn | (dow) | 1999-10-01 |

This standard is the first of a series of European Standards for customer premises cabling.

EN 50098-1 (this standard) covers customer premises cabling for connection of basic access ISDN equipment.

EN 50098-2 covers customer premises cabling for connection of primary access ISDN equipment.

Other subjects that are covered by TC 215 are e.g.:

Installation aspects of cabling systems

Generic cabling systems

The requirements in this standard have been derived from ETS 300 012, EN 28877, EN 60603-7 and ITU-T1) Recommendation I.430 (Blue Book). The reader is referred to EN 60950 and ETS 300 047-1 to ETS 300 047-5 for general safety requirements and to EN 55022 for EMC requirements (see annex A).

1) International Telecommunication Union - Telecommunications Standardization Sector (formerly CCITT)

Contents

Foreword	2
Introduction	4
1 Scope	4
2 Normative references	4
3 Definitions	4
4 Abbreviations and symbols	5
4.1 Abbreviations	5
4.2 Symbols	5
5 Design requirements	6
5.1 General	6
5.2 Insertion loss	6
5.3 Longitudinal conversion loss	6
5.4 Round trip delay	6
5.5 Power feeding	6
5.6 Electromagnetic environment	7
5.7 Spurs	7
5.8 Near-end crosstalk loss (NEXT)	7
6 Configurations	8
6.1 General	8
6.2 The point-to-point configuration	8
6.3 The short passive bus configuration	9
6.4 The extended passive bus configuration	10
6.5 The Y-configuration	10
6.6 The star configuration	11
6.7 Implementation over generic cabling systems	12
7 Minimum requirements for components	14
7.1 General	14
7.2 Cables	14
7.3 Terminal cords	14
7.4 Terminating resistors	15
7.5 Telecommunications outlets and joint boxes	15
7.6 Cross-connect products/patch cords	15
8 Cabling qualification	16
8.1 General	16
8.2 Spurs	16
8.3 Cabling integrity	16
8.4 D.C. loop resistance	16
8.5 D.C. resistance unbalance	16
8.6 Insulation resistance	16
8.7 Insertion loss	17
8.8 Round trip delay	17
8.9 Characteristic impedance	17
8.10 Near end crosstalk loss (NEXT)	17
8.11 Impulsive noise	17
8.12 Bit error rates	17
8.13 Longitudinal conversion loss	17
Annex A (informative) Bibliography	18

Introduction

This European Standard is intended for use by those designing, planning or procuring cabling for ISDN basic access within a customer's premises. The configurations in this standard are designed to be effective when either implemented with cabling having the recommended characteristics, or implemented with the components specified in clause 7. In addition, guidance is given for the use of generic cabling according to EN 50173.

1 Scope

This European Standard defines the requirements for the design and configuration of customer premises cabling for the connection of basic access ISDN equipment.

It defines

- design requirements for ISDN basic access with point-to-point and point-to-multipoint cabling configurations;
- minimum cabling requirements for the installation of new cabling;
- criteria for the use of generic cabling;
- criteria for the use of existing cabling.

The standard applies to the customer premises cabling. It describes the cabling requirements, needed to transmit ISDN basic access signals as defined by ITU-T Recommendation I.430. The requirements placed on the customer premises cabling are solely those necessary to enable terminal equipment conforming to ETS 300 012 to operate into the Network Termination (NT) via configurations defined in this standard.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 28877	Information processing systems - Interface connector and contact assignments for ISDN basic access interface, located at reference points S and T (ISO/IEC 8877:1992)
EN 50173	Information technology - Generic cabling systems
EN 60603-7	Connectors for frequencies below 3 MHz for use with printed boards - Part 7: Detail specification for connectors, 8-way, including fixed and free connectors with common mating features (IEC 60603-7:1996)
ITU-T Rec I.430 (Blue Book)	ISDN user-network interface - Layer 1 recommendations

3 Definitions

The meaning of the term *round trip delay* can be found in ITU-T Recommendation I.430 (Blue Book), A.2.

In clauses referring to generic cabling the definitions of EN 50173 apply.

Furthermore, for the purposes of this standard, the following definitions apply:

3.1 cabling: The assembly of all cables, connections, patch panels and other passive components which comprise the telecommunications infrastructure.

3.2 network termination: The functional group on the network side of a user-network interface.

NOTE: A network termination always comprises a transmission part NT1 and optionally a switching part NT2.

3.3 power feeding: The function which provides for the capability to transfer power across the interface of the NT.

3.4 terminal equipment: The functional group on the user side of a user-network interface.

NOTE: Terminal equipment includes terminal(s), terminal adapter(s) and, if any, NT2 functional group.

4 Abbreviations and symbols

4.1 Abbreviations


BD	Building distributor
CD	Campus distributor
FD	Floor distributor
GC	Generic cabling
ISDN	Integrated services digital network
NEXT	Near-end crosstalk loss
NT1	Network termination 1
NT2	Network termination 2
S	S reference point
S_0	S_0 interface
T	T reference point
TE	Terminal equipment
TR	Terminating resistor

NOTE: The meanings of the abbreviations S, S_0 and T conform to ITU-T Recommendation I.430.

4.2 Symbols



cable




spur/tap with a junction to a cable which is the terminated bus
SIST EN 50098-1:2003
<https://standards.iteh.ai/catalog/standards/sist/482f11c1-1ba3-45f2-838a-72d29efe1edf/sist-en-50098-1-2003>



Network Termination




Terminating Resistors



Telecommunications outlet according to EN 60603-7



plug according to EN 60603-7



Telecommunications outlet according to EN 50173



plug according to EN 50173

5 Design requirements

5.1 General

Signals passing between the NT and TE(s) for the various configurations are subject to attenuation, delay and distortion. Cabling components (including extension cords, adapters, cross-connect components, telecommunications outlets, junction boxes, cables, spurs etc.) and connected terminals all contribute to these effects. The design requirements for the cabling are dependent on the configuration chosen.

5.2 Insertion loss

The insertion loss is measured from the NT to the TR at 96 kHz with 100 Ω source and load impedances. The maximum insertion loss for each configuration is shown in table 1.

Table 1: Maximum insertion loss for each configuration

Configuration	Insertion loss at 96 kHz
Point-to-point	6 dB
Extended passive bus	4 dB
Short passive bus	not critical
Y-configuration	not critical

5.3 Longitudinal conversion loss

The longitudinal conversion loss of the cabling shall be equal to, or greater than, 43 dB when measured at 96 kHz.

5.4 Round trip delay

The round trip delay introduced by the cabling shall not exceed:

- 2,0 μ s for the total cabling of both the short passive bus at 96 kHz and the Y-configuration;
- 0,5 μ s differential round trip delay for the cabling between the first and last telecommunications outlet of the extended passive bus.

These requirements are illustrated in figure 1.

5.5 Power feeding

The length of the cabling may be limited by the cable resistivity, the number of terminals, their power consumption and the capability of the remote power sources.

The loop resistance has to be controlled in order to fulfil the power feeding requirements and to avoid static saturation of inductive components in NT and TEs due to the difference in d.c. resistances of the two wires making up the twisted pair. The d.c. resistance unbalance of the two wires shall not exceed 3 % (see 7.2.1.3 of ETS 300012:1992), if the loop resistance is greater than 5 Ω .

In the majority of cases power is supplied via the phantom of the transmit and receive pairs. In this case only two pairs are used. In some applications a third pair is needed for power source 2 and power sink 2.




Figure 1: Round trip delay requirements
(standards.iteh.ai)

5.6 Electromagnetic environment

The ISDN basic access is designed to work in most environments. However, its performance may be degraded by interference from external electromagnetic sources (such as motors) and interference from other transmission systems sharing the same cable.

The impulsive noise generated by, for instance, analogue telephony or unbalanced data interfaces, can cause interference with signals carried on the ISDN cabling.

Crosstalk can be limited by using pairs for ISDN basic rate in separate cables or in separate bundles of pairs in the same cable. CENELEC will be developing standards on the subject of sharing different transmission systems in the same cable. Before sharing of ISDN S-bus with other transmission systems in the same cable it shall be verified that they do not interfere with each other.

In noisy environments or adjacent to sensitive equipment, shielded cables may be advisable. Cables routed outside of buildings may require protection devices. The attenuation and capacitance of protection devices shall be taken into account.

5.7 Spurs

Spurs will add capacitance to the cabling; therefore, the length of spurs used for connection of telecommunications outlets shall not exceed 1 m. The length of a spur used to attach a NT should not exceed 0,5 m.

5.8 Near-end crosstalk loss (NEXT)

The near-end crosstalk loss of the cabling shall be greater than 35 dB at 96 kHz. It is recommended that the NEXT of the cable be greater than 54 dB for satisfactory noise immunity (see 7.2).

6 Configurations

6.1 General

The following design requirements are common to all ISDN basic access user network interface configurations:


- a) Where S_0 interfaces can be extended under fallback mode (e. g. when the NT2 is bypassed), further loss and delay will be introduced into the link. The design requirements apply to worst case conditions.
- b) The TE may be hardwired to the cable termination. If a TE cord is used it shall comply with EN 28877.
- c) Terminating resistors (see 7.4) are needed at both ends of the transmit and receive pairs. Locations are shown in figures 2 to 5. If a specific configuration requires the terminating resistors at the NT, these terminating resistors shall always be present either within the NT or at the connection point between the NT (cord) and the bus cabling.
- d) The NT may be connected to the cabling in three ways:
 - hardwired;
 - with a telecommunications outlet integral to the NT;
 - via a flexible cord with a plug.

EN 28877 and EN 60603-7 may be applied for the case with a connector at the NT. If however hardwiring is used, a telecommunications outlet complying to EN 28877 and EN 60603-7 should be available close to the NT for supervision and maintenance.

Subclause 6.7 provides guidance for the implementation of different configurations of Basic Access ISDN over generic cabling.

6.2 The point-to-point configuration

The point-to-point configuration is illustrated in figure 2.



d_1 Total length of cabling from NT to telecommunications outlet

*) TE connecting cord or integral cord

**) Optional extension cord

Maximum number of telecommunications outlets = 1

Maximum number of terminals = 1

Figure 2: Point-to-point configuration

Requirements

For a point-to-point configuration, the insertion loss at 96 kHz shall be less than 6 dB (see 5.2) over the distance d_1 in figure 2. This includes cabling and extension cords if used.

The length of an optional extension cord shall not exceed 25 m.


It is recommended that the polarity of each wire be maintained throughout the length of the cabling to facilitate testing and more effective cable management.

6.3 The short passive bus configuration

In the short passive bus configuration, telecommunications outlets for the terminals are distributed at any point along the bus. A typical short passive bus is illustrated in figure 3.

Requirements

The round trip delay requirement for the short passive bus specified in 5.4a) applies to the bus length d_2 in figure 3. Length d_2 is the total length of the cabling between the NT and the last telecommunications outlet, it does not include the length of spurs.



d_2 Total length of cabling from NT to last telecommunications outlet

*) TE connecting cord or integral cord

Maximum number of telecommunications outlets = 12

Maximum number of terminals = 8

Figure 3: Short passive bus

Not more than 8 terminals shall be connected to the short passive bus at any one time. The maximum number of telecommunications outlets connected directly to the bus is limited to 12, however, no more than 8 shall be attached via spurs.

NOTE: It may be necessary to plan for less than 8 terminals on a short passive bus to meet the anticipated traffic conditions.

It is recommended not to use spurs. However, if they are used they shall not exceed 1 m. A spur shall be terminated with a single telecommunications outlet.

The polarity of each wire of the twisted pair shall be maintained throughout the bus.