

FINAL
DRAFT

INTERNATIONAL
STANDARD

ISO/FDIS
24163-1

ISO/TC 31/SC 9

Secretariat: AFNOR

Voting begins on:
2023-12-21

Voting terminates on:
2024-02-15

Clamp-in tyre valves for tyre pressure monitoring systems —

Part 1: Definition, types, dimensions and valve interface

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/FDIS 24163-1](https://standards.iteh.ai/catalog/standards/sist/0b66d36f-6bf3-4571-9a2c-ce5ddc427409/iso-fdis-24163-1)

<https://standards.iteh.ai/catalog/standards/sist/0b66d36f-6bf3-4571-9a2c-ce5ddc427409/iso-fdis-24163-1>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number
ISO/FDIS 24163-1:2023(E)

© ISO 2023

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/FDIS 24163-1](https://standards.iteh.ai/catalog/standards/sist/0b66d36f-6bf3-4571-9a2c-ce5ddc427409/iso-fdis-24163-1)

<https://standards.iteh.ai/catalog/standards/sist/0b66d36f-6bf3-4571-9a2c-ce5ddc427409/iso-fdis-24163-1>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Valve body dimensions.....	2
5 Sealing types.....	3
6 Valve core.....	5
7 Cap.....	6
8 Nut.....	7
9 Washer for nut.....	8
10 Retainer washer for sealing element.....	9
11 Marking.....	9
12 Rim interface.....	9
13 Installation procedure.....	10
14 Pressure rate.....	11
Bibliography.....	12

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/FDIS 24163-1](https://standards.iteh.ai/catalog/standards/sist/0b66d36f-6bf3-4571-9a2c-ce5ddc427409/iso-fdis-24163-1)

<https://standards.iteh.ai/catalog/standards/sist/0b66d36f-6bf3-4571-9a2c-ce5ddc427409/iso-fdis-24163-1>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 31, *Tyres, rims and valves*, Subcommittee SC 9, *Valves for tube and tubeless tyres*.

A list of all parts in the ISO 24163 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Clamp-in tyre valves for tyre pressure monitoring systems —

Part 1: Definition, types, dimensions and valve interface

1 Scope

This document specifies types of clamp-in TPMS tubeless valves and associated requirements. It applies to the tyre valves assembled on a valve hole of rim with diameter 11,3 mm for passenger cars and light commercial vehicles (M1 and N1 categories). This document does not include the design, development or requirements of the TPMS housing or the interface between said housing and the valve.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9413, *Tyre valves — Dimensions and designation*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <https://www.electropedia.org/>

3.1

clamp-in valve

valve for tubeless tyre, designed to be used with a valve core, a cap, an O-ring or a rubber grommet and to be fixed with a hex nut and potentially a ring washer

3.2

retainer washer

washer mounted on valve body that retains sealing element

3.3

tyre pressure monitoring system

TPMS

system which directly monitors the tyre pressure and which alert in case of under pressure

3.4

traceability

code referring to production date

3.5


valve body

elongated part of valve usually with thread for nut and for cap in the external part and thread for inner core inside

4 Valve body dimensions

Main body dimensions are listed in [Table 1](#). Cap thread length should be a minimum of 8,4 mm but 5 mm as a minimum is also acceptable to improve nose resistance. See [Figures 1](#) and [2](#).

Dimensions in millimeters



Key

- C cap thread (8V1)
- D nut thread
- E nut (shape only illustrative)
- F nut washer (optional)
- G sealing (shape only illustrative)
- H TPMS housing

iTeh Standards
 (https://standards.itih.ai)
 Document Preview

[ISO/FDIS 24163-1](#)

<https://standards.itih.ai/catalog/standards/sist/0b66d36f-6bf3-4571-9a2c-ce5ddc427409/iso-fdis-24163-1>

Figure 1 — Valve body scheme