DRAFT AMENDMENT ISO 10874:2009/DAM 1

ISO/TC 219 Secretariat: NBN

Voting begins on: Voting terminates on:

2020-01-16 2020-04-09

Resilient, textile and laminate floor coverings — Classification

AMENDMENT 1: Elimination of class 22+

ICS: 97.150

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL,
TECHNOLOGICAL, COMMERCIAL AND
USER PURPOSES, DRAFT INTERNATIONAL
STANDARDS MAY ON OCCASION HAVE TO
BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING



Reference number ISO 10874:2009/DAM 1:2020(E) Intro-18tandards. Italia sandards sanda



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/ iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 219, Floor Coverings.

A list of all parts in the ISO 10874 series can be found on the ISO website.

Resilient, textile and laminate floor coverings — Classification

AMENDMENT 1: Elimination of class 22+

1 Clause 1 (Scope)

Remove the fourth paragraph of $\underline{\text{clause 2}}$ and add this paragraph at the end of the $\underline{\text{clause 1}}$ and designate as a NOTE

NOTE The wear and appearance of floor coverings are influenced by standards of installation and maintenance, the condition of the subfloor and the kind of use (type of footwear, high concentrations of localized traffic, etc). These factors should be taken into account when using this classification system.

2 Clause 2 (Normative References)

Change the title of Clause 2 into "Normative references" and add text

There are no normative references in this document.

3 Clause 3 (Explanation of the classification system)

Change the title "Classification" into "Explanation of the classification system"

Designate the second paragraph as NOTE 1 The specifier should decide whether a higher or lower class of floor covering than that recommended will be sufficient.

Designate the third paragraph as NOTE 2 Apart from classification in respect to intensity of use, other properties should be considered and specified in the manufacturer's product specifications.

Replace table 1 'Classification' with the following table

Table 1 — Classification

Class	Symbol	Level of use	Description
		DOMESTIC	Areas considered for residential use
21		Moderate	Areas with low or intermittent use
22		General	Areas with medium use
23		Heavy	Areas with heavy use

 Table 1 (continued)

Class	Symbol	Level of use	Description
		COMMERCIAL	Areas considered for public and commercial use
31		Moderate	Areas with low or intermittent use
32		General	Areas with medium use
33		Heavy	Areas with heavy use
34	0000	Very heavy	Areas with intense use
		LIGHT INDUSTRIAL	Areas considered for light industrial use
41		Moderate	Areas where work is mainly sedentary with occasional use of light vehicles
42		General	Areas where work is mainly standing and/or with vehicular traffic
43		Heavy	Other light industrial areas

2