

SLOVENSKI STANDARD SIST EN ISO 21177:2024

01-junij-2024

Nadomešča:

SIST EN ISO 21177:2023

Inteligentni transportni sistemi - Storitve varovanja postaj ITS za varno vzpostavitev sej in preverjanje pristnosti med zaupanja vrednimi napravami (ISO 21177:2024)

Intelligent transport systems - ITS station security services for secure session establishment and authentication between trusted devices (ISO 21177:2024)

Intelligente Verkehrssysteme - Sicherheitsdienste für eine ITS-Station zum sicheren Aufbau von Sitzungen und zur Authentisierung zwischen vertrauenswürdigen Geräten (ISO 21177:2024)

Systèmes de transport intelligents - Services de sécurité des stations ITS pour l'établissement et l'authentification des sessions sécurisées entre dispositifs de confiance (ISO 21177:2024)

Ta slovenski standard je istoveten z: EN ISO 21177:2024

ICS:

03.220.01 Transport na splošno Transport in general 35.030 Informacijska varnost IT Security

35.240.60 Uporabniške rešitve IT v IT applications in transport

prometu

SIST EN ISO 21177:2024 en,fr,de

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 21177:2024

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 21177

March 2024

ICS 03.220.01; 35.240.60; 35.030

Supersedes EN ISO 21177:2023

English Version

Intelligent transport systems - ITS station security services for secure session establishment and authentication between trusted devices (ISO 21177:2024)

Systèmes de transport intelligents - Services de sécurité des stations ITS pour l'établissement et l'authentification des sessions sécurisées entre dispositifs de confiance (ISO 21177:2024) Intelligente Verkehrssysteme - Sicherheitsdienste für eine ITS-Station zum sicheren Aufbau von Sitzungen und zur Authentisierung zwischen vertrauenswürdigen Geräten (ISO 21177:2024)

This European Standard was approved by CEN on 6 March 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

SIST EN ISO 21177:2024

https://standards.iteh.ai/catalog/standards/sist/6077e926-8b50-4d2f-94f3-711fc1d6246c/sist-en-iso-21177-202



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 21177:2024 (E)

| Contents | Page |
|-------------------|------|
| T | 2 |
| European foreword | |

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 21177:2024

European foreword

This document (EN ISO 21177:2024) has been prepared by Technical Committee ISO/TC 204 "Intelligent transport systems" in collaboration with Technical Committee CEN/TC 278 "Intelligent transport systems" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2024, and conflicting national standards shall be withdrawn at the latest by September 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 21177:2023.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice _______

The text of ISO 21177:2024 has been approved by CEN as EN ISO 21177:2024 without any modification.

SIST EN ISO 21177:2024

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 21177:2024



International Standard

ISO 21177

Intelligent transport systems — ITS station security services for secure session establishment and authentication between trusted devices

Systèmes de transport intelligents — Services de sécurité des stations ITS pour l'établissement et l'authentification des sessions sécurisées entre dispositifs de confiance

Second edition 2024-03

ocument Preview

SIST EN ISO 21177:2024

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 21177:2024

https://standards.iteh.ai/catalog/standards/sist/6077e926-8b50-4d2f-94f3-711fc1d6246c/sist-en-iso-21177-2024



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org

Website: www.iso.org
Published in Switzerland

| Co | Contents | | | | | | |
|------|------------|--|-----|--|--|--|--|
| Fore | eword | | vi | | | | |
| Intr | oductio | on | vii | | | | |
| 1 | Scop | e | 1 | | | | |
| 2 | - | native references | | | | | |
| _ | | | | | | | |
| 3 | | ns and definitions | | | | | |
| 4 | Abbı | Abbreviated terms | | | | | |
| 5 | Over | view | 4 | | | | |
| | 5.1 | General description, relationship to transport layer security (TLS) and relationship to application specifications | | | | | |
| | 5.2 5.3 | GoalsArchitecture and functional entities | | | | | |
| | 5.3 5.4 | Cryptomaterial handles | | | | | |
| | 5.5 | Session IDs and state | | | | | |
| | 5.6 | Access control and authorization state | | | | | |
| | 5.7 | Application level non-repudiation | | | | | |
| | 5.8 | Service primitive conventions | 11 | | | | |
| 6 | Proc | ess flows and sequence diagrams | 12 | | | | |
| | 6.1 | General | | | | | |
| | 6.2 | Overview of process flows | | | | | |
| | 6.3 | Sequence diagram conventions | | | | | |
| | 6.4 | Configure | | | | | |
| | 6.5 6.6 | Start sessionSend data | | | | | |
| | 6.7 | Send access control PDU | | | | | |
| | 6.8 | Receive PDU | 21 | | | | |
| | 6.9 | Extend session | | | | | |
| | | 6.9.1 Goals | 27 | | | | |
| | | 6.9.2 Processing Pocument Areview | 28 | | | | |
| | 6.10 | Secure connection brokering | | | | | |
| | | 6.10.1 Goals <u>SIST_EN ISO_24477-2024</u> | | | | | |
| | | 6.10.2 Prerequisites | | | | | |
| | | 6.10.3 Overview | | | | | |
| | 6.11 | Force end session | | | | | |
| | 6.12 | Session terminated at session layer | | | | | |
| | 6.13 | Deactivate | | | | | |
| | 6.14 | Secure session example | 41 | | | | |
| 7 | Secu | rity subsystem: interfaces and data types | 43 | | | | |
| | 7.1 | General | | | | | |
| | 7.2 | Access control policy and state | | | | | |
| | 7.3 | Enhanced authentication | | | | | |
| | | 7.3.1 Definition and possible states | | | | | |
| | | 7.3.2 States for owner role enhanced authentication | | | | | |
| | | 7.3.3 State for accessor role enhanced authentication7.3.4 Use by access control | | | | | |
| | | 7.3.5 Methods for providing enhanced authentication | | | | | |
| | | 7.3.6 Enhanced authentication using SPAKE2 | | | | | |
| | 7.4 | Extended authentication | 48 | | | | |
| | 7.5 | Security Management Information Request | | | | | |
| | | 7.5.1 Rationale | 48 | | | | |
| | | 7.5.2 General | | | | | |
| | 7.6 | Data types | 50 | | | | |

| | 8.4 | Sec-AL | Interface | 71 |
|---|-------|----------------|---|----------|
| | | | App-AL-EnableProxy.request | |
| | | | App-AL-Data.indication | |
| | | | App-AL-Data.confirm | |
| | | | App-AL-Data.request | |
| | 8.3 | | L Interface | |
| | 0.2 | | TlsServerMsg1 | |
| | | | TlsConverMeg1 | |
| | | _ | | |
| | | | AccessControl | |
| | | | ApduApdu | |
| | | | Iso21177AdaptorLayerPDU | |
| | 0.2 | - | General | |
| | 8.2 | | /pes | |
| 3 | 8.1 | | il meriaces and data types | |
| 8 | Adant | tor lave | r: interfaces and data types | 66 |
| | | 7.8.3 | Sec-AuthState.confirm | 65 |
| | | | Sec-AuthState.request | |
| | | | General | |
| | 7.8 | | ty subsystem internal interface | |
| | 7.0 | | App-Sec-Deactivate.indication | |
| | | | | |
| | | | App-Sec-Deactivate.request App-Sec-Deactivate.confirm | |
| | | | | |
| | | | App-Sec-EndSession.indication | |
| | | | App-Sec-EndSession.request | |
| | | 7.7.0 7.7.7 | App-Sec-Incoming.request | 67 |
| | | 7.7.6 | App-Sec-Incoming.request | 61 61 |
| | | 7.7.5 | App-Sec-Data.confirm | 61 |
| | | 7.7.4 | App-Sec-StartSession.indication | 60 |
| | | 7.7.3 | App-Sec-StartSession.indication | 60 |
| | | 7.7.2 | App-Sec-Configure.confirm | 60 |
| | | | App-Sec-Configure.request | |
| | 7.7 | | ec Interface | |
| | | | SessionExtensionPdu | |
| | | | CertChainResponse | |
| | | 7.6.24 | IeeeCrlResponse | 57 |
| | | 7.6.23 | EtsiCtlResponse | 56 |
| | | | EtsiCrlResponse | |
| | | 7.6.21 | SecurityMgmtInfoErrorResponse | 56 |
| | | | SecurityMgmtInfoResponse | |
| | | | CertChainRequest | |
| | | | EtsiCrlRequest | |
| | | | SecurityMgmtInfoRequest | |
| | | | SecurityMgmtInfoPdu | |
| | | | SpakeRequesterResponse | |
| | | | SpakeResponse | |
| | | | SpakeRequest | |
| | | | Enhanced Auth Pdu | |
| | | | Extended Auth Response Payload | |
| | | | Extended Auth Response | |
| | | | AtomicExtendedAuthRequest | |
| | | | InnerExtendedAuthRequest | |
| | | | ExtendedAuthRequest | |
| | | | Extended Auth Progress | |
| | | | AccessControlResult | |
| | | | Iso21177AccessControlPdu | |
| | | | "Helper" data types | |
| | | 7.6.2 | Imports | |
| | | | General | |
| | | 7 (1 | C] | Ε0 |

| | | 8.4.1 | Sec-AL-AccessControl.request | | |
|------------------------------------|-------------------------|-----------|---|----|--|
| | | 8.4.2 | Sec-AL-AccessControl.confirm | | |
| | | 8.4.3 | Sec-AL-AccessControl.indication | | |
| | | 8.4.4 | Sec-AL-EndSession.request | 73 | |
| | | 8.4.5 | Sec-AL-EndSession.confirm | 73 | |
| 9 | Secure session Services | | | | |
| | 9.1 | Gener | ral | 73 | |
| | 9.2 | App-S | Sess interfaces | | |
| | | 9.2.1 | App-Sess-EnableProxy.request | 73 | |
| | 9.3 | Sec-S | ess interface | 74 | |
| | | 9.3.1 | Sec-Sess-Configure.request | 74 | |
| | | 9.3.2 | Sec-Sess-Configure.confirm | 76 | |
| | | 9.3.3 | Sec-Sess-Start.indication | | |
| | | 9.3.4 | Sec-Sess-EndSession.indication | | |
| | | 9.3.5 | Sec-Sess-Deactivate.request | | |
| | | 9.3.6 | Sec-Sess-Deactivate.confirm | | |
| | 9.4 | | ess interface | | |
| | | 9.4.1 | AL-Sess-Data.request | | |
| | | 9.4.2 | AL-Sess-Data.confirm | | |
| | | 9.4.3 | AL-Sess-Data.indication | | |
| | | 9.4.4 | AL-Sess-EndSession.request | | |
| | | 9.4.5 | AL-Sess-EndSession.confirm | | |
| | | 9.4.6 | AL-Sess-ClientHelloProxy.request | | |
| | | 9.4.7 | AL-Sess-ClientHelloProxy.indication | | |
| | | 9.4.8 | AL-Sess-ServerHelloProxy.request | | |
| | | 9.4.9 | AL-Sess-ServerHelloProxy.indication | | |
| | 9.5 | | itted mechanisms | | |
| | | 9.5.1 | TLS 1.3 | 82 | |
| | | 9.5.2 | DTLS 1.3 | 83 | |
| Annex | A (in | formati | ve) Usage scenarios de la | 84 | |
| Annex | k B (no | ormative | e) ASN.1 module | 92 | |
| Annex | C (no | rmative | e) Session extension PDU functional type EVIEW | 93 | |
| | | | e) Owner authorization | | |
| BibliographySIST EN ISO 21177:2024 | | | | | |
| ittps:// | | irds.iteh | i.ai/catalog/standards/sist/607/e926-8b30-4d21-94f3-71ffc1d6246c/sist-e | | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 278, *Intelligent transport systems*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 21177:2023), of which it constitutes a minor revision. The changes are as follows:

- cross-references to RFC 8942 have been updated to RFC 8902 throughout the document;
- information concerning patent(s) required for the implementation of this document has been moved from the Introduction to the Foreword.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document specifies ITS station security services that provide authenticity of the source and confidentiality and integrity of application activities taking place between trusted devices. The two devices taking part in a data exchange establish a cryptographically secure session. As part of establishing this session, each device [or, more precisely, each end entity (EE) which is an application on the device] is sent one or more digital certificates that are cryptographically bound to the other EE and contain statements, made by a trusted third party, about the EE's capabilities, properties and permissions. This allows each EE to have assurance about the properties of the other EE in the session, and this in turn allows each EE to make trust and access control decisions about data that the other EE can access, commands that the other EE can execute, states that the other EE can change, and other types of access that the other EE can request. In other words, the two EEs establish a trust relationship where each EE is trusted by the other EE to carry out specific actions, without requiring one EE to allow the other EE to have arbitrary access.

The mechanisms specified in this document allow each EE to establish trusted facts about the other EE. For these mechanisms to be used, the EE specification needs to include an access control policy, indicating which properties are required to be known to be true about the other EE for that other EE to be allowed to carry out particular actions. In other words, this document provides a means to obtain security-relevant information, but the use of that security-relevant information is to be specified in the specification of the EE.

The trust relation between two devices is illustrated in <u>Figure 1</u>. Two devices cooperate in a trusted way, i.e. exchange information with optional explicit bi-directional protection.



Figure 1 — Interconnection of trusted devices


According to ISO 21217, an ITS station unit (ITS-SU), i.e. the physical implementation of the ITS station (ITS-S) functionality, is a trusted device, and an ITS-SU may be composed of ITS station communication units (ITS-SCUs) that are interconnected via an ITS station-internal network. Thus, an ITS-SCU is the smallest physical entity of an ITS-SU that is referred to as a trusted device.

NOTE 1 ISO 21217 fully covers the functionality of EN 302 665, [16] which is a predecessor of ISO 21217.

NOTE 2 An ITS-SU can be composed of ITS-SCUs from different vendors where each ITS-SCU is linked to a different ITS-SCU configuration and management centre specified in ISO 24102-2 and ISO 17419. Station-internal management communications between ITS-SCUs of the same ITS-SU are specified in ISO 24102-4. The European C-ITS regulation refers to the "ITS-SCU configuration and management centre" as "C-ITS station operator" meaning the entity responsible for the operation of a C-ITS station. The C-ITS station operator can be responsible for the operation of one single C-ITS station (fixed or mobile), or a C-ITS infrastructure composed of a number of fixed C-ITS stations, or a number of mobile ITS stations.

Four implementation contexts of communication nodes in ITS communications networks are identified in the ITS station and communication architecture of ISO 21217, each comprised of ITS-SUs taking on a particular role: personal, vehicular, roadside or central. These ITS-SUs are ITS-secured communication nodes as required in ISO 21217 that participate in a wide variety of ITS services related to, for example, sustainability, road safety and transportation efficiency. See also Figure 2, Figure 3, Figure 4 and Figure 5.


Over the last decade, ITS services have arisen that require secure access to data from sensor and control networks (SCN), for example, from in-vehicle networks (IVN) and from infrastructure/roadside networks (IRN), some of which require secure local access to time-critical information; see <u>Figure 2</u> and <u>Figure 3</u>.



Key

VMS variable message sign

Figure 2 — Example of a roadside ITS-SU connected with proprietary IRN



Key

ECU electronic control unit

Figure 3 — Example of a vehicle ITS-SU connected with proprietary IVN