
**Electrically propelled road vehicles —
Electrical specifications and tests
for voltage class B systems and
components —**

Part 2:

Electrical tests for components

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Véhicules à propulsion électrique — Spécifications et essais
électriques pour les systèmes et composants de classe B —*

Partie 2: Composants et essais électriques

<https://standards.iteh.ai/catalog/standards/sist/aca359ab-97a4-4b34-91ff-550408e6e1c3/iso-21498-2-2021>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 21498-2:2021

<https://standards.iteh.ai/catalog/standards/sist/aca359ab-97a4-4b34-91ff-550408e6e1c3/iso-21498-2-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	3
5 General assumptions for voltage class B components	3
6 Tests and requirements	5
6.1 Test parameters and general test requirements	5
6.1.1 Purpose	5
6.1.2 Test setup	5
6.1.3 Voltages	5
6.1.4 Powers	6
6.1.5 Temperatures	6
6.1.6 Times and durations	6
6.1.7 Standard tolerances	7
6.1.8 Ambient conditions	7
6.1.9 Wiring harness	8
6.1.10 Load conditions	8
6.1.11 Sampling rates and measured value resolutions	8
6.1.12 Parameter monitoring	8
6.1.13 Interface description	8
6.1.14 Documentation	8
6.2 DC supply voltage variation within operational range	9
6.2.1 Purpose	9
6.2.2 Test setup	9
6.2.3 Test procedure	9
6.2.4 Requirements	10
6.3 Generated voltage slope	11
6.3.1 Purpose	11
6.3.2 Test setup	11
6.3.3 Test procedure	12
6.3.4 Requirements	14
6.4 Immunity to voltage slope	14
6.4.1 Purpose	14
6.4.2 Test setup	14
6.4.3 Test procedure	15
6.4.4 Requirements	16
6.5 Generated voltage ripple	16
6.5.1 Purpose	16
6.5.2 Test setup	16
6.5.3 Test procedure	17
6.5.4 Requirements	19
6.6 Immunity to voltage ripple	20
6.6.1 Purpose	20
6.6.2 Test setup	20
6.6.3 Test procedure	21
6.6.4 Requirements	22
6.7 Overvoltage	22
6.7.1 Purpose	22
6.7.2 Test setup	22
6.7.3 Test procedure	23

ISO 21498-2:2021(E)

6.7.4	Requirements	24
6.8	Undervoltage	24
6.8.1	Purpose	24
6.8.2	Test setup	24
6.8.3	Test procedure	25
6.8.4	Requirements	26
6.9	Voltage offset	26
6.9.1	Purpose	26
6.9.2	Test setup	27
6.9.3	Test procedure	28
6.9.4	Requirements	29
6.10	Generated load dump voltage	30
6.10.1	Purpose	30
6.10.2	Test setup	30
6.10.3	Test procedure	30
6.10.4	Requirements	31
6.11	Immunity to load dump voltage	32
6.11.1	Purpose	32
6.11.2	Test setup	32
6.11.3	Test procedure	32
6.11.4	Requirements	34
Annex A (informative) Test overview		35
Annex B (informative) Testing at different temperatures		36
Annex C (informative) Example values		37
Annex D (normative) Artificial network		40
Annex E (informative) Example for the setup of generated voltage ripple measurement		44
Bibliography		48

<https://standards.iteh.ai/catalog/standards/sist/aca359ab-97a4-4b34-91ff-550408e6e1c3/iso-21498-2-2021>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 37, *Electrically propelled vehicles*.

A list of all parts in the ISO 21498 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The requirements for voltage class B electric circuits that are used for electric power transfer for the propulsion of electric road vehicles and their characteristics are significantly different to those of voltage class A electric circuits. Moreover, the range of voltage class B is too wide to be used for a component design regarding to voltage.

The ISO 21498 series divides voltage class B in a set of voltage sub-classes to enable a component design for each voltage sub-class regarding to voltage. It provides appropriate descriptions and definitions for requirements and characteristics of voltage class B systems for electrically propelled vehicles.

The voltage sub-class itself and the component characteristics have a large cost impact on the component design and on the overall design of the electric system. Additionally, a high variety of different voltage sub-classes and operating conditions impedes the use of an existing component in different vehicle models. The standardisation of voltage sub-classes and characteristics and the reduction of varieties will enable the reduction of component and system costs. This allows the decoupling of the system or component designs of a voltage class B electric circuit from the design of the electric energy source. Finally, the exchange of components from different suppliers for different customers is facilitated.

ISO 21498-1 provides definitions of and for voltage sub-classes and characteristics for rechargeable energy storage systems (RESS) and electric propulsion systems. It defines specific values for these sub-classes based on maximum working voltage. Voltage sub-classes listed in ISO 21498-1 are used for voltage class B systems of all kinds of current or future electrically propelled road vehicles.

This document provides electrical tests for electric and electronic components at voltage class B used for electrically propelled road vehicles. All relevant characteristics are covered considering usual driving scenarios as well as deviations from normal operation. The descriptions are generalized and include purpose, setup, procedure and requirements for the tests.

The specifications in this document are not intended to restrict the development of component performance or technology. The given definition of sub-classes does not exclude the use of other maximum operating voltages for an individual system design.

Electrically propelled road vehicles — Electrical specifications and tests for voltage class B systems and components —

Part 2: Electrical tests for components

1 Scope

This document applies to voltage class B electric propulsion systems and connected auxiliary electric systems of electrically propelled road vehicles. It applies to electric circuits and components in these systems.

This document focuses on the characteristics at the DC voltage class B terminals of these components as specified in ISO 21498-1. It describes testing methods, test conditions and test requirements for components exposed to electrical behaviour caused by operation of electric loads and power sources.

This document does not cover electrical safety (see ISO 6469, ISO 17409).

iTeh STANDARD PREVIEW

2 Normative references (standards.iteh.ai)

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the cited edition applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 8713, *Electrically propelled road vehicles — Vocabulary*

ISO 21498-1, *Electrically propelled road vehicles – Electrical specifications and tests for voltage class B systems and components – Part 1: Voltage sub-classes and characteristics*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TR 8713 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

component operating status

general functional behaviour of components which depend directly on the voltage in *voltage class B* (3.13) *electric circuits* (3.3)

[SOURCE: ISO 21498-1:2021, 3.1]

3.2

customer

party that is interested in using *voltage class B* (3.13) components or systems

[SOURCE: ISO 21498-1:2021, 3.2]

**3.3
electric circuit**

entire set of interconnected electric/electronic parts through which electrical current is designed to flow under normal operating conditions

[SOURCE: ISO 21498-1:2021, 3.3]

**3.4
lower voltage limit**

minimum voltage of a *voltage class B* (3.13) sub-class

**3.5
maximum working voltage**

highest value of AC voltage (rms) or of DC voltage that can occur under any normal operating conditions according to the *customer's* (3.2) specifications, disregarding *transients* (3.10) and *ripple* (3.8)

[SOURCE: ISO 21498-1:2021, 3.5]

**3.6
power network**

all components within *voltage class B* (3.13) DC network including their connections

[SOURCE: ISO 21498-1:2021, 3.6]

**3.7
rechargeable energy storage system
RESS**

rechargeable system that stores energy for delivery of electric energy for the electric drive

EXAMPLE Batteries, capacitors, flywheel.

[SOURCE: ISO 21498-1:2021, 3.7]

STANDARD PREVIEW
(standards.iteh.ai)
ISO 21498-2:2021
<https://standards.iteh.ai/catalog/standards/sist/aca359ab-97a4-4b34-91ff-550408e6e1c3/iso-21498-2-2021>

**3.8
ripple**

set of unwanted periodic deviations with respect to the average value of the measured or supplied quantity, occurring at frequencies which can be related to that of components within a system

[SOURCE: ISO 21498-1:2021, 3.8]

**3.9
supplier**

party that provides *voltage class B* (3.13) components or systems

[SOURCE: ISO 21498-1:2021, 3.9]

**3.10
transient**

phenomenon or quantity which varies between two consecutive steady states during a short time interval compared to the time-scale of interest

[SOURCE: ISO 21498-1:2021, 3.10]

**3.11
upper voltage limit**

maximum voltage of a *voltage class B* (3.13) sub-class

Note 1 to entry: *Maximum working voltages* (3.5) within a *voltage sub-class* (3.15) are less than or equal to the upper voltage limit.

3.12**voltage class A**

classification of an electric component or circuit with a *maximum working voltage* (3.5) of ≤ 30 V AC (rms) or ≤ 60 V DC respectively

[SOURCE: ISO 21498-1:2021, 3.12]

3.13**voltage class B**

classification of an electric component or circuit with a *maximum working voltage* (3.5) of (> 30 and $\leq 1\,000$) V AC (rms) or (> 60 and $\leq 1\,500$) V DC respectively

[SOURCE: ISO 21498-1:2021, 3.13]

3.14**voltage range**

general term covering *voltage sub-class* (3.15), *working voltages* (3.16) and deviations from working voltages

[SOURCE: ISO 21498-1:2021, 3.14]

3.15**voltage sub-class**

classification of an electric component or circuit with a DC voltage within the *voltage class B* (3.13)

3.16**working voltage**

AC voltage (rms) or DC voltage that can occur in an electric system under normal operating conditions according to the *customer's* (3.2) specifications, disregarding *transients* (3.10) and *ripple* (3.8)

4 Abbreviated terms

DUT	device under test
EV	electrically propelled road vehicle
HV	high voltage
OS	operating status
LV	low voltage

5 General assumptions for voltage class B components


General assumptions and definitions for voltage class B systems shall be as in ISO 21498-1.

[Figure 1](#) shows a generalized view on a voltage class B component. Some of the connections shown may not be available for all voltage class B components. All voltage profiles or voltage values in this document refer to the voltage between the “HV+” and “HV-” terminals of a voltage class B component, if not otherwise stated.

Due to the differences between different voltage class B components, [Table A.1](#) gives an overview on how the different tests, which are described in this document, are applicable. Not all tests are reasonable for all voltage class B components.

A voltage class B component may have multiple interfaces for each type of voltage (voltage class B DC, voltage class B AC, voltage class A, according to [Figure 1](#)). For example, a DC/DC converter may interface to two voltage class B electric circuits.

A voltage class B component may have multiple voltage class B DC terminals, which can be galvanically separated. The tests described in this document shall be fulfilled for each of these terminals.



Key

- | | | | |
|---|---|---|---|
| 1 | voltage class B connection: HV+ | 8 | connection to further voltage class B component (e.g. AC or DC power network) |
| 2 | voltage class B connection: HV- | a | DUT. |
| 3 | voltage class A power | b | Voltage class B circuit. |
| 4 | I/O and bus signals | c | Voltage class A circuit. |
| 5 | terminal with direct connection to voltage class A ground reference | d | Galvanic separation between voltage class A and voltage class B. |
| 6 | ground reference | | |
| 7 | connection to further voltage class B component (e.g. electric motor) | | |

Figure 1 — Generalized voltage class B component diagram

For the purpose of testing, [Figure 2](#) summarizes the voltage operating ranges and OS of a voltage class B component at its voltage class B DC voltage terminals. The overvoltage limit, the upper voltage limit and the lower voltage limit are properties of the component.

Each voltage class B component shall have a voltage range in which it can be operated with its specified performance (unlimited operating capability). All designated functions, including short-time overload operations, shall be available. Within this voltage range, the component operates in OS1.

Above a maximum voltage, a component may reduce its performance as specified. This specified voltage is called the maximum unlimited operating voltage ($U_{max_unlimited_op}$). The component shall provide its upper limited operating capability until the upper voltage limit (U_{upper_limit}) is reached. In this case, the component operates in OS2.

Above the upper voltage limit (U_{upper_limit}) the component may derate or cut-off its performance for self-protection. The component shall withstand this overvoltage until the overvoltage limit (U_{over_limit}) is reached. In this case, the component operates in OS3 or OS4.

A component shall perform in OS1 until the supply voltage drops to the minimum unlimited operating voltage ($U_{min_unlimited_op}$). Between the minimum unlimited operating voltage ($U_{min_unlimited_op}$) and the lower voltage limit (U_{lower_limit}), the component may reduce its performance as specified. In this case, the component operates in OS2.

If the supply voltage is below the U_{lower_limit} , the component may derate or cut-off its performance. In this case, the component operates in OS3 or OS4.




Figure 2 — Component voltage range and limits of corresponding OS
(standards.iteh.ai)

6 Tests and requirements ISO 21498-2:2021

[https://standards.iteh.ai/catalog/standards/sist/aca359ab-97a4-4b34-91ff-](https://standards.iteh.ai/catalog/standards/sist/aca359ab-97a4-4b34-91ff-550408e6e1c3/iso-21498-2-2021)

6.1 Test parameters and general test requirements 550408e6e1c3/iso-21498-2-2021

6.1.1 Purpose

[6.1](#) describes the specification of test parameters including tolerances and general test requirements. Frequency, time and voltage levels used for the tests are introduced.

6.1.2 Test setup

The test setup shall provide appropriate interfaces, connections and loads to achieve representative DUT operation and characteristics. Measurement of voltages shall be performed at the voltage class B terminals of the DUT.

6.1.3 Voltages

[Table 1](#) contains voltage definitions and their abbreviations.

Table 1 — Voltage definitions and abbreviations

Test parameter	Meaning
U_{over_limit}	Overvoltage limit ^a
U_{upper_limit}	Upper voltage limit ^a
U_{lower_limit}	Lower voltage limit ^a
$U_{max_unlimited_op}$	Maximum voltage for unlimited operating capability ^b
$U_{min_unlimited_op}$	Minimum voltage for unlimited operating capability ^b
U_{init}	Initial voltage for all tests
U_{HV}	Voltage at the terminals of the DUT
$U_{HV,DC}$	DC part of the voltage at the terminals of the DUT
$U_{HV,AC}$	AC part of the voltage at the terminals of the DUT (peak value)
U_{pp}	Peak-to-peak value of AC voltage
$U_{HV,idle}$	HV DC voltage at no load operation
$U_{HV,Ppeak}$	HV DC voltage at peak power operation
U_m	Voltage in the undervoltage range
^a Voltage defined in ISO 21498-1.	
^b See Figure 2 for illustration. The unlimited operating capability is defined in ISO 21498-1.	

iTech STANDARD PREVIEW
(standards.iteh.ai)

6.1.4 Powers

[Table 2](#) contains power definitions and their abbreviations.

ISO 21498-2:2021
Table 2 — Power definitions and abbreviations

Test parameter	Meaning
P_{cont}	Continuous power of the DUT
P_{max_gen}	Generated HV DC maximum power by the DUT
P_{peak}	Maximum short-term power of the DUT
P_{idle}	Power of the DUT during no load operation
$P_{request}$	Power request to the DUT ^a
^a This value is related to the desired output power of the DUT, the actual set value may have another physical quantity (e.g. current, speed, torque) depending on the DUT.	

6.1.5 Temperatures

The focus of all tests in this document is on the electrical behaviour of the component at the voltage class B terminals. Thermal derating is not considered. Therefore, all tests shall be performed at ambient temperature.

If a component needs additional liquid cooling, the cooling system shall be chosen as such that the DUT's performance is not affected by thermal derating. Flow rate and coolant temperature shall be documented.

If the electric tests have to be performed at different temperature levels, [Annex B](#) gives guidance on how to perform these tests.

6.1.6 Times and durations

[Table 3](#) contains definitions of times and durations and their abbreviations.

Table 3 — Times/duration definitions and abbreviations

Test parameter	Meaning
t_d	Duration time (e.g. of a voltage profile or a transient event)
t_f	Fall time (e.g. of a voltage profile or a transient event)
t_h	Hold time (e.g. of a voltage profile)
t_{idle}	Duration of the idle power request
t_{Peak}	Duration of the peak power request
t_r	Rise time (e.g. of a voltage profile or a transient event)
t_{test}	Test duration

6.1.7 Standard tolerances

Unless otherwise specified, the tolerances in accordance with [Table 4](#) apply with accuracy as shown in [Table 5](#).

Tolerances refer to the required setting value. Tolerances of the component measurement shall not lead to an OS change.

Tolerances shall only be applied in a way that requirements are not weakened.

Table 4 — Standard tolerances for test equipment

Test parameter	Value	Remark
Amplitude of AC voltage	0 % to +5 % relating to the specified value ^b	Tolerance of AC voltage
Capacitance	± 10 % of specified component value ^a	Tolerance of capacitance
DC voltage	± 0,2 % of U_{upper_limit}	Tolerance of DC voltage
Frequency of AC voltage	± 1 % relating to the specified value ^a	Tolerance of AC voltage frequency
Inductance	± 10 % of specified component value ^a	Tolerance of inductance
Resistance	± 10 % of specified component value ^a	Tolerance of resistance
Time/duration	0 % to +5 % relating to the specified value ^b	Tolerance of time/duration
^a The specified value is given in the test description or in Annex C .		
^b The specified value is given in the test description. The value may not be below the given value.		

Table 5 — Accuracy of measurement

Test parameter	Value
Voltage measurement	± 0,5 % of U_{upper_limit}
Current measurement	± 1 % of measured current or 100 mA, whichever is greater

6.1.8 Ambient conditions

Unless otherwise specified, the parameter values of ambient conditions in accordance with [Table 6](#) shall be used.

Table 6 — Test conditions

Test parameter	Value	Remark
RT	(23 ± 5) °C	Room temperature
RH	25 % to 75 %	Relative humidity
T_{amb}	RT ^a	Ambient temperature
T_{cool}	According to specification or as agreed between customer and supplier	Coolant temperature
^a RT shall be used if temperature has no impact.		

6.1.9 Wiring harness

The DUT shall be connected to the test setup using the following conditions. If there is an attached cable tail at the DUT or a designated wiring harness, the test setup shall be connected at the end of the existing cable. If not, a cable with a length of maximum 2 m shall be used to connect the DUT to the test setup.

6.1.10 Load conditions

The DUT shall be connected to an appropriate load or source. For all tests the DUT shall be operated at continuous power, if not otherwise stated. If this condition can be reached at several operating points (e.g. speed, torque), an appropriate operating point shall be agreed between customer and supplier.

If a component is able to consume and to deliver electrical energy (e.g. motor/generator), the component shall be tested in both energy flow directions.

6.1.11 Sampling rates and measured value resolutions

<https://standards.iteh.ai/catalog/standards/sist/aca359ab-97a4-4b34-91ff-5046e3624214/iso-21498-2-2021>

Sampling rate, bandwidth and resolution of the measuring system shall be adapted for the respective test. This document contains tests concerning DC operation only and tests concerning AC characteristics within a frequency range from 10 Hz to 150 kHz.

6.1.12 Parameter monitoring

All additional parameters to be monitored shall be defined for the relevant tests with their value ranges. During the complete test, the parameters to be monitored shall be recorded. The data resulting from the continuous parameter monitoring shall be examined for trends and drifting to detect abnormalities or malfunctions of the component. For components with fault memory, the customer and the supplier shall prior to the testing agree upon which component behaviour that is to be stored during the test. The fault memory shall be monitored and all entries shall be documented.

6.1.13 Interface description

A detailed description of the states and electrical properties of all interfaces (measuring setup and component) shall be provided.

6.1.14 Documentation

For documentation, see individual requirements as given during the test description.


6.2 DC supply voltage variation within operational range

6.2.1 Purpose

This test verifies that the DUT is able to perform as specified when the DC voltage varies in the range between the lower voltage limit and the upper voltage limit. The purpose is to emulate real battery operation.

6.2.2 Test setup

The test setup according to [Figure 3](#) shall be used. It consists of a variable HV DC power supply and the DUT. A profile for the voltage U_{HV} at the connection to the DUT is given in [Figure 4](#).



ISO 21498-2:2021
<https://standards.iteh.ai/catalog/standards/sist/aca359ab-97a4-4b34-91ff-550408e6e1c3/iso-21498-2-2021>

Key

1	voltage class B connection: HV+	7	HV DC power supply
2	voltage class B connection: HV-	8	current sensor (optional)
3	voltage class A power	9	voltage sensor (reference for U_{HV})
4	I/O and bus signals	a	DUT.
5	terminal with direct connection to voltage class A ground reference	b	Voltage class B circuit.
6	ground reference	c	Voltage class A circuit.

Figure 3 — Test setup for DC supply voltage variation within operational range

6.2.3 Test procedure

Install the DUT in a test setup according to [Figure 3](#) and verify that all functions operate according to OS1 at a voltage within the specification for unlimited operation (e.g. at U_{init}).

Change the level of the HV DC power supply so that the measured voltage at the DUT (U_{HV}) becomes according to the voltage profile in [Figure 4](#) and [Table 7](#).

If a component has no OS2 ($U_{max_unlimited_op}$ has the same value as U_{upper_limit} and/or $U_{min_unlimited_op}$ has the same value as U_{lower_limit}) the respective test procedures and test profiles shall be adapted accordingly. The adaptation shall be agreed between customer and supplier.

The voltage at the voltage class B terminals of the DUT (U_{HV}) and relevant parameters to evaluate the OS shall be recorded during the test.