FINAL **DRAFT**

INTERNATIONAL STANDARD

ISO/FDIS 19847

ISO/TC 8/SC 6

Secretariat: JISC

Voting begins on: 2023-11-15

Voting terminates on:

2024-01-10

Ships and marine technology — Shipboard data servers for sharing field data at sea

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STAN-DARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number ISO/FDIS 19847:2023(E)

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 19847

https://standards.iteh.ai/catalog/standards/sist/6e83c4a3-17f6-4255-8e3a-d1f554da2663/iso-fdis-19847



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	Contents					
Fore	word		v			
Intro	ductio	on	vi			
1	Scor	oe	1			
2	-	mative references				
_						
3		ns and definitions				
4		reviated terms				
5	General requirements for the shipboard data server					
	5.1	Function and performance of the shipboard data server	7			
		5.1.1 Processing performance 5.1.2 Storage function				
		5.1.3 Interface function				
		5.1.4 Condition monitoring function				
		5.1.5 Data backup and restoration functions				
		5.1.6 Function to protect against unauthorised access				
		5.1.7 Status reporting				
	5.2	Environmental performance of shipboard data server				
		5.2.1 Power-supply performance				
		5.2.2 Vibration-resistant feature				
		5.2.3 Requirement for electromagnetic immunity and emission5.2.4 Temperature and humidity resistant requirements				
	5.3	Installation requirements for shipboard data server				
	0.0	5.3.1 Environment requirements				
		5.3.2 Requirements for maintenance areas				
		5.3.3 Requirement for networks and network security	13			
6	Data	input/output and data management on shipboard data server	14			
	6.1	General	14			
	6.2	Data management function				
		6.2.1 / General and ards/sist/6e83c4a3-1716-4255-8e3a-d11554da2663/iso-tdis-198				
		6.2.2 Management of system clock				
		6.2.4 Management of Data Channel List				
		6.2.5 Management of Alias List				
	6.3	Data input and output functions				
		6.3.1 General	15			
		6.3.2 Input function				
		6.3.3 Output function				
		6.3.4 Request-response data transport service				
		6.3.5 Streaming data transport service				
	6.4	Alias function				
	0.1	6.4.1 General				
		6.4.2 Alias List				
	6.5	Data calculation function	19			
		6.5.1 General				
	6.6	Log management function	19			
7	Operation requirements					
	7.1	General				
	7.2	Protection from logical threats				
		7.2.1 Access control				
		7.2.2 Usage control				
		7.2.5 Network access	22 22			

ISO/FDIS 19847:2023(E)

	7.3	Protection from physical threats	23	
		7.3.1 General		
		7.3.2 Installation requirements	23	
		7.3.3 Connection cables	23	
		7.3.4 Power source management	24	
		7.3.5 Interfaces for removable devices	24	
		7.3.6 Protection (others)	24	
		7.3.7 Equipment maintenance	25	
	7.4	Software maintenance	25	
		7.4.1 General	25	
		7.4.2 Maintenance mode	25	
		7.4.3 Setting changes	25	
		7.4.4 Software update		
		7.4.5 Failure recovery		
		7.4.6 Software version information	26	
8	Test	Test requirements		
	8.1	Outline		
	8.2	Test items	26	
		8.2.1 Test environments		
		8.2.2 Test methods		
		nformative) Ship-to-shore communication management		
Ann	45			
Ann	ex C (n	ormative) Request-response protocol	49	
Ann	ex D (n	ormative) Streaming protocol	60	
Ann	ex E (n	ormative) File input and output protocol by the HTTP(S)	62	
		formative) Data source information		
		nformative) User management of the shipboard data server		
		nformative) Internal calculation function and page 17. https://example.com/standards/sist/6e83e4a3_17f6_4255_8e3a_d1f554da2		
RIDI	nograp.	ny tratus ileh arcarato9/standards/sist/nea3c4a3-1710-4733-853a-0113340a7	100 A C C C C C C C C C C C C C C C C C C	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 8, *Ships and Marine technology*, Subcommittee SC6, *Navigation and ship operations*. 9847

This second edition cancels and replaces the first edition (ISO 19847:2018), which has been technically revised.

The main changes are as follows:

- In <u>Clause 7</u>, a specific security requirement on the shipboard data server has been added.
- In <u>Clause 8</u>, a test standard in a tabular arrangement of test objectives, conditions, methods, and test criteria has been added.
- In Annex H, implementation requirements for the calculation function have been added.
- In <u>Clause 5</u>, additional examples of an output statement for reporting status have been added.
- In Clause 6, an additional output function with JSON data has been added.
- In <u>Annex C</u>, additional query parameters to designate date and time, search for partial matches of Local IDs and obtain down sampling data have been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Shipboard computer applications to ensure ships operate safely and efficiently are becoming increasingly popular.

These applications require access to data which is provided by shipboard machinery and equipment.

Navigational instruments can use the IEC 61162 series of standards when exchanging data, but access to other shipboard machinery and systems to obtain data has not yet been standardized.

For the purpose of sharing field data at sea, including non-standardized machinery data, this document specifies requirements for performance, function, service and safety for the shipboard data server that stores data from shipboard machinery and equipment, and sends stored data off the ship.

The shipboard data server is connected to an information network that is specified in ISO 16425. The requirements for cyber security on the shipboard data server are specified.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 19847

https://standards.iteh.ai/catalog/standards/sist/6e83c4a3-17f6-4255-8e3a-d1f554da2663/iso-fdis-19847

Ships and marine technology — Shipboard data servers for sharing field data at sea

1 Scope

This document specifies requirements for shipboard data servers that are used to collect data from other shipboard machinery and systems, and to further share the collected data in a safe and efficient manner.

This document specifies communication protocols with reference to the data structure of ISO 19848.

This document is intended for users and developers of shipboard data servers, as well as users and developers of systems that record data on, or retrieve data from, shipboard data servers.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8601-1, Date and time — Representations for information interchange — Part 1: Basic rules

ISO 16425, Ships and marine technology — Guidelines for the installation of ship communication networks for shipboard equipment and systems

ISO 19848:—1), Ships and marine technology — Standard data for shipboard machinery and equipment

IEC 60092-504:2016, Electrical installations in ships — Part 504: Special features — Control and instrumentation

IEC 60945:2002, Maritime navigation and radiocommunication equipment and systems — General requirements — Methods of testing and required test results

IEC 61162-1, Maritime navigation and radiocommunication equipment and systems — Digital interfaces — Part 1: Single talker and multiple listeners

IEC 61162-450, Maritime navigation and radiocommunication equipment and systems — Digital interfaces — Part 450: Multiple talkers and multiple listeners — Ethernet interconnection

IEC 62923-1:2018, Maritime navigation and radiocommunication equipment and systems — Bridge alert management — Part 1: Operational and performance requirements, methods of testing and required test results

IEC 62923-2:2018, Maritime navigation and radiocommunication equipment and systems — Bridge alert management — Part 2: Alert and cluster identifiers and other additional features

INTERNET SOCIETY (ISOC) RFC 3986, Uniform Resource Identifier (URI): Generic Syntax [online]. Edited by T. Berners-Lee, W3C/MIT, R. Fielding, Day Software, L. Masinter and Adobe Systems. January 2005 [viewed 2023-05-13]. Available at https://datatracker.ietf.org/doc/html/rfc3986

IACS Rec.166, Recommendation on Cyber Resilience

1

¹⁾ Under preparation. Stage at the time of publication: ISO/FDIS 19848:2023.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

actual recorded data

actual (sensor) data acquired from data providers (3.10) and recorded to the shipboard data server (3.38)

3.2

Alias ID

symbol to refer to one or more *Local IDs* (3.24) with different names

3.3

Alias List

list defining a list of virtual Data Channel IDs

Note 1 to entry: The Data Channel ID is the identifier for the *Data Channel* (3.7) that identifies Data Channel universally and on-board a ship. There are three types of Data Channel ID: Universal ID, *Local ID* (3.24) and Short ID.

3.4

calculation function

functions to provide calculated data (e.g. min, max and average)

Note 1 to entry: The calculated data provided is in accordance with the calculation data structures specified in ISO 19848.

3.5

calculation list

list which defines the *calculation function* (3.4) that executes calculations, and the input and output parameters given to the calculation element

3.6

comma-separated value

CSV

method of storing tabular data in plain text in a file in which each row of the file forms a data record and in which fields within one data record are separated by a comma character

3.7

Data Channel

virtual channel for data transmission from shipboard machinery and equipment to the *shipboard data server* (3.38), defining static properties of data

[SOURCE: ISO 19848:—, 1) 3.5]

3.8

Data Channel List

list of definitions for the *Data Channel* (3.7) that define the Data Channel ID and the Data Channel Property, and is shared through the *shipboard data server* (3.38)

Note 1 to entry: The Data Channel Property shows attributes of the *Data Channel* (3.7), such as units, ranges and others.

[SOURCE: ISO 19848: —,¹⁾ 3.7]

3.9

Data Channel Type

identification of the types of *Data Channels* (3.7), such as row numeric value, average value, alarms and status

Note 1 to entry: See ISO 19848: —,¹⁾ 5.2 a).

3.10

data provider

equipment that provides (sends) data to the *shipboard data server* (3.38) and has interfaces for providing data

3.11

Data Source Information

description of communication protocols and formats in which a data provider (3.10) sends data

3.12

data sample

measurement datum that has a timestamp

3.13

eXtensible markup language

XML

text-based data description language used for exchanging data on the Internet

[SOURCE: ISO 19848: -,1] 3.10] Teh Standards

3 14

file transfer protocol 1ttps://standards.iteh.ai

FTP

protocol for transferring files between a server and clients

3.15

file transfer protocol over SSL/TLS

FTPS

protocol that encrypts data transmitted and received by *file transfer protocol* (3.16) with a secure sockets layer (SSL) or transport layer security (TLS)

3.16

Function ID

identification for the calculation function with which the *shipboard data server* (3.38) performs the calculation

3.17

hypertext transfer protocol

HTTP

communication protocol used to exchange hypertext markup language (HTML) or other contents on the internet

3.18

hypertext transfer protocol over SSL/TLS

HTTPS

protocol in which web servers and clients encrypt data transmissions

3.19

internet control message protocol

ICMP

protocol consisting of communication rules that are used for purposes such as notifications of errors in the processing of datagrams, and notifications of information relating to communication

Note 1 to entry: This protocol is according to RFC 792.

ISO/FDIS 19847:2023(E)

3.20

internet group management protocol

IGMP

protocol which is used on IPv4 networks to report multicast group memberships

Note 1 to entry: This protocol is according to RFC 1112, RFC 2236 and RFC 4604.

3.21

input parameter

variable which gives information to the calculation function which is needed to perform the calculation

3.22

java script object notation

ISON

open and text-based exchange format

Note 1 to entry: Data transmitted in JSON formats make it easy to read and write (for humans), parse and generate (for computers).

Note 2 to entry: It is similar to eXtensible markup language (3.13).

3.23

Local Data Name

identifier for Data Channels (3.7), which is named in accordance with a Naming Rule (328)

Note 1 to entry: The syntax of the identification string shall be disclosed and precisely defined using the augmented Backus-Naur form (ABNF).

Note 2 to entry: See ISO 19848: —,1) 5.1.3 b). //standards.iteh.ai)

3.24

Local ID

identification of an on-board *Data Channel* (3.7) locally, consisting of a *Naming Rule* (3.28) and a *Local Data Name* (3.23)

3.25 tps://standards.iteh.ai/catalog/standards/sist/6e83c4a3-17f6-4255-8e3a-d1f554da2663/iso-fdis-19847

management data

catalogues that allow access to, and interpretation of, recorded data

EXAMPLE Timestamped Data Source Information (3.11), Data Channel List (3.8) and Alias List (3.3).

3.26

malware

malicious code

software used or created to disrupt computer operation

[SOURCE: IEC 61162-460:2018, 3.23]

3.27

message queuing telemetry transport protocol

MQTT protocol

protocol for machine-to-machine (M2M)/Internet of Things (IoT) connectivity designed as an extremely lightweight publish/subscribe messaging transport; it is also one of the streaming protocols

Note 1 to entry: It is standardized by the Advancing Open Standards for the Information Society (OASIS).

3.28

Naming Rule

set of requirements that define a naming scheme (or an identification scheme) for components and systems on-board the ship

Note 1 to entry: See ISO 19848: $-,^{1)}$ 5.1.3 a).

3.29

network file system

NFS

distributed file system and a protocol for distributed file systems and other protocol specifications

Note 1 to entry: This system is defined by RFC 1094, RFC 1813 and RFC 3530.

3.30

owner

specified person who can restrict editors and users

3 31

output parameter

variable which gives destinations to the calculation function to which calculation results are output

3.32

removable external data source

REDS

user removable non-network data source

EXAMPLE Compact Disc (CD), USB memory stick, Bluetooth®2) devices

[SOURCE: IEC 61162-460:2018, 3.32]

3.33

REST API

program invocation convention for using web systems from outside, developed in accordance with the architectural style called representational state transfer (REST)

Note 1 to entry: Resource operations are designated by HTTP (3.17) sources. Results are sent back in XML (3.13), JSON (3.22) and other formats.

3.34

secure file transfer protocol

SFTP

protocol that uses the SSH (3.35) protocol to securely transfer files between computers -fdis-19847

3.35

secure shell

SSH

cryptographic protocol that allows secure communications over an unsecured network

3.36

session

stateful or stateless dialogue established to exchange data between a *shipboard data server* (3.38) and shipboard equipment or systems

3.37

server message block

SMB

protocol for sharing files and printers among several Windows^{®3)} computers in networks

²⁾ Bluetooth® is the trademark of products supplied by Bluetooth Special Interest Group. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.

³⁾ Windows® is the trademark of products supplied by the Microsoft Corporation. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.

ISO/FDIS 19847:2023(E)

3.38

shipboard data server

information hub of a ship that stores data from shipboard machinery and equipment, shares data at sea including machine data, and sends stored data outboard

[SOURCE: ISO 19848: —,1) 3.18]

3.39 syslog

standard for message logging

4 Abbreviated terms

AMS alarm monitoring system

BWMS ballast water management system

CSV comma-separated value

ECDIS electronic chart display and information system

FTP file transfer protocol

FTPS file transfer protocol over SSL/TLS

GNSS global navigation satellite system

HTML hypertext markup language S12 11 0 2 11 0 2 11 0 2 11

HTTP hypertext transfer protocol

HTTPS hypertext transfer protocol over SSL/TLS

IT Information technology

JSON java script object notation

M/E main engine

MQTT message queuing telemetry transport

NFS network file system

OPC UA open platform communications unified architecture

OT operational technology

REDS removable external data source

RFC request for comments

SFTP secure file transfer protocol

SMB server message block

SSH secure shell

SSL secure sockets layer

TCP transmission control protocol

TLS transport layer security

UDP user datagram protocol

URI uniform resource identifier

UTC coordinated universal time

UTM unified threat management

VDR voyage data recorder

XML eXtensible markup language

5 General requirements for the shipboard data server

5.1 Function and performance of the shipboard data server

5.1.1 Processing performance

5.1.1.1 General

Manufacturers supplying the shipboard data server shall specify how much data their products can process. If the product exceeds the amount of data that can be processed, it is necessary to notify the requesting party by returning the status code.

5.1.1.2 Input data processing performance

The shipboard data server using the request-response transport service shall process input data from a set of 30 data samples per session, within one second, from at least five simultaneous sessions (e.g. VDR, GNSS, alarm and monitoring systems, ballast systems and cargo systems). See Figure 1.

https://standards.iteh.ai/catalog/standards/sist/6e83c4a3-17f6-4255-8e3a-d1f554da2663/iso-fdis-19847




Figure 1 — Input data processing performance requirement

5.1.1.3 Output data processing performance

When the shipboard data server is using the request-response transport service:

- it shall be able to process the read request of a set of 30 data samples per session, from at least five sessions simultaneously (e.g. main engine condition monitoring, weather-routing, optimum trim, remote maintenance and performance analysis);
- the five sessions shall be processed in less than five seconds; and
- the size of the database shall meet the manufacturer's limit.

When the shipboard data server is using the file transport service:

- it shall have a processing performance to respond to the read requests of a set of 30 data samples per session;
- at least one session shall be processed in less than five seconds; and
- the size of database shall meet the manufacturer's limit.

See Figure 2.