



Technical
Specification

ISO/TS 22726-2

**Intelligent transport systems —
Dynamic data and map database
specification for connected
and automated driving system
applications —**

**Part 2:
Logical data model of dynamic data**

*Systemes de transport intelligents — Spécification de
données dynamiques et de bases de données cartographiques
pour les applications de système de conduite connectées et
automatisées —*

Partie 2: Modèle de données logique des données dynamiques

**First edition
2025-02**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TS 22726-2:2025](https://standards.iteh.ai/catalog/standards/iso/fcf94949-3c6b-4921-a818-419f9d897d49/iso-ts-22726-2-2025)

<https://standards.iteh.ai/catalog/standards/iso/fcf94949-3c6b-4921-a818-419f9d897d49/iso-ts-22726-2-2025>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	3
5 Conformance	3
6 Modelling	3
6.1 Introduction.....	3
6.2 Mapping of the different standards' classes and the proposed generic data model's classes.....	3
6.3 Relationship between ISO/TS 22726-1 and this document (ISO/TS 22726-1).....	4
7 Data content specification	4
7.1 Introduction.....	4
7.2 "DynamicInformationDataSet" package.....	4
7.2.1 Overall presentation.....	4
7.2.2 Class definition.....	5
7.3 "Common" package.....	5
7.3.1 Overall presentation.....	5
7.3.2 Class definition.....	6
7.4 "CodeLists" package.....	6
7.4.1 Overall presentation.....	6
7.4.2 Class definition.....	9
7.5 "DataManagement" package.....	22
7.5.1 Overall presentation.....	22
7.5.2 Class definition.....	23
7.6 "DataQuality" package.....	23
7.6.1 Overall presentation.....	23
7.6.2 Class definition.....	24
7.7 "DataTypes" package.....	25
7.7.1 Overall presentation.....	25
7.7.2 Class definition.....	26
7.8 "VehicleCharacteristics" package.....	30
7.8.1 Overall presentation.....	30
7.8.2 Class definition.....	30
7.9 "Enumerations" package.....	34
7.9.1 Overall presentation.....	34
7.9.2 Class definition.....	34
7.10 "LocationReference" package.....	37
7.10.1 Overall presentation.....	37
7.10.2 Class definition.....	38
7.11 "AreaLocation" package.....	39
7.11.1 Overall presentation.....	39
7.11.2 Class definition.....	40
7.12 "LinearLocation" package.....	42
7.12.1 Overall presentation.....	42
7.12.2 Class definition.....	43
7.13 "LocationRealisation" package.....	44
7.13.1 Overall presentation.....	44
7.13.2 Class definition.....	44
7.14 Package "PointLocation".....	45
7.14.1 Overall presentation.....	45

ISO/TS 22726-2:2025(en)

7.14.2	Class definition	46
7.15	"SituationDataset" package	47
7.15.1	Overall presentation	47
7.15.2	Class definition	48
7.16	"OperatorAction" package	50
7.16.1	Overall presentation	50
7.16.2	Class definition	51
7.17	"Parking" package	55
7.17.1	Overall presentation	55
7.17.2	Class definition	56
7.18	"SPaT" package	59
7.18.1	Overall presentation	59
7.18.2	Class definition	59
7.19	"TrafficElement" package	60
7.19.1	Overall presentation	60
7.19.2	Class definition	61
7.20	"Obstruction" package	65
7.20.1	Overall presentation	65
7.20.2	Class definition	65
Annex A (informative) Traceability matrices		68
Annex B (informative) Use cases for location referencing		93
Annex C (informative) Mapping between codelists and XML files		107
Bibliography		109

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ISO/TS 22726-2:2025](https://standards.iteh.ai/catalog/standards/iso/fcf94949-3c6b-4921-a818-419f9d897d49/iso-ts-22726-2-2025)

<https://standards.iteh.ai/catalog/standards/iso/fcf94949-3c6b-4921-a818-419f9d897d49/iso-ts-22726-2-2025>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 278, *Intelligent transport systems*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

A list of all parts in the ISO 22726 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In response to emerging automated driving system development, the need to define associated map database standards has been recognized. Automated driving systems require information on the road, lane and intersection. Conventional road networks for intelligent transport systems (ITS) use a linear modelling method such as link and node. Due to these new requirements, automated driving systems need a data model to express advanced features. The belt-shaped data modelling method has already been developed based on the "belt concept" in ISO 20524-2 to provide information about the road, lane and intersection. The concept of "map for highly automated driving" (MHAD) adopts the belt-shaped data model and harmonizes with the conventional road model such as that of ISO/TS 22726-1.

This document can be used as a reference model for ITS, for example, connected and automated driving system applications and applications of backend map centres which use map and map-related data. Implementation of this document can lead to cost reductions in maintenance/expansion of map access libraries as well as compilation/maintenance of map and map-related data for data providers and connected and automated driving/vehicle control applications.

This document does not define or specify new standards for dynamic information. Neither does it define procedures and/or methods for generating unified contents. It can be used for connected and automated driving system applications. This document's data model of MHAD and that of ISO/TS 22726-1 complement each other.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ISO/TS 22726-2:2025](https://standards.iteh.ai/catalog/standards/iso/fcf94949-3c6b-4921-a818-419f9d897d49/iso-ts-22726-2-2025)

<https://standards.iteh.ai/catalog/standards/iso/fcf94949-3c6b-4921-a818-419f9d897d49/iso-ts-22726-2-2025>

Intelligent transport systems — Dynamic data and map database specification for connected and automated driving system applications —

Part 2: Logical data model of dynamic data

1 Scope

This document specifies a unified logical data model based on available existing dynamic information standards. The data has precise relative location references to be linked with ISO/TS 22726-1 which specifies the architecture and the logical data model of static map data for connected and automated driving applications. Dynamic event data comes from external systems and has been defined and specified independently by existing standards. Therefore, the logical data model in this document is formed to synthesize contents referring to other standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 19505 (all parts), *Information technology — Object Management Group Unified Modeling Language (OMG UML)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 cancellation

action which provides indication that all the element information previously sent is not considered valid, due to an incorrect content

3.2 end

binary attribute specifying whether the situation element is finished (true) or not (false)

EXAMPLE In EN 16157-7:2018, Table A.10, if finished (i.e. end is true) the overallEndTime in the OverallPeriod class associated with the SituationRecord is populated.

3.3 correctness

correspondence with the universe of discourse

[SOURCE: ISO 19157-1:2023, 3.4]

3.4

accuracy

closeness of agreement between a test result or measurement result and the true value

[SOURCE: ISO 19157-1:2023, 3.1 modified — Note 1 to entry has been removed.]

3.5

timeliness

degree to which an IT service delivers outcomes within time limits

Note 1 to entry: In some cases, service timeliness is affected by a combination of multiple services provided by different service providers. For example, online shopping service is expected to provide not only timely retrieval of newly added products on sale, but also timely delivery to the user by the parcel-delivery service provider.

[SOURCE: ISO/IEC TS 25011:2017, 3.2.6.1]

3.6

location reference

specification of a location according to a specific set of rules

3.7

location

identifiable place within a three-dimensional space

3.8

area location

location that has a two-dimensional character

3.9

linear location

location that has a one-dimensional character

3.10

line string

geometric object representing a sequence of connected line segments in a 2D or 3D space and consisting of two or more points connected by straight line segments

Note 1 to entry: It can be used to represent a variety of features, such as roads, paths, or boundaries.

3.11

multipolygon

collection of polygons

3.12

point by coordinates

point location defined by a coordinate set with an optional bearing direction

Note 1 to entry: Adapted from EN 16157-2:2019, Table A.42.

3.13

point location

location that has a zero-dimensional character

3.14

position confidence

degree of certainty of the current location or position of an event or an object

3.15

transversal location reference

method of determining the location of a point or feature relative to a fixed reference line or centreline

3.16

universe of discourse

view of the real or hypothetical world that includes everything of interest

[SOURCE: ISO 19101-1:2014, 4.1.38]

4 Abbreviated terms

DATEX	data exchange NOTE "DATEX" refers to a European standard dealing with data exchange for traffic management and traffic information.
DENM	decentralized environmental notification message
EV	electric vehicle
IVI	in-vehicle information
MHAD	map for highly automated driving
VICS	vehicle information and communication systems
VMS	variable message sign

5 Conformance

The UML diagrams used in this document shall be in conformance with the ISO/IEC 19505 series.

6 Modelling

6.1 Introduction

This document was created by developing a generic logical data model for dynamic data services and comparing with the data models of services of interest, namely EN 16157-2, EN 16157-3 and EN 16157-7 (DATEX II), ISO 21219-15 (TPEG2-TEC), ISO/TS 19321 (IVI), ETSI EN 302 637-3 (DENM), ISO/TS 18234-8 (TPEG1-CTT) and VICS, which is based on a Japanese national standard. The methodology uses data modelling based on the Unified Modeling Language (UML), version 2, as specified in the ISO/IEC 19505 series. The generic data model specified in this document does conform to ISO 19103 and ISO 19107.

6.2 Mapping of the different standards' classes and the proposed generic data model's classes

The generic data model specified within this document has been compared with the data models of EN 16157-2, EN 16157-3 and EN 16157-7 (DATEX II) in the first case, ISO 21219-15 (TPEG2-TEC) in the second case, ISO/TS 19321 (IVI) in the third case, and ETSI EN 302 637-3 (DENM) for the fourth. When relevant, relationships have been established between classes of one of the existing specifications' data model and the generic logical data model of this document.

[Annex A](#) contains various matrices. The Relationship Matrix is a spreadsheet display of relationships between elements (classes) in two different packages, one of the generic data model and the other from one of the existing data models. The Relationship Matrices have been produced for all models.

NOTE The matrices were exported to Excel and merged into one single matrix where the corresponding classes can be managed together. Where no UML model is available (in the case of ISO/TS 18234-8 (TPEG1-CTT) and VICS) the classes of the specifications concerned have been added manually and the correctness of the mapping checked with the corresponding stakeholders (Republic of Korea and Japan).

Once the classes have been mapped to each other, the corresponding data attributes and metadata have been processed and the generic data model complemented.

6.3 Relationship between ISO/TS 22726-1 and this document (ISO/TS 22726-1)

Dynamic map data needs to be set onto the right location on a digital map. For this purpose, a map-matching function is used which consists of using different types of location referencing systems such as point locations, linear locations and area locations. For this reason, this document also covers the description of the interface specifying the logical link between dynamic data and static data as specified respectively by this document and by ISO/TS 22726-1.

The LocationRealisation package of the LocationReference package is used for this purpose. All location reference packages (AreaLocation, LinearLocation, PointLocation) have their respective Location Realisation class diagram implementing the interface to RoadNetworkElement specified in ISO/TS 22726-1 (see [Figure 1](#)).

[Annex B](#) presents different possible use cases in relation to location referencing.




Figure 1 — LocationRealisation class from ISO/TS 22726-1:2023

7 Data content specification

7.1 Introduction

This clause provides a detailed overview of the data packages and related data classes of the generic data model, including their definition, structure and content.

7.2 "DynamicInformationDataSet" package

7.2.1 Overall presentation

The DynamicInformationDataSet package shall contain the different packages dealing with data sets that can be exchanged via one the dynamic data interface considered by this document.

[Figure 2](#) pictures the classes of the package including the relationships between them.




Figure 2 — The "DataSet" class diagram

7.2.2 Class definition

The classes belonging to the difference packages shown in [Figure 2](#) are described by the tables appearing in the subclause in which the package is detailed.

7.3 "Common" package

7.3.1 Overall presentation

The Common package shall comprise a collection of information including data types, reusable collections and lists of enumerations.

[Figure 3](#) pictures the classes of the package including the relationships between them.

<https://standards.iteh.ai/catalog/standards/iso/fcf94949-3c6b-4921-a818-419f9d897d49/iso-ts-22726-2-2025>




Figure 3 — The "Common" class diagram

7.3.2 Class definition

The classes belonging to the difference packages shown in [Figure 3](#) are described by the tables appearing in the subclause in which the package is detailed.

7.4 "CodeLists" package

7.4.1 Overall presentation

The CodeLists package shall comprise a collection of code lists used by the dynamic data services.

ISO/TS 22726-2:2025(en)

For these classes, examples of corresponding information are provided for illustrative purposes. They are implemented as XML files available separately and each included literal contains a numeric code, the corresponding value in lower CamelCase notation and the definition.

[Figure 4](#) pictures the classes of the package including the relationships between them.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ISO/TS 22726-2:2025](#)

<https://standards.iteh.ai/catalog/standards/iso/fcf94949-3c6b-4921-a818-419f9d897d49/iso-ts-22726-2-2025>




Figure 4 — The "CodeLists" class diagram

[Annex C](#) summarises the different URLs implementing these codelists as XML files.