

---

---

**Electronic fee collection — Evaluation  
of on-board and roadside equipment  
for conformity to ISO 12813 —**

Part 1:  
**Test suite structure and test purposes**

*Perception du télépéage — Évaluation des équipements embarqués et  
en bord de route quant à la conformité avec l'ISO 12813 —*

*Partie 1: Structure de suite d'essais et buts des essais*

iTeh STANDARD PREVIEW  
(standards.iteh.ai)  
Full standards catalog  
https://standards.iteh.ai/catalog/standards/sist/2257475-  
d0ed-410e-a876-349685a722/iso-13143-1

**PROOF / ÉPREUVE**

---

---



**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/217c7475-d0ed-410e-a876-349685a72291/iso-prf-13143-1>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Abbreviated terms</b> .....	<b>3</b>
<b>5 Test suite structure (TSS)</b> .....	<b>4</b>
5.1 Structure.....	4
5.2 Reference to conformance test specifications.....	5
5.3 Test purposes (TP).....	5
5.3.1 TP definition conventions.....	5
5.3.2 TP naming conventions.....	5
5.4 Conformance test report.....	6
<b>Annex A (normative) Test purposes for on-board equipment</b> .....	<b>7</b>
<b>Annex B (normative) Test purposes for roadside equipment</b> .....	<b>46</b>
<b>Annex C (normative) Protocol conformance test report proforma for on-board equipment</b> .....	<b>59</b>
<b>Annex D (normative) Protocol conformance test report proforma for roadside equipment</b> .....	<b>66</b>
<b>Bibliography</b> .....	<b>71</b>

iTech STANDARD PREVIEW  
 (standards.iteh.ai)  
 Full standard:  
<https://standards.iteh.ai/catalog/standards/iso-prf-13143-1-2020-410e-a876-349685a72291/iso-prf-13143-1-2020-410e-a876-349685a72291>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 262, *Metallic and other inorganic coatings, including for corrosion protection and corrosion testing of metals and alloys*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 13143-1:2016), which has been technically revised.

The main changes compared to the previous edition are as follows:

- amendments to reflect changes to the underlying requirements standards, in particular ISO 12813 and ISO 14906;
- amendment of terms to reflect the harmonization of terms across electronic fee collection (EFC) standards.

A list of all parts in the ISO 13143 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

On-board equipment (OBE) that uses satellite-based positioning technology to collect data required for charging for the use of roads operates in an autonomous way (i.e. without relying on dedicated roadside infrastructure). The OBE will record the amount of road usage in all toll charging systems it passes through.

This document defines the process and tests for evaluation of OBE and roadside equipment (RSE) for conformity to ISO 12813.

ISO 12813 defines requirements for dedicated short-range communication (DSRC) between OBE and an interrogator for the purpose of checking compliance of road use with a local toll regime. It assumes an electronic fee collection (EFC) services architecture according to ISO 17573-1.

This document is intended to:

- assess OBE and RSE capabilities,
- assess OBE and RSE behaviour,
- serve as a guide for OBE and RSE conformance evaluation and type approval,
- achieve comparability between the results of the corresponding tests applied in different places at different times, and
- facilitate communication between parties.

This document is based on:

- ISO 12813,
- the set of dedicated short-range communication (DSRC) standards defining the communication stack, and
- ISO/IEC 9646.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/217c7475-d0ed-410e-a876-349685a72291/iso-prf-13143-1>

# Electronic fee collection — Evaluation of on-board and roadside equipment for conformity to ISO 12813 —

## Part 1: Test suite structure and test purposes

### 1 Scope

This document specifies the test suite structure (TSS) and test purposes (TP) to evaluate the conformity of on-board equipment (OBE) and roadside equipment (RSE) to ISO 12813.

It provides a basis for conformance tests for dedicated short-range communication (DSRC) OBE and RSE to support interoperability between different equipment supplied by different manufacturers.

ISO 12813 defines requirements on the compliance check communication (CCC) interface level, but not for the RSE or OBE internal functional behaviour. Consequently, tests regarding OBE and/or RSE functional behaviour remain outside the scope of this document.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3166-1, *Codes for the representation of names of countries and their subdivisions — Part 1: Country codes*

ISO 12813:2019, *Electronic fee collection — Compliance check communication for autonomous systems*

ISO 14906:2018, *Electronic fee collection — Application interface definition for dedicated short-range communication*

ISO 14906:2018/Amd1:2020, *Electronic fee collection — Application interface definition for dedicated short-range communication – Amendment 1*

ISO/TS 14907-2:2016, *Electronic fee collection — Test procedures for user and fixed equipment — Part 2: Conformance test for the on-board unit application interface*

EN 12834:2003, *Road transport and traffic telematics — Dedicated Short Range Communication (DSRC) — DSRC application layer*

EN 13372:2004, *Road Transport and Traffic Telematics (RTTT) — Dedicated short-range communication — Profiles for RTTT applications*

EN 15509:2014, *Electronic fee collection — Interoperability application profile for DSRC*

EN 15876-1, *Electronic fee collection — Evaluation of on-board and roadside equipment for conformity to EN 15509 — Part 1: Test suite structure and test purposes*

ETSI/TS 102 486-2-2 V1.2.1(2008-10), *Intelligent Transport Systems (ITS); Road Transport and Traffic Telematics (RTTT); Test specifications for Dedicated Short Range Communication (DSRC) transmission equipment; Part 2: DSRC application layer; Sub-Part 2: Test Suite Structure and Test Purposes (TSS&TP)*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

#### 3.1 access credentials

trusted attestation or secure module that establishes the claimed identity of an object or application

[SOURCE: ISO/TS 17573-2:—<sup>1</sup>), 3.4]

#### 3.2 attribute

addressable package of data consisting of a single data element or structured sequences of data elements

[SOURCE: ISO/TS 17573-2:—, 3.13]

#### 3.3 authentication

security mechanism allowing verification of the provided identity

[SOURCE: EN 301 175 V1.1.1:1998, 3]

#### 3.4 authenticator

data, possibly encrypted, that is used for *authentication* (3.3)

[SOURCE: ISO/TS 17573-2:—, 3.16]

#### 3.5 data group

class of closely related *attributes* (3.2)

[SOURCE: ISO/TS 17573-2:—, 3.55]

#### 3.6 element

dedicated short-range communication (DSRC) directory containing application information in the form of *attributes* (3.2)

#### 3.7 implementation conformance statement

statement of capabilities and options that have been implemented defining to what extent the implementation is compliant with a given specification

[SOURCE: ISO/TS 17573-2:—, 3.90]

#### 3.8 protocol implementation conformance statement PICS

*ICS* (3.7) for an implementation or system claimed to conform to a given protocol specification

[SOURCE: ISO/IEC 9646-1:1994, 3.3.80]

---

1) Under preparation. Stage at the time of publication: ISO/PRF TS 17573-2:2020.



**3.9**  
**on-board equipment**  
**OBE**

all required equipment on-board a vehicle for performing required EFC functions and communication services

[SOURCE: ISO/TS 17573-2:—, 3.126]

**3.10**  
**on-board unit**  
**OBU**

single electronic unit on-board a vehicle for performing specific EFC functions and for communication with external systems

[SOURCE: ISO/TS 17573-2:—, 3.127]

**3.11**  
**roadside equipment**  
**RSE**

equipment located along the road, either fixed or mobile

[SOURCE: ISO/TS 17573-2:—, 3.161]

**3.12**  
**tester**

combination of equipment, humans and processes able to perform specified conformance tests

[SOURCE: ISO/TS 17573-2:—, 3.188]

**3.13**  
**transaction**

whole of the exchange of information between two physically separated communication facilities

[SOURCE: ISO/TS 17573-2:—, 3.211]

## 4 Abbreviated terms

For the purposes of this document, the following abbreviated terms apply.

AC_CR	Access Credentials
APDU	Application Protocol Data Unit (ISO 14906)
AP	Application Process
ATS	Abstract Test Suite
BI	Behaviour Invalid (i.e. Invalid Behaviour tests)
BST	Beacon Service Table (ISO 14906)
BV	Behaviour Valid (i.e. Valid Behaviour tests)
CCC	Compliance Check Communication (ISO 12813)
DLC	Data link Control
DSRC	Dedicated Short-Range Communication (ISO 14906)
DUT	Device Under Test (ISO/TS 14907-2)

EID	Element Identifier (ISO 14906)
EFC	Electronic Fee Collection (ISO 17573-1)
LLC	Logical Link Control (EN 12795)
MAC	Medium Access Control (EN 12795)
PCTR	Protocol Conformance Test Report
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance Statement
PIXIT	Protocol Implementation eXtra Information for Testing
T-APDU	Transfer-Application Protocol Data Unit (ISO 15628)
TP	Test Purpose
TSS	Test Suite Structure
SCTR	System Conformance Test Report
VST	Vehicle Service Table (ISO 14906)

## 5 Test suite structure (TSS)

### 5.1 Structure

Table 1 shows the test suite structure (TSS) including its subgroups that are inherited from other specifications.

**Table 1 — Test suite structure**

Group	Type of DUT	Behaviour
Physical layer	OBE	BV
		BI
	RSE	BV
		BI
Data link Control (DLC) Medium Access Control (MAC) sublayer	OBE	BV
		BI
	RSE	BV
		BI
DLC Logical Link Control (LLC) sublayer	OBE	BV
		BI
	RSE	BV
		BI
Application layer	OBE	BV
		BI
	RSE	BV
		BI

Physical layer tests are to be performed in a radio wave laboratory. They will not form part of the abstract test suite (ATS).

## 5.2 Reference to conformance test specifications

Conformance to a profile standard implies conformance to the related base standards. Hence, a number of test cases for the CCC application are identical to the conformance test cases for the related base standards. Other test cases are derived from the base standards conformance test cases, by applying some restrictions or choices in, for example, the parameters values, according to what is stated in the profile standard. Finally, specific conformance test cases for the CCC application are identified for statements contained in the CCC application, which have no equivalence in the base standards. These latter cases cover for example the application layer data test purposes. This document takes into account already defined test purposes for conformance to the base standards by referencing them, so that:

- a) For test purposes that are identical to those defined in the base standards conformance test cases (see e.g. ETSI/TS 102 486-2-2 or EN 15876-1), a direct reference is reported. For reader's convenience, the title or a verbal description of the referenced test purpose is given, together with the reference.
- b) For test purposes that are derived from those defined in the base standards conformance test cases, a direct reference is reported, plus an indication on how the referred test purpose has been modified for the profile conformance testing.
- c) For test purposes that are specific to the standard profile, a complete description is given.

An indication on whether a test purpose is identical, derived, or specific is given in each test purpose.

## 5.3 Test purposes (TP)

### 5.3.1 TP definition conventions

The TPs are defined following the rules shown in [Table 2](#). All TPs are defined in [Annex A](#) and [Annex B](#).

**Table 2 — TP definition rules**

TP ID according to the TP naming conventions	Title
	Reference
	TP origin
	Initial condition
	Stimulus and expected behaviour
<b>TP ID</b>	The TP ID is a unique identifier. It is specified according to the TP naming conventions defined in the subclause below.
<b>Title</b>	Short description of TP objective.
<b>Reference</b>	Contains the reference (document, clause, paragraph) to the subject to be validated by the actual TP.
<b>TP origin</b>	Indicates if the TP is <b>identical</b> to a TP defined in another test standard, <b>derived</b> from a TP defined in another test standard, or <b>specific</b> for this standard profile.
<b>Initial condition</b>	The condition defines the required initial state of the DUT at the time of launching of the actual TP.
<b>Stimulus and expected behaviour</b>	Definition of the events the tester performs and the events that are expected from the DUT to conform to the base specification.

### 5.3.2 TP naming conventions

Each TP is given a unique identification. This unique identification is built up to contain the following string of information:

**TP/ <group>/<dut>/<x>-<nn>**

- TP : to indicate that it is a test purpose;
- <group> : to which group among those defined in [Table 1](#) does the TP apply;
- <dut> : type of DUT (i.e. OBE or RSE);
- <x> : type of testing (i.e. Valid behaviour tests, BV, or Invalid behaviour tests, BI);
- <nn> : sequential TP number (01 to 99).

The naming conventions are as described in [Table 3](#).

**Table 3 — TP naming convention**

<group>	<dut>	<x>
<i>applicable for OBU/RSE</i>	PHY	Physical layer
<i>applicable for OBU/RSE</i>	MAC/LLC	MAC/LLC sublayer
<i>applicable for OBU/RSE</i>	AP-BAS	Application layer - I Kernel support
<i>applicable for OBU</i>	AP-FUN	Application layer - T Kernel support
<i>applicable for OBU</i>	AP-DAT	Application layer - Data attributes support
<i>applicable for OBU</i>	AP-SEC	Application layer - Security Level 1 support
<i>applicable for RSE</i>	AP-GET	Application layer - GET-rq protocol data unit (PDU) test purposes,
<i>applicable for RSE</i>	AP-STA	Application layer - GET-STAMPED-rq PDU test purposes
<i>applicable for RSE</i>	AP-MMI	Application layer - SET-MMI-rq PDU test purposes
<i>applicable for RSE</i>	AP-ECH	Application layer - ECHO-rq PDU test purposes
<i>applicable for RSE</i>	AP-REL	Application layer - EVENT-REPORT-rq PDU test purposes

#### 5.4 Conformance test report

The manufacturer of the OBE and RSE, respectively, is responsible for providing a conformance test report.

The manufacturer of the OBE shall complete the protocol conformance test report (PCTR) for OBE as defined in [Annex C](#).

The manufacturer of the RSE shall complete the PCTR for roadside equipment as defined in [Annex D](#).

## Annex A (normative)

### Test purposes for on-board equipment

#### A.1 Introduction

##### A.1.1 General

This annex contains the test purposes (TPs) for the conformity evaluation of OBE to ISO 12813.

##### A.1.2 Symbols in TP descriptions

For the application layer test purposes, a special notation and symbol convention is used, as defined in this subclause.

Symbols are used in the description of the TPs, with meanings according to [Table A.1](#).

**Table A.1 — Description of TP symbols**

Symbol	Description
XXX.rq ⇒	The Tester sends the XXX.rq protocol data unit (PDU) to the device under test (DUT).
⇐ YYY.rs	The DUT sends the YYY.rs PDU to the Tester.
A ≡ B	Test purpose A “is congruent to” Test purpose B. The notation “Test purpose A ≡ Test purpose B” means that the Test purpose A is the same as Test purpose B. If differences in parameters or parameter values have to be applied, these differences are indicated in the text immediately below.
A → B	Object A “is transformed” into Object B. So, a notation like “Table X → Table Y” means that, for the scope of the TP, any reference of Table X should be changed into a reference to Table Y.
=	Means “assignment”. That is, a notation like “accessCredentials = a value” means that the field accessCredentials is given a value.
∅	Means “empty” or “not set”. So, a notation like “accessCredentials = ∅ → accessCredentials = calculated value”, for a given TP, means “change all occurrences in which the field accessCredentials has not been assigned to a calculation of the value accessCredentials to a given value”.

#### A.2 Physical layer

As per ISO 12813:2019, 5.5.2, all test purposes TP/PHY/OBU/Bx/yy defined in EN 15876-1 are applicable for the conformity evaluation of OBE to CEN-DSRC based CCC as defined in ISO 12813:2019, Table B.8, Item 1.

#### A.3 MAC and LLC

As per ISO 12813:2019, 5.5.2, all test purposes TP/MAC/OBU/Bx/yy (except TP/MAC/OBU/BV/09, see NOTE) and TP/LLC/OBU/Bx/yy defined in EN 15876-1 are applicable for the conformity evaluation of OBE to CEN-DSRC based CCC as defined in ISO 12813:2019, Table B.8, Item 1.

NOTE Test purpose TP/MAC/OBU/BV/09 has been excluded from this specification as this TP does not apply for profiles 0/1 of EN 13372.