DRAFT INTERNATIONAL STANDARD **ISO/DIS 525**

ISO/TC 29/SC 5 Secretariat: DIN

Voting begins on: Voting terminates on:

2020-03-11 2020-06-03

Bonded abrasive products — Shape types, designation and marking

Produits abrasifs agglomérés — Types de forme, désignation et marquage

ICS: 25.100.70

arqi

ARDARA BRANCOST.

ILAN BARANASIR BARANAS

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL,
TECHNOLOGICAL, COMMERCIAL AND
USER PURPOSES, DRAFT INTERNATIONAL
STANDARDS MAY ON OCCASION HAVE TO
BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.



Reference number ISO/DIS 525:2020(E) I Charles in the standards of the standa



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	itents	Page
Fore	word	4
1	Scope	1
2	Normative references	1
3 3.1 3.2	Terms, definitions and symbols Terms and definitions Symbols	1
4 4.1 4.2	Shape types Designation of shape types Profiles	3
5 5.1 5.2 5.3 5.4 5.5 5.6 5.7	Specification General Mixture of abrasive types Abrasive grain type Abrasive grain size Mixture of abrasive grain sizes (grit combination) Grade of hardness Structure or porosity	18 18 18 19
5.8 5.9	Manufacturer's special code	20
6 7	Mixture of abrasive grain sizes (grit combination) Grade of hardness Structure or porosity Bond type Manufacturer's special code Designation Marking ography	20
Bibli(ography	23

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 5, *Grinding wheels and abrasives*.

This fifth edition cancels and replaces the fourth edition (ISO 525:2013), which has been technically revised. The main changes compared to the previous edition are as follows:

- Title corrected to be more precise: "Bonded abrasive products Shape types, designation and marking"
- Scope corrected by deleting bullet point d) for dimensions, limit deviations and tolerances as well as permissible unbalance. Requirements for dimensions, limit deviations and tolerances were never specified in ISO 525 but in ISO 13942.
- Type of citation of ISO 603, ISO 13942 and ISO 6103 revised to be informative;
- Table 1 "Symbols" revised;
- Table 2: Shape types and its designations revised in order to better fit together in terms of language;
- Table 2: Addition of new shape types 18B and 18P;

- Table 2: Addition of more subtypes to shape types 31, 52, 54 and 90 in accordance with the respective part(s) of ISO 603;
- Revision of profiles in 4.2 as well as addition of further profiles;
- Former Clauses 5.1, 5.2 and 5.3 deleted;
- Former subclause 5.4 revised and moved to be Clause 5;
- Revision of Table 3 "Specification" and the following subclauses explaining the elements of Table 3;
- Reintroduction of the designation from the edition of 1999 as new Clause 6;
- Revision of Clause 7 "Marking".

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

FIRE AND ARD RELEVITED AND ASSESSED AND ASSESSED AS A STATE OF STATE ASSESSED ASSESS

Bonded abrasive products — Shape types, designation and marking

1 Scope

This document is applicable for bonded abrasive products in general.

NOTE 1 Bonded abrasive products are e.g. grinding wheels, segments, sticks and stones.

This document specifies:

- a) ISO type number and shape;
- b) dimensional symbols;
- c) standard profiles;
- d) specification;
- e) designation;
- f) marking requirements.

NOTE 2 This document is general and is complemented by the ISO standards series 603 that is applicable for dimensions, by ISO 6103 that is applicable for permissible unbalance and by ISO 13942 that is applicable for limit deviations and tolerances.

This document is not applicable for superabrasive products and coated abrasive products.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8486-1, Bonded abrasives — Determination and designation of grain size distribution — Part 1: Macrogrits F4 to F220

ISO 8486-2, Bonded abrasives — Determination and designation of grain size distribution — Part 2: Microgrits F230 to F2000

3 Terms, definitions and symbols

3.1 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.2 Symbols

For symbols see Table 1.

Table 1 — Symbols

Symbol	Definition		
Α	Smallest width of a trapezoidal segment		
В	Width of a segment, stick or stone		
С	Thickness of a segment, stick or stone		
D	Outside diameter of abrasive products		
E	Thickness at bore of cup, dish, saucer, recessed and relieved grinding wheels and depressed centre grinding and cutting-off wheels		
F	Depth of the 1st recess		
G	Depth of the 2nd recess		
Н	Bore diameter of abrasive products; Thread diameter of grinding wheels and cup, dish, saucer grinding wheels and cones, plugs and balls with threaded insert		
J	Smallest diameter of taper cup, dish and saucer grinding wheels, tapered and hubbed grinding wheels and depressed centre grinding and cutting-off wheels		
K	Internal diameter of the recess of taper cup, dish and saucer grinding wheels, relieved grinding wheels and depressed centre grinding and cutting-off wheels		
L	 Length of a segment, stick or stone; Length of a thread bore of grinding wheels, cones, plugs and balls with threaded insert 		
L_2	Length of the spindle from the end to entry into the mounted point or wheel		
М	Elevation of the depressed centre		
N	Depth of the relief		
P	Recessed diameter with		
R	 Radius of recessed grinding wheels and cylindrical plugs with curved or ball ends; Outer radius of a curved segment 		
R_1	Internal radius of a curved segment		
$\mathcal{S}_{ ext{d}}$	Diameter of the spindle in a mounted point or wheel		
T	Overall thickness		
U	Smallest thickness of tapered and hubbed grinding wheels, dish and saucer grinding wheels and depressed centre grinding and cutting-off wheels		
V	Profile angle ^a		
W	Rim width of cup, cylinder and dish grinding wheels		
X	Thickness of application specific profile ^a		
•	Symbolizes the grinding face of bonded abrasive products.		
For wheel profiles, see 4.2.			

4 Shape types

4.1 Designation of shape types

Shape type number, shape type name and dimensions shall be in accordance with Table 2.

NOTE It is not compulsory to follow the dimensions given in the International Standards listed in the right column of Table 2 in order to fulfil the requirements of this International Standard.

Table 2 — Shape type names and dimensions

Shape type number	Illustration	Shape type name and dimensions	International Standard reference number
1		Straight grinding wheel Profile D × T × H	ISO 603-1 ISO 603-2 ISO 603-3 ISO 603-4 ISO 603-6 ISO 603-7 ISO 603-8 ISO 603-9 ISO 603-12 ISO 603-18
2	Key 1 back-plate	Cylinder grinding wheel, cemented or clamped to a back-plate D × T × W	ISO 603-5
3	φ ₁ φ _H φ _D	Grinding wheel, tapered on one side D/J × T/U × H	ISO 603-6

Shape type number	Illustration	Shape type name and dimensions	International Standard reference number
4	φ J φ H φ D	Grinding wheel, tapered on both sides D × T/U × H	ISO 603-12
5	ΦP ΦH ΦD	Grinding wheel, recessed on one side Profile D × T × H – P × F	ISO 603-1 ISO 603-2 ISO 603-3 ISO 603-4 ISO 603-6 ISO 603-7
6	Windshirt State of the State of	Straight cup grinding wheel $D \times T \times H - W \times E$	ISO 603-5 ISO 603-6 ISO 603-7 ISO 603-13 ISO 603-14 ISO 603-18
7	Φ <i>P</i> Φ <i>P</i> Φ <i>D</i>	Grinding wheel, recessed on both sides Profile ^a $D \times T \times H - P \times F/G$	ISO 603-1 ISO 603-2 ISO 603-4 ISO 603-6

Shape type number	Illustration	Shape type name and dimensions	International Standard reference number
9	Φ H W Φ D	Double cup grinding wheel $D \times T \times H - W \times E$	-
11	ΦΗ ΦΙ ΤΗ	Taper cup grinding wheel	ISO 603-6 ISO 603-14
12	φ D φ K White Health and A had a ha	Dish grinding wheel D/J × T/U × H – W × E	ISO 603-6
13	φ H φ J	Saucer grinding wheel $D/J \times T/U \times H - K$	-