

ISO/ASTM FDIS 52928:2024 (En)

© ISO/ASTM International 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester. ~~In the United States, such requests should be sent to ASTM International.~~

ISO copyright office—ASTM International
CP 401 • Ch. de Blandonnet 8—100 Barr Harbor Drive, PO Box C700
CH-1214 Vernier, Geneva—West Conshohocken, PA 19428-2959, USA
Phone: + 41 22 749 01 11—Phone: +610 832 9634

Fax: +41 22 749 09 47—Fax: +610 832 9635
Email: copyright@iso.org—Email: khooper@astm.org
Website: www.iso.org—Website: www.astm.org

E-mail: copyright@iso.org
Website: www.iso.org

Published in Switzerland

iTeh Standards

(<https://standards.itih.ai>)
Document Preview

ISO/ASTM FDIS 52928

<https://standards.itih.ai/catalog/standards/iso/2beec967-294e-4a75-b984-b0f17bd6ad6d/iso-astm-fdis-52928>

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered, Line spacing: single

Formatted: Left: 1.5 cm, Right: 1.5 cm, Header distance from edge: 1.27 cm, Footer distance from

Commented [eXtyle1]: Not found: "ISO/ASTM 2024"

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Indent: Left: 0 cm, Right: 0 cm, Space Before: 0 pt, No page break before, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: French (France)

Formatted: French (France)

Formatted: French (France)

Commented [eXtyle2]: The URL <http://www.astm.org> has been redirected to <https://www.astm.org/>. Please verify the URL.

Formatted: FooterPageRomanNumber

Contents

Foreword..... viii

Introduction..... ix

1 Scope..... 1

2 Normative references..... 1

3 Terms and definitions..... 2

4 Symbols and abbreviations..... 3

5 Powder properties..... 3

5.1 General..... 3

5.2 Particle size distribution..... 4

5.2.1 General..... 4

5.2.2 Dynamic image analysis..... 5

5.2.3 Laser diffraction and light scattering..... 5

5.2.4 Dry sieving..... 5

5.2.5 Light or scanning electron microscopy (SEM) images..... 5

5.3 Chemical composition..... 5

5.3.1 General..... 5

5.3.2 Combustion methods..... 7

5.3.3 Flame AAS..... 7

5.3.4 X-ray fluorescence spectroscopy (XRF)..... 7

5.3.5 Inductively coupled plasma optical emission spectrometry (ICP-OES)..... 7

5.3.6 Energy-dispersive X-ray spectroscopy (EDX)..... 7

5.4 Characteristic densities..... 8

5.4.1 General..... 8

5.4.2 Apparent density..... 8

5.4.3 Tap density..... 8

5.4.4 Skeletal (true) density..... 8

5.4.5 Packing behaviour..... 9

5.5 Determination of powder density..... 9

5.5.1 Determination of the closed porosity of particles via indirect methods..... 9

5.5.2 Gas pycnometry..... 9

5.5.3 Metallographic section with porosity analysis..... 9

5.6 Shape and morphology..... 9

5.6.1 General..... 9

5.6.2 Image analysis..... 12

5.6.3 Scanning electron microscopy (SEM) images..... 12

5.6.4 Light microscopy images..... 12

5.6.5 Determination of specific surface area..... 12

Formatted: Font: 11 pt, English (United Kingdom)

Formatted: Font: 11 pt

Formatted: HeaderCentered, Left, Space After: 0 pt, Line spacing: single, Tab stops: Not at 0.71 cm

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Space Before: 0 pt, Tab stops: Not at 17.2 cm

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space After: 0 pt, Tab stops: Not at 17.2 cm

ISO/ASTM FDIS 52928:2024 (En)

5.7 Flowability..... 13

5.7.1 General..... 13

5.7.2 Determination of flow rate..... 14

5.7.3 Measuring the angle of repose..... 14

5.7.4 Ring shear test method..... 14

5.7.5 Rotating drum with dynamic image analysis..... 14

5.7.6 Powder rotational rheometer..... 14

5.7.7 Hausner ratio (ratio of tapped to bulk density)..... 14

5.8 Contamination..... 14

5.8.1 Moisture content..... 15

5.8.2 Impurities..... 16

5.8.3 O/H content..... 16

5.8.4 N content..... 16

5.9 Absorption rate of the powder..... 16

5.9.1 General..... 16

5.9.2 Diffuse reflectance infrared Fourier transform (DRIFTS)..... 16

6 Powder life cycle..... 16

6.1 Batch requirement..... 16

6.1.1 General..... 16

6.1.2 Specification..... 17

6.1.3 Batch..... 17

6.1.4 Blend..... 17

6.1.5 Powder mix..... 17

6.1.6 Combine..... 17

6.1.7 Reuse metric..... 17

6.2 Traceability..... 17

6.2.1 General..... 17

6.2.2 Event history..... 18

6.2.3 Powder state..... 18

6.2.4 Labelling..... 18

6.3 Handling..... 19

6.3.1 General..... 19

6.3.2 Storage..... 19

6.3.3 Transfer..... 19

6.3.4 Repacking..... 19

6.4 Recycling/reuse of feedstock..... 20

6.5 Disposal..... 20

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered, Line spacing: single

Formatted: FooterPageRomanNumber

ISO/ASTM FDIS 52928:2024(en)

7 Powder quality assurance..... 21

7.1 Documentation requirements..... 21

7.2 Certificate of analysis (CoA)..... 21

7.3 Sampling..... 21

7.3.1 General remarks 21

7.3.2 Characterization of virgin powder and powder blends..... 23

7.3.3 Characterization of used powder..... 23

7.4 Powder analysis test methods..... 23

7.5 Monitoring and control of the environment 24

7.6 Test frequency..... 24

Bibliography 25

Foreword — v

Introduction — vi

1 Scope — 1

2 Normative references — 1

3 Terms and definitions — 1

4 Symbols and abbreviations — 2

5 Powder properties — 2

5.1 General — 2

5.2 Particle size distribution — 2

5.2.1 General — 2

5.2.2 Dynamic image analysis — 3

5.2.3 Laser diffraction — 3

5.2.4 Dry sieving — 4

5.2.5 Light or scanning electron microscopy (SEM) images — 4

5.3 Chemical composition — 4

5.3.1 General — 4

5.3.2 Combustion methods — 5

5.3.3 Flame AAS — 6

5.3.4 X-ray fluorescence spectroscopy (XRF) — 6

5.3.5 Inductively coupled plasma optical emission spectrometry (ICP-OES) — 6

5.3.6 Energy dispersive X-ray spectroscopy (EDX) — 6

5.4 Characteristic densities — 7

Formatted: Font: 11 pt, English (United Kingdom)

Formatted: Font: 11 pt

Formatted: HeaderCentered, Left, Space After: 0 pt, Line spacing: single, Tab stops: Not at 0.71 cm

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO/ASTM FDIS 52928

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Space Before: 0 pt, Tab stops: Not at 17.2 cm

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space After: 0 pt, Tab stops: Not at 17.2 cm

ISO/ASTM FDIS 52928:2024 (En)

5.4.1 General 7

5.4.2 Apparent density 7

5.4.3 Tap density 7

5.4.4 Skeletal (true) density 7

5.4.5 Packing behaviour 7

5.5 Determination of powder density (closed porosity of particles) 8

5.5.1 General 8

5.5.2 Gas pycnometry 9

5.5.3 Metallographic section with porosity analysis 8

5.6 Apparent and tap density 8

5.6.1 Tap density 8

5.6.2 Apparent density 8

5.7 Morphology 8

5.7.1 General 8

5.7.2 Dynamic image analysis 10

5.7.3 Scanning electron microscopy (SEM) images 10

5.7.4 Light microscopy images 10

5.7.5 Determination of specific surface area 10

5.8 Flowability 11

5.8.1 General 11

5.8.2 Determination of flow rate 11

5.8.3 Measuring the angle of repose 12

5.8.4 Ring shear test method 12

5.8.5 Revolving powder cylinder with dynamic image analysis 12

5.8.6 Powder rotational rheometer 12

5.8.7 Hausner ratio (ratio of tapped to bulk density) 12

5.9 Contamination 12

5.9.1 Moisture content 12

5.9.2 Impurities 13

5.9.3 O/H content 13

5.9.4 N content 13

5.10 Absorption rate of the powder 13

5.10.1 General 13

5.10.2 Diffuse reflectance infrared Fourier transform (DRIFTS) 14

6 Powder life cycle 14

6.1 Batch requirement 14

6.1.1 General 14

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered, Line spacing: single

Formatted: FooterPageRomanNumber

ISO/ASTM FDIS 52928:2024(en)

6.1.2 Specification 14
6.1.3 Batch 14
6.1.4 Blend 14
6.1.5 Powder mix 14
6.1.6 Combine 14
6.1.7 Reuse metric 14
6.2 Traceability 15
6.2.1 Event history 15
6.2.2 Powder state 15
6.2.3 Labelling 15
6.3 Handling 15
6.3.1 Storage 16
6.3.2 Transfer 16
6.3.3 Repacking 16
6.4 Recycling/reuse of feedstock 16
6.5 Disposal 17
7 Powder Quality Assurance 18
7.1 Documentation requirements 18
7.2 Sampling 18
7.2.1 General remarks 18
7.2.2 Characterization of virgin powder and powder blends 19
7.2.3 Characterization of used powder 20
7.3 Powder analysis test methods 20
7.4 Monitoring & control of the environment 20
7.5 Test frequency 20
7.6 Certificate of Analysis (CoA) 21
Bibliography 22

Formatted: Font: 11 pt, English (United Kingdom)

Formatted: Font: 11 pt

Formatted: HeaderCentered, Left, Space After: 0 pt, Line spacing: single, Tab stops: Not at 0.71 cm

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO/ASTM FDIS 52928

<https://standards.itih.ai/catalog/standards/iso/2beec967-294e-4a75-b984-b0117bd6ad6d/iso-astm-fdis-52928>

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Space Before: 0 pt, Tab stops: Not at 17.2 cm

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space After: 0 pt, Tab stops: Not at 17.2 cm

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights. Any trade name used in this document is information for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 261, *Additive manufacturing*, in cooperation with ASTM Committee F42, *Additive Manufacturing Technologies*, on the basis of a partnership agreement between ISO and ASTM International with the aim to create a common set of ISO/ASTM standards on additive manufacturing, and in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 438, *Additive manufacturing*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered, Line spacing: single

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: English (United Kingdom)

Field Code Changed

Commented [eXtyle3]: The URL www.iso.org/patents has been redirected to <https://www.iso.org/patents>. Please verify the URL.

Formatted: English (United Kingdom)

Field Code Changed

Formatted: English (United Kingdom)

Field Code Changed

Formatted: FooterPageRomanNumber

Introduction

Metal powders represent the feedstock for numerous additive manufacturing processes. Specifications and quality of metal powder feedstock are directly related to the quality and performance of components fabricated by additive manufacturing (AM).

During their usage in additive manufacturing processes as well as during storage and handling, powders can be subject to various quality-relevant influencing factors.

These may include:

- cross-contamination and impurities;
- changes in particle size distribution;
- reactions with ambient gases;
- changes in moisture content;
- changes in flow properties;
- changes of particle morphology;
- absorption of welding fumes and spatters;
- changes in chemical composition due to selective evaporation of individual alloying elements.

Quality assurance of the powder materials over the entire service life from receiving, over storage and handling to reuse and disposal is therefore decisive for qualified additive manufacturing processes in any relevant industry.

This document aims to raise awareness of powder quality issues and to describe measures and procedures for quality assurance, batch identification and traceability of powder materials. The proposed measures are derived from best practices in the processing industry with a main emphasis on how frequently and at which stages of the process chain to document certain properties.

NOTE As the metal powder/feedstock is the main input of the AM process, its quality, both incoming and in service, impacts the quality of the AM output. However, the control over the quality of the input is one possible strategy to ensure the quality of the process output. Alternatively, the supplier/-manufacturer should be allowed to certify the quality of the AM components through:

- validation and verification of the AM process, as per internal procedures, and
- inspection of the CTQs (critical to quality) of the AM components, as per customer agreement.

Formatted: Font: 11 pt, English (United Kingdom)

Formatted: Font: 11 pt

Formatted: HeaderCentered, Left, Space After: 0 pt, Line spacing: single, Tab stops: Not at 0.71 cm

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: List Number 1 (-), Numbered + Level: 1 + Numbering Style: a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 0 cm + Indent at: 0 cm, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Space Before: 0 pt, Tab stops: Not at 17.2 cm

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space After: 0 pt, Tab stops: Not at 17.2 cm

Additive manufacturing of ~~metals~~metal — Feedstock materials — Powder life cycle management

1 Scope

This document specifies requirements and describes aspects for the lifecycle management of metal feedstock materials for powder based additive manufacturing processes. These aspects include but are not limited to:

- powder properties;
- powder lifecycle;
- test methods;
- powder quality assurance.

This document supplements ISO/ASTM 52907, which primarily focuses on requirements for virgin powder. This document covers on powder life cycle management, and therefore focuses on control of virgin and used powders.

This document can be used by manufacturers of metal powders, purchasers of powder feedstock for additive manufacturing, those responsible for the quality assurance of additively manufactured parts and suppliers of measurement and testing equipment for characterizing metal powders for use in powder-based additive manufacturing processes.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- ~~<std>ISO 3954, Powders for powder metallurgical purposes — Sampling</std>~~
- ~~<std>ISO 4324, Surface active agents — Powders and granules — Measurement of the angle of repose</std>~~
- ~~<std>ISO 4490, Metallic powders — Determination of flow rate by means of a calibrated funnel (Hall flowmeter)</std>~~
- ~~<std>ISO 12154, Determination of density by volumetric displacement — Skeleton density by gas pycnometry</std>~~
- ~~<std>ISO 13320, Particle size analysis — Laser diffraction methods</std>~~
- ~~<std>ISO 13322 2, Particle size analysis — Image analysis methods — Part 2: Dynamic image analysis methods</std>~~
- ~~<std>ISO/ASTM 52900, Additive manufacturing — General principles — Fundamentals and vocabulary</std>~~
- ~~<std>ISO/ASTM 52907:2019, Additive manufacturing — Feedstock materials — Methods to characterize metal powders</std>~~

Formatted: Left: 1.5 cm, Right: 1.5 cm, Section start: New page, Header distance from edge: 1.27 cm, Footer distance from edge: 0.5 cm

Formatted: Main Title 1, Space After: 0 pt, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Font: 11 pt

Formatted: Footer, Left, Space After: 0 pt, Line spacing: single, Tab stops: Not at 17.2 cm