

SLOVENSKI STANDARD

kSIST-TS FprCEN/TS ISO 5615:2025

01-januar-2025

Zdravstvena informatika - Pospeševanje varne, učinkovite in zanesljive povezane oskrbe na daljavo in mobilnega zdravja z interoperabilnostnimi rešitvami, ki temeljijo na standardih in odpravljajo vrzeli, ki so jih razkrile pandemije (ISO/DTS 5615:2024)

Health informatics - Accelerating safe, effective and secure remote connected care and mobile health through standards-based interoperability solutions addressing gaps revealed by pandemics (ISO/DTS 5615:2024)

Medizinische Informatik - Beschleunigung einer sicheren, effektiven und geschützten vernetzten Fernbetreuung und mobilen Gesundheitsfürsorge durch auf Standards basierende Interoperabilitätslösungen, die die durch Pandemien aufgedeckten Lücken schließen (ISO/DTS 5615:2024)

Informatique de santé - Augmentation de la sûreté, de l'efficacité et de la sécurité des soins à distance et de la santé mobile par l'intermédiaire de solutions d'interopérabilité fondées sur les normes, en remédiant aux insuffisances mises en évidence par la pandémie (ISO/DTS 5615:2024)

Ta slovenski standard je istoveten z: FprCEN/TS ISO 5615

ICS:

35.240.80	Uporabniške rešitve IT v zdravstveni tehniki	IT applications in health care technology
-----------	--	---

kSIST-TS FprCEN/TS ISO 5615:2025 **en,fr,de**



FINAL DRAFT

Technical Specification

ISO/DTS 5615

Health informatics — Accelerating safe, effective and secure remote connected care and mobile health through standards-based interoperability solutions addressing gaps revealed by pandemics

Informatique de santé — Augmentation de la sûreté, de l'efficacité et de la sécurité des soins à distance et de la santé mobile par l'intermédiaire de solutions d'interopérabilité fondées sur les normes, en remédiant aux insuffisances mises en évidence par la pandémie

ISO/TC 215

Secretariat: **ANSI**

Voting begins on:
2024-11-29

Voting terminates on:
2025-02-21

ISO/CEN PARALLEL PROCESSING

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

ISO/DTS 5615:2024(en)

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ksIST-TS FprCEN/TS ISO 5615:2025](https://standards.iteh.ai/catalog/standards/sist/76690798-87df-43a1-ac3d-7038c7e05fd8/ksist-ts-fprcen-ts-iso-5615-2025)

<https://standards.iteh.ai/catalog/standards/sist/76690798-87df-43a1-ac3d-7038c7e05fd8/ksist-ts-fprcen-ts-iso-5615-2025>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

ISO/DTS 5615:2024(en)

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviations	4
5 RCC-MH care locations and evolution	5
5.1 What is RCC-MH?	5
5.2 Care locations: hospitals, home and community, nursing, outpatient	6
6 RCC-MH relevant care delivery modes and use cases	8
6.1 General	8
6.2 Hospital care	8
6.2.1 Isolation room	8
6.2.2 Remote patient surveillance	9
6.3 Home and community care	9
6.3.1 Telehealth and virtual health	9
6.3.2 Remote delivery of care	9
6.4 Post-acute care	9
6.4.1 LTAC	9
6.4.2 Skilled nursing facility	10
6.5 Outpatient care	10
6.5.1 Remote consultation	10
6.5.2 GP/PCP visit	10
7 RCC-MH challenges and gaps	10
7.1 General	10
7.2 RCC-MH challenges and gaps – Safety and quality	10
7.3 RCC-MH challenges and gaps – Deployment	12
7.4 RCC-MH challenges and gaps – Service support	14
7.5 RCC-MH challenges and gaps – Infrastructure	15
7.6 RCC-MH challenges and gaps – Interoperability	15
7.7 RCC-MH challenges and gaps – Operations	16
7.8 RCC-MH challenges and gaps – Security	17
8 RCC-MH recommendations	19
8.1 Recommendations	19
8.2 RCC-MH recommendations – Safety and quality	19
8.3 RCC-MH recommendations – Deployment	21
8.4 RCC-MH recommendations – Service support	23
8.5 RCC-MH recommendations – Infrastructure	24
8.6 RCC-MH recommendations – Interoperability	24
8.7 RCC-MH recommendations – Operations	25
8.8 RCC-MH recommendations – Security	26
9 Conclusions and path forward	28
9.1 Recommended standards work items	28
9.2 Final thoughts	30
Annex A (informative) Regulatory and legal reactions to the pandemic	31
Annex B (informative) RCC-MH interoperability challenges	44
Annex C (informative) Nomenclature standards landscape for medical devices	47
Annex D (informative) Accelerating safe effective & secure (SES) RCC-MH	53
Annex E (informative) RCC-MH socio-technical challenges	56

ISO/DTS 5615:2024(en)

Annex F (informative) RCC-MH communications standards landscape	57
Annex G (informative) RCC-MH cybersecurity standards landscape	72
Annex H (informative) RCC-MH telehealth standards landscape	79
Annex I (informative) Device specializations	81
Annex J (informative) Summary of applicable standards	82
Annex K (informative) Care delivery locations	85
Annex L (informative) Conformance landscape	87
Bibliography	89

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[kSIST-TS FprCEN/TS ISO 5615:2025](https://standards.iteh.ai/catalog/standards/sist/76690798-87df-43a1-ac3d-7038c7e05fd8/ksist-ts-fprcen-ts-iso-5615-2025)

<https://standards.iteh.ai/catalog/standards/sist/76690798-87df-43a1-ac3d-7038c7e05fd8/ksist-ts-fprcen-ts-iso-5615-2025>

ISO/DTS 5615:2024(en)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 215, *Health informatics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 251, *Health informatics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

KSIST-TS FprCEN/TS ISO 5615:2025

<https://standards.iteh.ai/catalog/standards/sist/76690798-87df-43a1-ac3d-7038c7e05fd8/ksist-ts-fprcen-ts-iso-5615-2025>

ISO/DTS 5615:2024(en)

Introduction

The COVID-19 pandemic has created an enormous need to allow patients and clinicians to communicate with each other and report in a more flexible and virtual way outside of the traditional care delivery infrastructure. Numerous studies and reports from healthcare organizations have shown the dramatic increase in the use of telehealth visits and their associated benefits:

- reduction of pandemic-related risks typically associated with face-to-face visits.
- alleviation of care capacity pressures due to pandemic-induced patient influx.
- stemming the tide of continually increasing healthcare costs driven by aging populations and associated growth of chronic disease.
- catering to patient preferences and enabling patients to stay in their home longer, return sooner, or manage their condition at home altogether.

Many healthcare organizations have gone beyond telehealth in an attempt to deploy remote care approaches to interact with patients in the hospital as well as track the status of patients at home or alternate care institutions. This technology is also used for clinical trial data collection, real word evidence and patient surveillance, especially under the limitations and pressure of a pandemic. This is termed as “Remote Connected Care and Mobile Health (RCC-MH)”.

This document explores the current challenges of deploying RCC-MH widely in the current environment. In addition to technical gaps, this document also identifies techno-social gaps that will need to be overcome. The question then becomes: how to educate and motivate manufacturers and ‘consumers’ (hospitals, alternate care settings, patients and their advocacy groups, etc.) so they understand the benefits of interoperability and, since RCC-MH will not be realizable without interoperability, begin to demand interoperable devices and apps that take advantage of interoperable devices?

This document answers questions such as:

- What informatics standards can be considered when developing remote care / Mobile Health solutions?
- What safety, effectiveness & security (SES) standards can be leveraged to balance solution options with risk-based public good assessments?
- How can the application of these standards be scaled in crisis situations where resources and time are highly constrained?
- How can we develop more efficient interoperability solutions to rapidly address the needs of telehealth in pandemics cases?

This document is intended to inform a diverse set of stakeholders, including:

- industry – medical device vendors, point-of-care lab systems, pharma, SW and IoT vendors, apps vendors;
- government – regulatory, public health, state and local government;
- providers – primary care physicians (PCPs), general practitioners (GPs), specialists, healthcare delivery organizations (HDOs);
- SDOs (standards development organizations);
- patients (including advocacy groups);
- payors – government, private, and public insurers;
- infrastructure vendors – networking, security, cloud, mobile devices and apps.

Health informatics — Accelerating safe, effective and secure remote connected care and mobile health through standards-based interoperability solutions addressing gaps revealed by pandemics

1 Scope

This document reviews the structural changes that have been precipitated by the COVID-19 pandemic in Remote Connected Care and Mobile Health (RCC-MH). The impact of the COVID-19 pandemic on care settings such as home and community care, acute care and outpatient care are reviewed discussing how well these healthcare environments were prepared to address the encountered connectivity challenges from a standards point of view. The current standards landscape is reviewed and gaps are identified leading to recommendations for future standards work.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 effective

successful in producing a desired or intended result

3.2 effectiveness

ability to produce the intended result

Note 1 to entry: Clinical effectiveness is based on valid scientific evidence that in a significant portion of the target population the use of the device for its intended uses will provide clinically significant results.

[SOURCE: ISO 81001-1:2021, 3.2.5, modified — Note 1 to entry was added.]

3.3 harm

physical injury or damage, or both, to the health of people or damage to property or the environment

[SOURCE: ISO/IEC Guide 51:2014, 3.1, modified — “injury or damage” was changed to “physical injury or damage, or both”.]

3.4 hazard

potential source of *harm* ([3.3](#))

[SOURCE: ISO/IEC Guide 51:2014, 3.2]

ISO/DTS 5615:2024(en)

3.5

gateway

network entity (software or hardware) that interfaces between networks that use different protocols, or are of different, potentially incompatible, technology

Note 1 to entry: A gateway operates with a focus on network translation (network gateway) or service translation (service gateway).

[SOURCE: Reference [26]]

3.6

interoperability

ability of two or more systems or components to exchange information and to use the information that has been exchanged

Note 1 to entry: “Open Interoperability IS achieved using open (publicly available) protocols, syntax, semantics, etc.”

Note 2 to entry: “Proprietary Interoperability IS achieved using proprietary protocols, syntax, etc. AND is not Open(accessible) to All and has issues sharing data”

Note 3 to entry: “Seamless Interoperability IS achieved ‘out of the box’ between components that have never been tested together.”

[SOURCE: Reference [27]]

3.7

in vitro diagnostic medical device**IVMD**

medical device (3.9), whether used alone or in combination, intended by the *manufacturer* (3.8) for the in-vitro examination of specimens derived from the human body solely or principally to provide information for diagnostic, monitoring or compatibility purposes.

Note 1 to entry: IVD medical devices include reagents, calibrators, control materials, specimen receptacles, software, and related instruments or apparatus or other articles and are used, for example, for the following test purposes: diagnosis, aid to diagnosis, screening, monitoring, predisposition, prognosis, prediction, determination of physiological status.

Note 2 to entry: In some jurisdictions, certain IVD medical devices may be covered by other regulations.

[SOURCE: Reference [36]]

3.8

manufacturer

natural or legal person with responsibility for the design and/or manufacture of a *medical device* (3.9) with the intention of making the medical device available for use, under their name, whether or not such a medical device is designed and/or manufactured by that person themselves or on their behalf by another person(s)

[SOURCE: ISO 14971:2019, 3.9, modified — Notes to entry were removed.]

3.9

medical device

any instrument, apparatus, implement, machine, appliance, implant, reagent for in vitro use, software, material or other similar or related article, intended by the *manufacturer* (3.8) to be used, alone or in combination, for human beings for one or more of the specific purpose(s) of

- diagnosis, prevention, monitoring, treatment or alleviation of disease,
- diagnosis, monitoring, treatment, alleviation of, or compensation for, an injury,
- investigation, replacement, modification, or support of the anatomy or of a physiological process,
- supporting or sustaining life,
- control of conception,

ISO/DTS 5615:2024(en)

- disinfection of medical devices,
- providing information by means of in vitro examination of specimens derived from the human body, and which does not achieve its primary intended action by pharmacological, immunological or metabolic means, in or on the human body, but which may be assisted in its intended function by such means

Note 1 to entry: Products which may be considered to be medical devices in some jurisdictions but not in others include:

- disinfection substances,
- aids for persons with disabilities,
- devices incorporating animal and/or human tissues,
- devices for in-vitro fertilization or assisted reproduction technologies.

[SOURCE: ISO/IEC Guide 63:2019, 3.7]

3.10

patient monitoring

process of observing and measuring physiological parameters via *medical devices* (3.9) to guide patient care

EXAMPLE Monitoring via general hospital and personal use monitoring devices, anaesthesiology monitoring devices, cardiovascular monitoring devices, etc.

3.11

remote patient monitoring

patient monitoring (3.10) from a distance over time

EXAMPLE Monitoring a patient's health while they are at their home, while they are in a hospital from a central location, while they are in an ambulatory, etc.

3.12

safety

freedom from unacceptable risk

[SOURCE: ISO/IEC Guide 51:2014, 3.14]

3.13

security

condition that results from the establishment and maintenance of protective measures that ensure a state of inviolability from hostile acts or influences

Note 1 to entry: Hostile acts or influences can be intentional or unintentional.

[SOURCE: ISO/TS 82304-2:2021, 3.1.22]

3.14

social determinants of health

SDH

non-medical factors that influence health outcomes

Note 1 to entry: Social determinants of health are the conditions in which people are born, grow, work, live, and age, and the wider set of forces and systems shaping the conditions of daily life. These forces and systems include economic policies and systems, development agendas, social norms, social policies and political systems.

Note 2 to entry: Adapted from World Health Organization¹⁾.

1) https://www.who.int/health-topics/social-determinants-of-health#tab=tab_1

ISO/DTS 5615:2024(en)

3.15

telehealth

use of telecommunication techniques for the purposes of providing telemedicine, medical educations and health education over distance

[SOURCE: ISO/TR 16056-2:2004, 3.75]

3.16

telehealth service

healthcare activity supported at a distance by information and communication technology service(s)

Note 1 to entry: It is possible that the subject of care is not directly involved in a telehealth service, e.g. in the case of tele-dermatology where one physician consults another physician who is at a distant location.

Note 2 to entry: Healthcare activities may include healthcare provider activities such as diagnosis, treatment, review or advice, and self-care activities as prescribed or recommended by a health professional, preventive (educational) advice and management of healthcare processes.

Note 3 to entry: Healthcare activities may include both synchronous (real-time) and asynchronous (delayed) interactions between actors. For example, a radiology examination can be transmitted and subsequently reported by a radiologist over a communications network. A discussion on the diagnostic findings can occur real time over a telephone or video conferencing connection between a patient and health professionals.

[SOURCE: ISO 13131:2021, 3.5.2]

4 Abbreviations

For the purposes of this document, the following abbreviations apply.

AAMI	Association for the Advancement of Medical Instrumentation
AUDA	African Union Development Agency
ANVISA	Agência Nacional de Vigilância Sanitária (Brazil)
CCU	critical care unit
CDC	Centers for Disease Control (US)
CDSCO	Central Drugs Standard Control Organization (India)
DICOM	Digital Image Communication in Medicine
EHR	electronic health record
EMR	electronic medical record
ER	emergency room
EU	European Union
EUA	emergency use authorization
FCC	Federal Communications Commission (US)
FDA	Food and Drug Association (US)
FW	firmware
GP	general practitioner
HCP	health care provider

ISO/DTS 5615:2024(en)

HHS	Health and Human Services
HL7	Health Level 7
ICU	intensive care unit
IEEE	Institute of Electrical and Electronic Engineers
IoT	Internet of Things
LTAC	long-term acute care
MDIRA	Medical Device Interoperability Reference Architecture
MFDS	Ministry of Food and Drug Safety (South Korea)
NIST	National Institute of Standards and Technology (US)
ONC	Office of the National Coordinator (US)
PCP	primary care physician
PHD	personal health devices
PMDA	Pharmaceutical and Medical Device Agency (Japan)
PoCD	point-of-care devices
PPE	personal protective equipment
RCC-MH	Remote Connected Care – Mobile Health
SDC	Service oriented Device Communication
SDO	standards development organization
SFDA	Saudi Food and Drug Association
SNF	skilled nursing facility
SW	software
TGA	Therapeutic Goods Administration (Australia)
UDI	unique device identifier
US	United States
VCT	virtual clinical trial

5 RCC-MH care locations and evolution**5.1 What is RCC-MH?**

RCC-MH (Remote Connected Care – Mobile Health) belongs to the broader context of telehealth services that allow health care providers (HCPs) and patients to connect using technology to deliver health care remotely. Modalities include:

- synchronous, including real-time phone or live audio-video interaction, typically with a patient using a smartphone, tablet, or computer;

ISO/DTS 5615:2024(en)

- asynchronous, including “store and forward” technology where messages, images, or data are collected at one point in time and interpreted or responded to later;
- remote patient monitoring, which allows direct transmission of a patient’s clinical measurements (such as vital signs and point-of-care lab results) remotely (real time, intermittent, continuous, etc.);
- patient monitoring at a bedside in ICU (alerts, risk index, reports), which allows for healthcare staff to provide care (as much as possible) while socially distancing themselves from the potentially infectious patient, thus cutting down on infection risk and PPE consumption.

5.2 Care locations: hospitals, home and community, nursing, outpatient

RCC-MH is all about connecting patients and caregivers regardless of where they are located, also recognizing that patients and caregivers can be mobile. There are many ways of grouping these locations and this is the approach adopted in this document (see [Annex K](#)):

- Home and community care: patient home, extended family, senior housing.
- Outpatient care: clinic, procedure centre, office [primary care physician (PCP), general practitioner (GP), specialist, etc.].
- Post-acute care: skilled nursing facility (SNF), long-term acute care (LTAC) facility²⁾, hospice, nursing home, assisted living.
- Hospital: emergency room (ER), intensive care unit (ICU), medical surgery unit (MedSurg), long term rehabilitation hospital.

[Figure 1](#) shows the main locations and pre-pandemic typical patient care locations and flows that have been considered. Most pre-pandemic care was taking place in the hospital or in post-acute care facilities, with much less care taking place in the home or in outpatient locations.

(<https://standards.iteh.ai>)
Document Preview

[ksist-ts FprCEN/TS ISO 5615:2025](https://standards.iteh.ai/catalog/standards/sist/76690798-87df-43a1-ac3d-7038c7e05fd8/ksist-ts-fprcen-ts-iso-5615-2025)

<https://standards.iteh.ai/catalog/standards/sist/76690798-87df-43a1-ac3d-7038c7e05fd8/ksist-ts-fprcen-ts-iso-5615-2025>

2) An LTAC is a hospital that treats patients with serious medical conditions that require ongoing complex care but no longer need intensive care or extensive diagnostic procedures