



SLOVENSKI STANDARD
SIST ETS 300 395-4 E2:2003
01-december-2003

Prizemni snopovni radio (TETRA) – Govorni kodek za prometni kanal s polno hitrostjo – 4. del: Preskušanje skladnosti kodeka

Terrestrial Trunked Radio (TETRA); Speech codec for full-rate traffic channel; Part 4: Codec conformance testing

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **ETS 300 395-4 Edition 2**
<https://standards.iteh.ai/catalog/standards/sist/65587123-7053-48cb-98ed-e896e6c3d708/sist-ets-300-395-4-e2-2003>

ICS:


33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
-----------	---------------------------------	-----------------------------------

SIST ETS 300 395-4 E2:2003 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 395-4 E2:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/b5587f23-7033-48cb-98ed-e896e6c3d708/sist-ets-300-395-4-e2-2003>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 395-4

September 2000

Second Edition

Source: TETRA

Reference: RE/TETRA-02042-5

ICS: 33.020

Key words: TETRA, CODEC

iTeh STANDARD PREVIEW
Terrestrial Trunked Radio (TETRA);
(standards.iteh.ai)
Speech codec for full-rate traffic channel;
Part 4: Codec conformance testing
SIST ETS 300 395-4 E2:2003
<https://standards.iteh.ai/catalog/standards/sist/e896e6c3d708/sist-ets-300-395-4-e2-2003>

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

Internet: secretariat@etsi.fr - <http://www.etsi.org>

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 395-4 E2:2003](https://standards.iteh.ai/catalog/standards/sist/b5587f23-7033-48cb-98ed-e896e6c3d708/sist-ets-300-395-4-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/b5587f23-7033-48cb-98ed-e896e6c3d708/sist-ets-300-395-4-e2-2003>

Contents

Foreword.....	5
1 Scope	7
2 Normative references	7
3 Definitions and abbreviations	7
3.1 Definitions	7
3.2 Abbreviations	8
4 General.....	8
5 Radio test configuration, test signals and test modes.....	8
6 TCH/S Channel Codec.....	9
6.1 Objectives	9
6.2 Conformance test methodology.....	9
6.3 Test decoding mode	9
6.3.1 General.....	10
6.3.2 TCH/S reference sensitivity performance	10
6.3.3 Methods of measurement for TCH/S testing.....	11
7 TCH/S speech codec	12
7.1 Objectives	12
7.2 Conformance test methodology.....	12
7.3 Option 1: Internal link method	13
7.3.1 Definition and applicability.....	13
7.3.2 Conformance requirement and purpose	13
7.3.3 Method of test.....	14
7.3.3.1 Initial conditions	14
7.3.3.2 Procedure	14
7.3.3.3 Internal link method requirements	14
7.3.3.4 Test requirements.....	16
7.4 Option 2: Baseband method	16
7.4.1 Definition and applicability.....	16
7.4.2 Conformance requirement and purpose	16
7.4.3 Method of test.....	16
7.4.3.1 Initial conditions	16
7.4.3.2 Procedure	16
7.4.3.3 Test requirements.....	17
Annex A (normative): TCH/S test cases and conditions for BS and MS receivers.....	18
Annex B (normative): Codec conformance test vector sequences	20
Annex C (informative): Codec reference test vector sequences.....	21
Annex D (informative): Bibliography.....	22
History.....	23

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 395-4 E2:2003

<https://standards.iteh.ai/catalog/standards/sist/b5587f23-7033-48cb-98ed-e896e6c3d708/sist-ets-300-395-4-e2-2003>

Foreword

This European Telecommunication Standard (ETS) has been produced by the Terrestrial Trunked Radio (TETRA) ETSI Project of the European Telecommunications Standards Institute (ETSI).

This ETS consists of four parts as follows:

Part 1: "General description of speech functions";

Part 2: "TETRA codec";

Part 3: "Specific operating features";

Part 4: "Codec conformance testing".

Transposition dates	
Date of adoption of this ETS:	23 June 2000
Date of latest announcement of this ETS (doa):	30 November 2000
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 May 2001
Date of withdrawal of any conflicting National Standard (dow):	31 May 2001

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 395-4 E2:2003](https://standards.iteh.ai/catalog/standards/sist/b5587f23-7033-48cb-98ed-e896e6c3d708/sist-ets-300-395-4-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/b5587f23-7033-48cb-98ed-e896e6c3d708/sist-ets-300-395-4-e2-2003>

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 395-4 E2:2003](https://standards.iteh.ai/catalog/standards/sist/b5587f23-7033-48cb-98ed-e896e6c3d708/sist-ets-300-395-4-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/b5587f23-7033-48cb-98ed-e896e6c3d708/sist-ets-300-395-4-e2-2003>

1 Scope

The objective of this ETS is to define the conformance bounds for the TETRA speech and channel codec as deployed in the TETRA Speech Traffic Channel (TCH/S) channel type used in the TETRA Voice plus Data (V+D) equipment.

For the speech part of the TCH/S codec, the conformance testing (clause 7 of this ETS) consists of a bit-exact test where the reference is pre-computed and fixed.

For the TCH/S channel encoding a bit exact conformance test is also defined (see subclause 6.4).

For the TCH/S channel decoding, a non-bit exact test is employed with the specifications designed such that a sufficient quality of performance is met by the TETRA equipment (see subclause 6.3).

2 Normative references

This ETS incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to, or revisions of, any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETSI ETS 300 392-2: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 2: Air Interface (AI)".
- [2] ETSI ETS 300 394-1: "Terrestrial Trunked Radio (TETRA); Conformance testing specification; Part 1: Radio".
- [3] ETSI ETS 300 395-2 (1996): "Terrestrial Trunked Radio (TETRA); Speech codec for full-rate traffic channel; Part 2: TETRA codec".
- [4] ETSI ETS 300 395-3 (1997): "Terrestrial Trunked Radio (TETRA); Speech codec for full-rate traffic channel; Part 3: Specific operating features".
- [5] ETSI ETS 300 607-1: "Digital cellular telecommunications system (Phase 2); Mobile Station (MS) conformance specification; Part 1: Conformance specification (GSM 11.10-1)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of this ETS, the definitions given in the following ETSS apply:

- ETS 300 392-2 [1], clause 3;
- ETS 300 394-1 [2], clause 3.

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

ACELP	Algebraic Code Excited Linear Predictive
BER	Bit Error Rate
BS	Base Station
DAI	Digital Audio Interface
dBm	Decibels relative to one milliwatt
MER	Message Erasure Rate
MS	Mobile Station
PCM	Pulse Coded Modulation
PDO	Packet Data Optimized
PRBS	Pseudo Random Bit Sequence
PUEM	Probability of Undetected Erroneous Message
RF	Radio Frequency
RX	Receive
STCH	STealing CHannel
TCH/S	Full Rate Speech Traffic CHannel
TDM	Time Division Multiplexing
TE	Terminal Equipment
TSS	TETRA System Simulator
TX	Transmit
VAD	Voice Activity Detector

See ETS 300 394-1 [2], clause 3, for conformance testing abbreviations.

4 General

iTeh STANDARD PREVIEW

The conformance testing of the TCH/S channel shall be conducted in identical or similar methodology as specified in ETS 300 394-1 [2]. However, as ETS 300 394-1 [2] is specified for both the TETRA V+D and TETRA Packet Data Optimized (PDO), only the TETRA V+D part of ETS 300 394-1 [2] shall be applicable to this ETS. Therefore, all references to ETS 300 394-1 [2] clauses shall refer to the TETRA V+D sections only. For the purpose of this ETS, the following where applicable shall apply:

- presentation of equipment for testing purposes shall be as specified in ETS 300 394-1 [2], subclause 4.1;
- facilities and information required for testing shall be as specified in ETS 300 394-1 [2], subclause 4.1.1;
- choice of radio frequency channels to be tested shall be as specified in ETS 300 394-1 [2], subclause 4.1.2;
- interpretation of the measurement results shall be as specified in ETS 300 394-1 [2], subclause 4.1.3;
- mechanical and electrical design shall be as specified in ETS 300 394-1 [2], subclause 4.2.

5 Radio test configuration, test signals and test modes

In order to perform the conformance testing specified in this ETS, the Terminal Equipment (TE) shall have been tested to, and passed, the relevant specifications as given in ETS 300 394-1 [2]. Thus, all appropriate logical channel types apart from the TCH/S shall have been tested.

In this ETS, the TETRA speech and channel codec as specified in ETS 300 395-2 [3], shall be conformance tested under standard TETRA specified configurations. All unspecified or informative parts of the TETRA speech and channel codec shall be disabled and not tested. For example, sub-systems such as the Voice Activity Detector (VAD) as given in ETS 300 395-3 [4] shall be excluded from the tests in this ETS. If these and other speech related sub-systems are standardized in future phases of TETRA then a separate conformance test may be generated to test these new additions.

In this ETS, only the standard un-encrypted TCH/S shall be tested. Thus the TE's encryption capability, if implemented by the TE, shall be disabled for the duration of the tests specified in this ETS. Similarly, all parts related to the STealing CHannel (STCH) and the eventually associated half slot containing encoded speech shall not be tested and shall not be activated in the test.

The test signal T1 shall be as specified in ETS 300 394-1 [2], subclause 5.3.2.

In accordance to ETS 300 394-1 [2], the channel type tested under this ETS shall be designated as channel type 15 and 16 for TCH/S channel codec testing and 19 and 20 for TCH/S speech codec testing. For Mobile Station (MS) testing, on frame 1 to 17, table 1 shall apply. For Base Station (BS) testing, on frame 1 to 17, table 2 shall apply.

Table 1: Channel type for MS testing

Channel type	Burst type	Block 1	Block 2	Broadcast block
15	normal	TCH/S PRBS		Access Assignment Channel (AACH)
19	normal	TCH/S speech codec test		Access Assignment Channel (AACH)

Table 2: Channel type for BS testing

Channel type	Burst type	Sub slot 1	Sub slot 2
16	normal	TCH/S PRBS	
20	normal	TCH/S speech codec test	

(standards.iteh.ai)

6 TCH/S Channel Codec

[SIST ETS 300 395-4 E2:2003](https://standards.iteh.ai/catalog/standards/sist/b5587f23-7033-48cb-98ed-e896e6c3d708/sist-ets-300-395-4-e2-2003)

6.1 Objectives

The objective of this clause is to specify and present performance limits for the TCH/S channel encoding and decoding sub-system. The TCH/S channel encoder is specified in bit exact terms and is given in ETS 300 395-2 [3], clause 5, and all TE shall operate according to it. The TCH/S channel decoder is specified in non-bit exact terms and is given in ETS 300 395-2 [3], clause 6, while an informative example implementation is given in ETS 300 395-2 [3], annex A. The performance of the TCH/S channel decoder is specified in this clause.

6.2 Conformance test methodology

The presentation of the conformance testing procedures for the TCH/S shall be the same as for the other logical channel types as specified in ETS 300 394-1 [2]. Therefore, as described in ETS 300 394-1 [2], all conformance test data between the TETRA System Simulator (TSS) and the TE shall be via two ports, namely the antenna port and the test connector.

The type tests described in this ETS shall be performed under normal test conditions as specified in ETS 300 394-1 [2], subclauses 6.2 and 6.2.1.

6.3 Test decoding mode

For the TCH/S channel decoding test mode, the TE under test shall perform the test in a similar manner as other channel coded channels as specified in ETS 300 394-1 [2], subclause 5.2.1.