
**Radiological protection — Content
of input data for the statistical
analysis of dose records of individuals
monitored for occupational exposure
to ionizing radiation**

*Radioprotection — Format de données d'entrée pour la description
statistique des dossiers de doses des personnes faisant l'objet d'une
surveillance de l'exposition professionnelle aux rayonnements
ionisants*

(<https://standards.iteh.ai>)
Document Preview

[ISO 24426:2023](https://standards.iteh.ai/catalog/standards/sist/18a5572a-d533-4e4d-8972-d07fc9ddd53f/iso-24426-2023)

<https://standards.iteh.ai/catalog/standards/sist/18a5572a-d533-4e4d-8972-d07fc9ddd53f/iso-24426-2023>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 24426:2023](https://standards.iteh.ai/catalog/standards/sist/18a5572a-d533-4e4d-8972-d07fc9ddd53f/iso-24426-2023)

<https://standards.iteh.ai/catalog/standards/sist/18a5572a-d533-4e4d-8972-d07fc9ddd53f/iso-24426-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
3.1 General terms and definitions.....	2
3.2 Quantities.....	3
4 Description of the nature of the exposure and classification list of activity sectors	5
5 Description of dose types	5
6 Description of statistical endpoints	6
6.1 General.....	6
6.2 Assessment of effective dose (external dosimetry, aircrew, radon and internal dosimetry).....	6
6.3 Assessment of equivalent dose.....	7
7 Additional data	7
Annex A (informative) Description of the nature of the exposure and classification list of activity sectors	9
Annex B (informative) Occupation classification	13
Annex C (informative) Example of a dose record	19
Annex D (informative) Examples of statistical endpoints	20
Bibliography	21

[ISO 24426:2023](https://standards.iteh.ai/catalog/standards/sist/18a5572a-d533-4e4d-8972-d07fc9ddd53f/iso-24426-2023)

<https://standards.iteh.ai/catalog/standards/sist/18a5572a-d533-4e4d-8972-d07fc9ddd53f/iso-24426-2023>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 85, *Nuclear energy, nuclear technologies, and radiological protection*, Subcommittee SC 2, *Radiological protection*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Occupational exposure to ionizing radiation can occur in a range of industries, medical institutions, educational and research establishments, and nuclear fuel cycle facilities. It can also occur in workplaces with naturally occurring sources of radiation such as for underground miners to radon and aircrew to cosmic radiation. Radiation emergencies can also result in worker exposure.

The aim of an occupational radiation exposure records system is the collection and maintenance of comprehensive and accurate individual radiation exposure histories with supporting documentation. Maintaining the records in a consistent format, while considering the ease of retrieval allows for:

- evaluating the effectiveness of radiological controls;
- demonstrating that radiological controls comply with national legislative and regulatory requirements and management expectations;
- reconstructing exposure situations for medical, legal or epidemiological studies.

Recommendations of international expert bodies have been considered in the development of this document. Its application will provide the national regulatory bodies with information on recording and reporting of workers dosimetric results and will enhance the harmonization of a common and easily shared format to collect reliable and directly comparable data on individual and collective exposure in activity sectors and occupations.

Assessment of occupational exposure and evaluation of trends of these data over time is a fundamental tool for radiation protection of workers in terms of optimization of protection in line with the graded approach and dose limitation. Maintaining of life-time dose data of the occupationally exposed workers is also necessary to ensure and review radiation protection of workers, certification and other legal purposes and epidemiological studies.

Document Preview

[ISO 24426:2023](https://standards.iteh.ai/catalog/standards/sist/18a5572a-d533-4e4d-8972-d07fc9ddd53f/iso-24426-2023)

<https://standards.iteh.ai/catalog/standards/sist/18a5572a-d533-4e4d-8972-d07fc9ddd53f/iso-24426-2023>

Radiological protection — Content of input data for the statistical analysis of dose records of individuals monitored for occupational exposure to ionizing radiation

1 Scope

The objective of this document is to promote the harmonization of data and information reporting formats in order to provide the basis for the evaluation of occupational exposure with a view to allow for benchmarking capacity at the user level, technical review level, country level and global level (such as UNSCEAR) database or register on occupational exposure. Activity sectors and occupations (where employees are classified as occupationally exposed workers) that is included in this database or register as well as dose types and different values of interest concerning occupational exposure are described as follows.

A typical national dose register (NDR):

- contains personal, employment, and dosimetric data of occupational employment and wage statistics (OEWs) in the country.
- assists national authorities in controlling and safekeeping of the occupational doses and to allow statistical evaluations (e.g., dose trends to answer requests from regulators and others).
- assists in regulatory control by notifying regulatory authorities of overexposures within their jurisdiction and the licensee in their respective facility.
- contributes to health research and to the scientific knowledge on risks from occupational exposure to ionizing radiation.
- provides dose histories to individual workers and organizations for work planning and for compensation and litigation cases.

All information provided by the NDR, including dose histories, may be subject to confidentiality requirements.

This document is aimed at national dose registries but may be also applicable to dosimetry services that provide data to national dose registries.

NOTE Such a database or register on occupational radiation dose for different sectors will, among other reasons, allow to prepare the data necessary for more global surveys, such as those undertaken by the UNSCEAR and other databases such as IAEA's Information System on Occupational Exposure in Medicine, Industry and Research (ISEMIR), Information System on Occupational Exposure (ISOE) and the European Platform for Occupational Radiation Exposure (ESOREX-Platform). Presently, as the formats are different, the international description of national statistics is often incomplete or inaccurate, and in the end, the comparison of data is not established yet in many countries. This standard defines a common and easily shared format to collect reliable, traceable and directly comparable data on individual and collective exposure in activity sectors and occupations as defined in a common way.

This document addresses:

- a) a common list of activity sectors and occupations, and
- b) a common and easily shared format about dose types and different values of interest concerning occupational exposure in order to collect consistent and directly comparable data on individual and collective exposure.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 General terms and definitions

3.1.1

occupational exposure

exposure of workers incurred in the course of their work

[SOURCE: Radiation Protection and Safety of Radiation Sources: International Basic Safety Standards - IAEA Safety Standards Series GSR Part 3, 2014]

3.1.2

monitored worker

workers routinely monitored externally, internally or in combination for radiation exposure individually or by workplace monitoring

3.1.3

measurably exposed worker

worker with doses above the minimum detectable level

3.1.4

recording level

level of dose, exposure or intake specified by the regulatory body at or above which values of dose to, exposure of or intake by workers are to be entered in their individual exposure records

[SOURCE: IAEA. IAEA safety glossary: 2018 edition. Vienna: IAEA, 2019. 278 p.]

3.1.5

sector

generic field of activity of workers

3.1.6

sub-sector

more specific designation of *sector* ([3.1.5](#))

3.1.7

emergency exposure situation

situation of exposure that arises as a result of an accident, a malicious act or other unexpected event, and requires prompt action in order to avoid or to reduce adverse consequences

Note 1 to entry: Exposure in an emergency can include both occupational exposure and public exposure and can include unplanned exposures resulting directly in the emergency exposure situation and planned exposures to emergency workers and helpers in an emergency undertaking actions to mitigate the consequences of the emergency.

Note 2 to entry: Exposure in an emergency can be reduced only by protective actions and other response actions.

[SOURCE: IAEA. IAEA safety glossary: 2018 edition. Vienna: IAEA, 2019. 278 p.]

3.1.8**planned exposure situation**

situation of exposure that arises from the planned operation of a source or from a planned activity that results in an exposure due to a source

[SOURCE: IAEA. IAEA safety glossary: 2018 edition. Vienna: IAEA, 2019. 278 p]

3.1.9**existing exposure situation**

situation of exposure that already exists when a decision on the need for control needs to be taken

Note 1 to entry: Existing exposure situations include exposure to natural background radiation that is amenable to control; exposure due to residual radioactive material that derives from past practices that were never subject to regulatory control; and exposure due to residual radioactive material deriving from a nuclear or radiological emergency after an emergency exposure situation has been declared ended.

[SOURCE: IAEA. IAEA safety glossary: 2018 edition. Vienna: IAEA, 2019. 278 p]

3.1.10**workplace monitoring**

radiological monitoring using measurements made in the working environment

[SOURCE: ISO 12749-2:2022, 3.4.53]

3.2 Quantities**3.2.1****personal dose equivalent** **$H_p(d)$**

dose equivalent in soft tissue, at an appropriate depth, d , below a specified point on the body

Note 1 to entry: The SI unit of the personal dose equivalent is joule per kilogram ($\text{J}\cdot\text{kg}^{-1}$), known as sievert (Sv).

Note 2 to entry: The full specification of the personal dose equivalent includes the specification of the depth, d , expressed in millimetres.

<https://standards.iteh.ai/catalog/standards/sist/18a5572a-d533-4e4d-8972-d07fc9ddd53f/iso-24426-2023>

Note 3 to entry: Soft tissue in this context is ICRU 4-element tissue with a density of $1\text{ g}\cdot\text{cm}^{-3}$.

Note 4 to entry: For the estimation of the local skin dose, a depth of 0,07 mm is employed. The personal dose equivalent for this depth is then denoted by $H_p(0,07)$. The dose equivalent to an extremity (such as hand, forearm, foot and ankle) is denoted by $H_p(0,07)$. The dose equivalent at 10 mm depth is denoted with analogous notation $H_p(10)$. For the lens of the eye, a depth of 3 mm is employed with analogous notation $H_p(3)$.

Note 5 to entry: In the ICRU Report 47, ICRU has extended the definition of the personal dose equivalent to include the dose equivalent at a depth, d , in a phantom having the composition of the ICRU tissue. Then $H_p(d)$, for the calibration of personal dosimeters, is the dose equivalent at d in a phantom composed of ICRU tissue, but of the size and shape of the phantom used for the calibration.

Note 6 to entry: The personal dose equivalent rate is the dose equivalent rate in soft tissue below a specified point on the body at an appropriate depth, d . The unit is sievert per second ($\text{Sv}\cdot\text{s}^{-1}$). Other units are any quotient of the sievert or its decimal multiples and a suitable unit of time (e.g. $\text{mSv}\cdot\text{h}^{-1}$).

[SOURCE: ICRU Report 51]

3.2.2**personal dose equivalent at 10 mm depth** **$H_p(10)$**

dose equivalent in soft tissue at a depth of 10 mm below a specified point where the dosimeter is worn/mounted, i.e., on the human body or a calibration phantom

[SOURCE: ICRP 103:2007]

3.2.3
ambient dose equivalent at 10 mm depth
 $H^*(10)$

dose equivalent at a point in a radiation field, that would be produced by the corresponding expanded and aligned field, in the ICRU sphere at 10 mm depth on the radius opposing the direction of the aligned field

[SOURCE: ISO 20785-4:2019, 3.16, modified — "at 10 mm depth" has been added in the term.]

3.2.4
collective effective dose

total radiation dose incurred by a specified group of persons (e.g. a population summation of "effective dose")

Note 1 to entry: The value of this quantity is equal to the product of the number of individuals exposed to a radiation source and their average radiation dose.

Note 2 to entry: The collective dose is expressed in person-sievert.

Note 3 to entry: This entry was numbered 393-19-08 in IEC 60050-393:2003.

3.2.5
average dose monitored

collective effective dose (3.2.4) divided by the total number of workers routinely monitored for radiation exposure, in units of mSv

3.2.6
average dose above recording level

collective effective dose (3.2.4) divided by the number of workers with doses above the recording level, in units of mSv

3.2.7
internal dose

dose from internal emitters calculated with biokinetic and dosimetric models, in units of mSv

Note 1 to entry: Dose caused by contamination of the skin is considered an internal or external dose.

3.2.8
external dose

dose from penetrating external radiation fields

EXAMPLE Photons and neutrons.

3.2.9
effective dose

summation of doses from internal emitters and external radiation fields estimated using personal dose equivalent at 10 mm depth, $H_p(10)$ (3.2.1) or ambient dose equivalent at 10 mm depth, $H^*(10)$ (3.2.3), or from internal emitters only, to provide a single numerical value, in units of mSv

3.2.10
equivalent dose

absorbed dose to an organ or tissue T, adjusted to account for the effectiveness of the type of radiation, in units of mSv

Note 1 to entry: equivalent dose to the skin and an extremity is estimated using personal dose equivalent $H_p(0,07)$, in units of mSv.

Note 2 to entry: equivalent dose to the lens of the eye is estimated using personal dose equivalent, $H_p(3)$, but also $H_p(0,07)$ or $H_p(10)$ according to ISO 15382, in units of mSv.

Note 3 to entry: Equivalent dose to a tissue is estimated using personal dose equivalent (H_T), in units of mSv.