



SLOVENSKI STANDARD
SIST EN IEC 60688:2025

01-marec-2025

Električni merilni pretvorniki za pretvarjanje izmeničnih električnih veličin v analogne ali digitalne signale (IEC 60688:2024)

Electrical measuring transducers for converting AC and DC electrical quantities to analogue or digital signals (IEC 60688:2024)

Elektrische Messumformer zur Umwandlung von elektrischen Wechselstromgrößen und Gleichstromgrößen in analoge oder digitale Signale (IEC 60688:2024)

Transducteurs électriques de mesure convertissant les grandeurs électriques alternatives ou continues en signaux analogiques ou numériques (IEC 60688:2024)

Ta slovenski standard je istoveten z: EN IEC 60688:2024

[SIST EN IEC 60688:2025](https://standards.sist.net/catalog/standards/sist/611ec9db-4511-45c7-b5d5-c051117314d0/sist-en-iec-60688-2025)

<https://standards.sist.net/catalog/standards/sist/611ec9db-4511-45c7-b5d5-c051117314d0/sist-en-iec-60688-2025>

ICS:

17.220.20	Merjenje električnih in magnetnih veličin	Measurement of electrical and magnetic quantities
-----------	---	---

SIST EN IEC 60688:2025

en,fr,de

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 60688

December 2024

ICS 17.220.20

Supersedes EN 60688:2013

English Version

**Electrical measuring transducers for converting AC and DC
electrical quantities to analogue or digital signals
(IEC 60688:2024)**

Transducteurs électriques de mesure convertissant les
grandeurs électriques alternatives ou continues en signaux
analogiques ou numériques
(IEC 60688:2024)

Elektrische Messumformer zur Umwandlung von
elektrischen Wechselstromgrößen und Gleichstromgrößen
in analoge oder digitale Signale
(IEC 60688:2024)

This European Standard was approved by CENELEC on 2024-10-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/d11cb9db-a5ff-45e7-b5d3-e05414794d04/sist-en-iec-60688-2025>



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 60688:2024 (E)**European foreword**

The text of document 85/921/FDIS, future edition 5 of IEC 60688, prepared by TC 85 "Measuring equipment for electrical and electromagnetic quantities" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60688:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2025-12-31 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2027-12-31 document have to be withdrawn

This document supersedes EN 60688:2013 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60688:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60051 (series)	NOTE Approved as EN IEC 60051 (series)
IEC 60051-1	NOTE Approved as EN 60051-1
IEC 60068-2-30	NOTE Approved as EN 60068-2-30
IEC 60255-151	NOTE Approved as EN 60255-151
IEC 60359	NOTE Approved as EN 60359
IEC 60364-4-44	NOTE Approved as HD 60364-4-444
IEC 60381-1:1982	NOTE Approved as HD 452.1 S1:1984 (not modified)
IEC 60664-1	NOTE Approved as EN IEC 60664-1
IEC 61000-4-7	NOTE Approved as EN 61000-4-7
IEC 61010 (series)	NOTE Approved as EN IEC 61010 (series)
IEC 61869 (series)	NOTE Approved as EN IEC 61869 (series)
IEC 62052-11:2020	NOTE Approved as EN IEC 62052-11:2021 (not modified) + A11:2022

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-11	-	Environmental testing - Part 2-11: Tests - Test Ka: Salt mist	EN IEC 60068-2-11	-
IEC 60068-2-27	-	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-
IEC 60068-2-52	2017	Environmental testing - Part 2-52: Tests - Test Kb: Salt mist, cyclic (sodium chloride solution)	EN IEC 60068-2-52	2018
IEC 60228	2023	Conductors of insulated cables	EN IEC 60228	2024
IEC/TR 61000-2-3	-	Electromagnetic compatibility (EMC) - Part 2: Environment - Section 3: Description of the environment - Radiated and non-network-frequency-related conducted phenomena	-	-
IEC 61010-1	2010	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 1: General requirements	EN 61010-1	2010
+ A1 (mod)	2016		+ A1	2019
IEC 61010-2-030	2023	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-030: Particular requirements for equipment having testing or measuring circuits	-	-
IEC 61326-1	2020	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements	EN IEC 61326-1	2021

EN IEC 60688:2024 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61557-12	2018	Electrical safety in low voltage distribution systems up to 1 000 V AC and 1 500 V DC. - Equipment for testing, measuring or monitoring of protective measures - Part 12: Power metering and monitoring devices (PMD)	EN IEC 61557-12	2022
+ A1	2021		+ A1	2022
IEC 61558-1	2017	Safety of transformers, reactors, power supply units and combinations thereof - Part 1: General requirements and tests	EN IEC 61558-1	2019
IEC 60664-1	2020	Insulation coordination for equipment within low-voltage supply systems - Part 1: Principles, requirements and tests	EN IEC 60664-1	2020
IEC 62586-1	2017	Power quality measurement in power supply systems - Part 1: Power quality instruments (PQI)	EN 62586-1	2017
ISO 4628-3	-	Paints and varnishes - Evaluation of degradation of coatings - Designation of quantity and size of defects, and of intensity of uniform changes in appearance - Part 3: Assessment of degree of rusting	-	-

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN IEC 60688:2025](https://standards.iteh.ai/catalog/standards/sist/d11cb9db-a5ff-45e7-b5d3-e05414794d04/sist-en-iec-60688-2025)

<https://standards.iteh.ai/catalog/standards/sist/d11cb9db-a5ff-45e7-b5d3-e05414794d04/sist-en-iec-60688-2025>



IEC 60688

Edition 5.0 2024-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Electrical measuring transducers for converting AC and DC electrical quantities to analogue or digital signals

Transducteurs électriques de mesure convertissant les grandeurs électriques alternatives ou continues en signaux analogiques ou numériques

[SIST EN IEC 60688:2025](https://standards.iteh.ai/)

<https://standards.iteh.ai/catalog/standards/sist/d11cb9db-a5ff-45e7-b5d3-e05414794d04/sist-en-iec-60688-2025>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 17.220.20

ISBN 978-2-8322-9547-2

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	9
INTRODUCTION.....	11
1 Scope.....	12
2 Normative references	13
3 Terms and definitions	14
3.1 General terms	14
3.2 Terms describing transducers	15
3.3 Terms describing transducers according to the measurand	17
3.4 Terms describing transducers according to their output load	18
3.5 Nominal values	19
3.6 Terms describing transducers with provisions to be adjusted by users	19
3.7 Influence quantities and reference conditions.....	20
3.8 Errors and variations.....	20
3.9 Accuracy, accuracy class, class index.....	21
3.10 Terms related to primary of transducers.....	21
3.11 Terms related to secondary output of transducers.....	22
4 Environmental conditions.....	22
5 Ratings.....	22
6 Requirements for design and construction	23
6.1 General.....	23
6.1.1 Transducer general architecture	23
6.1.2 Classification of transducers (TRD)	23
6.2 Safety requirements.....	24
6.2.1 General	24
6.2.2 Protection against electric shocks.....	24
6.2.3 Protection against mechanical hazards.....	25
6.2.4 Resistance to mechanical stress.....	25
6.2.5 Protection against the spread of fire	25
6.2.6 Equipment temperature limits and resistance to heat	25
6.2.7 Protection against hazards from fluids	26
6.2.8 Protection against radiation, including laser sources, and against sonic and ultrasonic pressure	26
6.2.9 Protection against liberated gases and substances, explosion and implosion.....	26
6.2.10 Components and subassemblies.....	26
6.2.11 Protection by interlocks	26
6.2.12 Hazards resulting from application.....	26
6.2.13 Risk assessment	27
6.3 EMC requirements	27
6.3.1 General	27
6.3.2 Immunity requirements	27
6.3.3 Emission requirements	28
6.4 Climatic requirements	28
6.5 Mechanical requirements	28
6.6 Functional requirements.....	28
6.7 Marking requirements	28
6.8 Documentation requirements	28

7	Type tests	29
8	Routine tests	29
Annex A (normative) Requirements for TRD1.....		30
A.1	General.....	30
A.2	References for the purposes of this Annex A	30
A.3	Terminology for the purposes of this Annex A	30
A.4	Environmental conditions	30
A.5	Ratings	30
A.6	Requirements for design and construction of TRD1.....	31
A.6.1	General	31
A.6.2	Safety requirements.....	31
A.6.3	EMC requirements	31
A.6.4	Climatic requirements	31
A.6.5	Mechanical requirements	31
A.6.6	Functional requirements	31
A.6.7	Marking requirements	39
A.6.8	Documentation requirements	42
A.7	Type tests for TRD1.....	42
A.7.1	General	42
A.7.2	General additional requirements for type tests for TRD1.....	42
A.7.3	Variations due to auxiliary supply voltage	43
A.7.4	Variations due to auxiliary supply frequency	44
A.7.5	Variations due to ambient temperature	44
A.7.6	Variations due to the frequency of the input quantity(ies).....	45
A.7.7	Variations due to the input voltage.....	46
A.7.8	Variations due to the input current.....	46
A.7.9	Variations due to power factor.....	47
A.7.10	Variation due to output load.....	48
A.7.11	Variations due to distortion of the input quantity(ies).....	49
A.7.12	Variation due to magnetic field of external origin.....	49
A.7.13	Variation due to unbalanced currents.....	50
A.7.14	Variation due to interaction between measuring elements.....	51
A.7.15	Variation due to self-heating	52
A.7.16	Variation due to continuous operation.....	52
A.7.17	Variation due to common mode interference	53
A.7.18	Variation due to series mode interference.....	53
A.7.19	Permissible excessive inputs	54
A.7.20	Impulse voltage tests	54
A.7.21	High frequency disturbance test.....	55
A.7.22	Test for temperature rise	55
A.7.23	Other tests.....	55
Annex B (normative) Requirements for TRD2.....		56
B.1	General.....	56
B.2	References for the purposes of this Annex B	56
B.3	Terminology for the purposes of this Annex B	56
B.4	Environmental conditions	56
B.4.1	General	56
B.4.2	Normal environmental conditions	56

B.5	Ratings for TRD2	57
B.5.1	General	57
B.5.2	Input ratings	57
B.5.3	Output ratings.....	58
B.5.4	General ratings.....	59
B.6	Requirements for design and construction of TRD2.....	61
B.6.1	General	61
B.6.2	Safety requirements.....	61
B.6.3	EMC requirements	61
B.6.4	Climatic requirements	61
B.6.5	Mechanical requirements	62
B.6.6	Functional requirements	66
B.6.7	Marking requirements	73
B.6.8	Documentation requirements	74
B.7	Type tests of TRD2	76
B.7.1	General	76
B.7.2	Safety tests	76
B.7.3	EMC tests.....	76
B.7.4	Climatic tests.....	77
B.7.5	Mechanical tests.....	79
B.7.6	Functional tests	89
B.7.7	Verification of markings and documentation.....	96
B.7.8	Short-time currents tests.....	96
B.7.9	Inter-turn overvoltage tests	97
B.7.10	Anti-aliasing tests	98
B.7.11	Test with harmonics and at low frequencies.....	98
B.8	Routine tests for TRD2	99
B.8.1	General	99
B.8.2	Accuracy tests	99
B.8.3	Verification of markings	99
B.8.4	Safety tests	99
B.8.5	Inter-turn overvoltage tests	99
Annex C (normative)	Interface coding	100
C.1	General.....	100
C.2	Characteristics of interface connection.....	100
C.3	Coding of rated output values for transducers	100
C.4	Coding of auxiliary power supply for transducers	102
C.5	Coding of transfer function curves for transducers	103
C.6	Interface full coding for output of transducers	103
C.6.1	General	103
C.6.2	Examples of interface codes and most common interface codes	104
Annex D (informative)	Anti-aliasing guidance	106
Annex E (normative)	Requirements for the measurement of harmonics and low frequencies.....	109
E.1	General.....	109
E.2	Requirements for accuracy class extension WBm0	109
E.3	Requirements for accuracy class extension WBm1	110
E.4	Requirements for accuracy class extension WBm2	110
E.5	Requirements for accuracy class extension WBm3	111

Annex F (normative) Markings of terminals of TRD2	112
F.1 Marking of terminals for TRD2 monitoring AC current.....	112
F.2 Marking of terminals for TRD2 monitoring voltage	112
Annex G (informative) Guidance related to cables, busbars and bare conductors within an installation	114
G.1 Insulation of cables	114
G.2 Temperature of cables and busbars	114
G.2.1 Cables	114
G.2.2 Busbars	114
Annex H (informative) Guidance related to overvoltage categories and measurement categories.....	115
H.1 Concept of overvoltage category.....	115
H.2 Approach of IEC 60664-1 for primary circuits of TRD2	115
H.2.1 General	115
H.2.2 Examples with IEC 60664-1:2020, for primary measuring circuits, OVC III, PD 2, altitude under 2 000 m, inhomogeneous field	115
H.3 Approach of IEC 61010 (all parts) for primary circuits of TRD2	116
H.3.1 General	116
H.3.2 Example with IEC 61010-2-030:2023 for primary measuring circuits, OVC III, PD 2, altitude under 2 000 m, inhomogeneous field.....	116
H.4 Approach for secondary circuits of TRD2	117
Annex I (informative) Examples of clamping units and relationship between clamping unit and connecting device.....	118
I.1 Clamping unit in a connecting device	118
I.2 Examples of clamping units.....	118
Bibliography.....	125
Figure 1 – Transducer (TRD) architecture example	23
Figure A.1 – Transfer function curve A.....	35
Figure A.2 – Transfer function curve B.....	36
Figure A.3 – Transfer function curve C.....	36
Figure A.4 – Transfer function curve D.....	37
Figure A.5 – Transfer function curve E.....	37
Figure B.1 – Relationship between ambient air temperature and relative humidity	61
Figure B.2 – Dimensions	63
Figure B.3 – Accuracy limits of a TRD2-IAC (a) and TRD2-IDC (b)	68
Figure B.4 – Definition of the angle between primary conductor and the equipment	71
Figure B.5 – Definition of the primary conductor position according to the position factor	72
Figure B.6 – Gauges of form A and form B.....	83
Figure B.7 – Test equipment for flexion test.....	85
Figure B.8 – Measurement of the step response time.....	91
Figure B.9 – Temperature cycle accuracy test.....	93
Figure B.10 – Test set up for impact of magnetic field from other phases – a) First step – b) Second step	94
Figure B.11 – Accuracy measurement test set up	96
Figure D.1 – Digital data acquisition system example.....	106

Figure D.2 – Frequency response mask for metering accuracy class 1 ($f_r = 60$ Hz, $f_s = 4\,800$ Hz)	108
Figure I.1 – Clamping unit in a connecting device	118
Figure I.2 – Screw clamping units	119
Figure I.3 – Pillar clamping units	120
Figure I.4 – Stud clamping units	121
Figure I.5 – Saddle clamping units	122
Figure I.6 – Lug clamping units	123
Figure I.7 – Mantle clamping units	124
Table 1 – Functional classification of transducers with minimal required functions	23
Table 2 – Definition of ports	27
Table 3 – Performance criteria for EMC immunity tests	28
Table A.1 – Usage groups	30
Table A.2 – Relationship between the limits of intrinsic error, expressed as a percentage of the fiducial value, and the class index	31
Table A.3 – Pre-conditioning	32
Table A.4 – Reference conditions of the influence quantities and tolerances for testing purposes	32
Table A.5 – Reference conditions relative to the measurand	33
Table A.6 – Examples of marking relating to the reference conditions and nominal range of use for temperature	40
Table A.7 – Symbols for marking transducers	41
Table A.8 – Permissible variations due to AC auxiliary supply	43
Table A.9 – Permissible variations due to DC auxiliary supply	44
Table A.10 – Permissible variations due to auxiliary supply frequency	44
Table A.11 – Permissible variations due to ambient temperature	45
Table A.12 – Permissible variations due to the frequency of input quantity	46
Table A.13 – Permissible variations due to the input voltage	46
Table A.14 – Permissible variations due to the input current	47
Table A.15 – Permissible variations due to power factor	48
Table A.16 – Permissible variations due to output load	49
Table A.17 – Permissible variations due to distortion of input quantities	49
Table A.18 – Permissible variations due to magnetic field of external origin	50
Table A.19 – Permissible variations due to unbalance currents	51
Table A.20 – Permissible variations due to interactions between measuring elements	51
Table A.21 – Permissible variations due to self-heating	52
Table A.22 – Permissible variations due to continuous operation	53
Table A.23 – Permissible variations due to series mode interference	54
Table B.1 – Environmental conditions parameters	56
Table B.2 – Preferred rated burden for TRD2 with an AC or DC voltage output, or a frequency output	59
Table B.3 – Rated burden for TRD2 with an AC or DC current output	59
Table B.4 – Rated temperatures for TRD2	60

Table B.5 – Rated humidity classes	60
Table B.6 – Examples of terminal lugs for equipment connected to copper conductors	63
Table B.7 – Nominal cross-sections of round copper conductors and approximate relationship between mm ² and AWG/kcmil sizes	64
Table B.8 – Minimum values for maximum cross section of conductors up to 400 A inclusive	65
Table B.9 – Minimum values for maximum cross section of conductors from 400 A and up to 800 A inclusive	66
Table B.10 – Minimum values for maximum cross section for copper bars for currents above 400 A and up to 3 150 A inclusive	66
Table B.11 – Limits for relative error and phase error for TRD2-IAC	67
Table B.12 – Limits of error for TRD2-IDC	67
Table B.13 – Limits of relative error for TRD2-UAC	69
Table B.14 – Limits of relative error for TRD2-UDC	70
Table B.15 – Limits for the position of the primary conductor with respect to the equipment	71
Table B.16 – RJ45 connector pinout	73
Table B.17 – Temperature tests	78
Table B.18 – Tightening torques for the verification of the mechanical strength of screw-type terminals	80
Table B.19 – Maximum conductor cross-sections and corresponding gauges	81
Table B.20 – Relationship between conductor cross-section and diameter	82
Table B.21 – Test values for flexion and pull-out tests for round copper conductors	84
Table B.22 – Test values for pull-out test for flat copper conductors	86
Table B.23 – Test copper conductors for test currents up to 400 A inclusive	87
Table B.24 – Test copper conductors for test currents above 400 A and up to 800 A inclusive	88
Table B.25 – Test copper bars for test currents above 400 A and up to 3 150 A inclusive	88
Table B.26 – Burden values for basic accuracy tests	89
Table C.1 – Coding of interface connection	100
Table C.2 – Rated AC RMS voltage output	101
Table C.3 – Rated DC voltage output	101
Table C.4 – Rated range of DC voltage output	101
Table C.5 – Rated AC RMS current output less than 1A	101
Table C.6 – Rated range of DC current output	102
Table C.7 – Rated frequency output	102
Table C.8 – Rated pulse density output	102
Table C.9 – Coding of power supply for transducers supplied from a measuring instrument via the connector	103
Table C.10 – Coding of external power supply for transducers	103
Table C.11 – Coding of transfer function curves for TRD1	103
Table C.12 – Interface full coding for output of transducers	104
Table C.13 – Examples of interface codes and most common interface codes	104
Table D.1 – Anti-aliasing filter	107
Table E.1 – Limits of error for harmonics – Accuracy class extension WBm0	109

Table E.2 – Limits of errors for harmonics – Accuracy class extension WBm1.....	110
Table E.3 – Limits of errors for harmonics – Accuracy class extension WBm2.....	111
Table E.4 – Limits of errors for supra-harmonics – Accuracy class extension WBm3.....	111
Table F.1 – Marking of terminals for TRD2 monitoring current.....	112
Table F.2 – Marking of terminals for TRD2 monitoring voltage	113
Table H.1 – Clearances according to IEC 60664-1:2020	115
Table H.2 – Creepage distances according to IEC 60664-1:2020	116
Table H.3 – Clearances according to IEC 61010-2-030:2017	117
Table H.4 – Creepage distances according to IEC 61010-2-030:2023	117

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN IEC 60688:2025](https://standards.iteh.ai/catalog/standards/sist/d11cb9db-a5ff-45e7-b5d3-e05414794d04/sist-en-iec-60688-2025)

<https://standards.iteh.ai/catalog/standards/sist/d11cb9db-a5ff-45e7-b5d3-e05414794d04/sist-en-iec-60688-2025>