

---

---

**Industrial automation systems and  
integration — Product data representation  
and exchange —**

Part 50:

**Integrated generic resource: Mathematical  
constructs**

*Systèmes d'automatisation industrielle et intégration — Représentation  
et échange de données de produits —*

*Partie 50: Ressources génériques intégrées: Constructions mathématiques*

<https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ae27-4110-b740-77aa6139f058/iso-dis-10303-239>



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[ISO/DIS 10303-239](https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ae27-4110-b740-77aa6139f058/iso-dis-10303-239)

<https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ae27-4110-b740-77aa6139f058/iso-dis-10303-239>

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.ch](mailto:copyright@iso.ch)  
Web [www.iso.ch](http://www.iso.ch)

Printed in Switzerland

Contents	Page
1 Scope . . . . .	1
2 Normative references . . . . .	1
3 Terms, definitions, and symbols . . . . .	2
3.1 Terms defined in ISO 10303-1 . . . . .	2
3.2 Other terms and definitions . . . . .	2
3.3 Symbols . . . . .	5
4 Mathematical functions . . . . .	6
4.1 Introduction . . . . .	8
4.2 Fundamental concepts and assumptions . . . . .	8
4.2.1 Mathematical function . . . . .	8
4.2.2 Mathematical object or value . . . . .	9
4.2.3 Mathematical expression . . . . .	10
4.2.4 Mathematical space . . . . .	10
4.2.5 Mathematical tuple . . . . .	11
4.2.6 Function domains and ranges . . . . .	11
4.2.7 Spaces of one-tuples . . . . .	12
4.2.8 Array function . . . . .	12
4.2.9 Table function . . . . .	12
4.2.10 Matrix . . . . .	12
4.2.11 Inputs and Parameters . . . . .	13
4.2.12 Function evaluation . . . . .	14
4.2.13 Function application . . . . .	14
4.3 Mathematical functions schema constant definitions . . . . .	14
4.3.1 schema_prefix . . . . .	15
4.3.2 the elementary spaces . . . . .	15
4.3.3 the empty space . . . . .	15
4.3.4 real intervals . . . . .	15
4.3.5 tuple spaces . . . . .	16
4.3.6 empty values . . . . .	16
4.4 Mathematical functions schema type definitions . . . . .	17
4.4.1 nonnegative_integer . . . . .	17
4.4.2 positive_integer . . . . .	17
4.4.3 zero_or_one . . . . .	17
4.4.4 one_or_two . . . . .	18
4.4.5 local names for simple types . . . . .	18
4.4.6 maths_simple_atom . . . . .	18
4.4.7 maths_atom . . . . .	19
4.4.8 atom_based_tuple . . . . .	19
4.4.9 atom_based_value . . . . .	19
4.4.10 maths_tuple . . . . .	20
4.4.11 maths_value . . . . .	20
4.4.12 maths_expression . . . . .	20
4.4.13 maths_function_select . . . . .	21
4.4.14 input_selector . . . . .	21
4.4.15 elementary_space_enumerators . . . . .	22
4.4.16 ordering_type . . . . .	23
4.4.17 lower_upper . . . . .	24
4.4.18 symmetry_type . . . . .	24

4.4.19	elementary_function_enumerators . . . . .	25
4.4.20	open_closed . . . . .	31
4.4.21	space_constraint_type . . . . .	31
4.4.22	repackage_options . . . . .	32
4.4.23	extension_options . . . . .	32
4.4.24	maths_enum_atom . . . . .	33
4.4.25	dotted_express_identifier . . . . .	34
4.4.26	express_identifier . . . . .	34
4.4.27	product_space . . . . .	34
4.4.28	tuple_space . . . . .	35
4.4.29	maths_space_or_function . . . . .	35
4.4.30	real_interval . . . . .	35
4.5	Mathematical functions schema entity definitions . . . . .	36
4.5.1	quantifier_expression . . . . .	36
4.5.2	dependent_variable_definition . . . . .	37
4.5.3	bound_variable_semantics . . . . .	37
4.5.4	free_variable_semantics . . . . .	38
4.5.5	complex_number_literal . . . . .	38
4.5.6	logical_literal . . . . .	39
4.5.7	binary_literal . . . . .	39
4.5.8	maths_enum_literal . . . . .	39
4.5.9	real_tuple_literal . . . . .	40
4.5.10	integer_tuple_literal . . . . .	40
4.5.11	atom_based_literal . . . . .	40
4.5.12	maths_tuple_literal . . . . .	41
4.5.13	maths_variable . . . . .	41
4.5.14	maths_real_variable . . . . .	42
4.5.15	maths_integer_variable . . . . .	42
4.5.16	maths_boolean_variable . . . . .	43
4.5.17	maths_string_variable . . . . .	43
4.5.18	function_application . . . . .	44
4.5.19	maths_space . . . . .	45
4.5.20	elementary_space . . . . .	46
4.5.21	finite_integer_interval . . . . .	46
4.5.22	integer_interval_from_min . . . . .	47
4.5.23	integer_interval_to_max . . . . .	47
4.5.24	finite_real_interval . . . . .	47
4.5.25	real_interval_from_min . . . . .	48
4.5.26	real_interval_to_max . . . . .	49
4.5.27	cartesian_complex_number_region . . . . .	49
4.5.28	polar_complex_number_region . . . . .	50
4.5.29	finite_space . . . . .	51
4.5.30	uniform_product_space . . . . .	52
4.5.31	listed_product_space . . . . .	53
4.5.32	extended_tuple_space . . . . .	54
4.5.33	function_space . . . . .	55
4.5.34	maths_function . . . . .	56
4.5.35	finite_function . . . . .	57
4.5.36	constant_function . . . . .	58
4.5.37	selector_function . . . . .	59
4.5.38	elementary_function . . . . .	60
4.5.39	restriction_function . . . . .	60

4.5.40	repackaging_function . . . . .	61
4.5.41	reindexed_array_function . . . . .	63
4.5.42	series_composed_function . . . . .	64
4.5.43	parallel_composed_function . . . . .	64
4.5.44	explicit_table_function . . . . .	67
4.5.45	listed_real_data . . . . .	68
4.5.46	listed_integer_data . . . . .	69
4.5.47	listed_logical_data . . . . .	69
4.5.48	listed_string_data . . . . .	70
4.5.49	listed_complex_number_data . . . . .	71
4.5.50	listed_data . . . . .	72
4.5.51	externally_listed_data . . . . .	72
4.5.52	linearized_table_function . . . . .	73
4.5.53	standard_table_function . . . . .	75
4.5.54	regular_table_function . . . . .	76
4.5.55	triangular_matrix . . . . .	78
4.5.56	strict_triangular_matrix . . . . .	78
4.5.57	symmetric_matrix . . . . .	79
4.5.58	symmetric_banded_matrix . . . . .	80
4.5.59	banded_matrix . . . . .	81
4.5.60	basic_sparse_matrix . . . . .	83
4.5.61	homogeneous_linear_function . . . . .	85
4.5.62	general_linear_function . . . . .	86
4.5.63	b_spline_basis . . . . .	87
4.5.64	b_spline_function . . . . .	88
4.5.65	rationalize_function . . . . .	89
4.5.66	partial_derivative_function . . . . .	91
4.5.67	partial_derivative_expression . . . . .	92
4.5.68	definite_integral_function . . . . .	94
4.5.69	definite_integral_expression . . . . .	95
4.5.70	abstracted_expression_function . . . . .	97
4.5.71	expression_denoted_function . . . . .	98
4.5.72	imported_point_function . . . . .	99
4.5.73	imported_curve_function . . . . .	100
4.5.74	imported_surface_function . . . . .	100
4.5.75	imported_volume_function . . . . .	101
4.5.76	application_defined_function . . . . .	102
4.5.77	mathematical_description . . . . .	103
4.6	Mathematical functions schema function definitions . . . . .	104
4.6.1	all_members_of_es . . . . .	104
4.6.2	any_space_satisfies . . . . .	106
4.6.3	assoc_product_space . . . . .	107
4.6.4	atan2 . . . . .	109
4.6.5	bool . . . . .	110
4.6.6	check_sparse_index_domain . . . . .	110
4.6.7	check_sparse_loc_range . . . . .	111
4.6.8	check_sparse_index_to_loc . . . . .	112
4.6.9	compare_basis_and_coef . . . . .	113
4.6.10	compare_list_and_value . . . . .	113
4.6.11	compare_values . . . . .	114
4.6.12	compatible_complex_number_regions . . . . .	115
4.6.13	compatible_es_values . . . . .	117

4.6.14	compatible_intervals	118
4.6.15	compatible_spaces	118
4.6.16	composable_sequence	124
4.6.17	convert_to_literal	124
4.6.18	convert_to_maths_function	125
4.6.19	convert_to_maths_value	125
4.6.20	convert_to_operand	126
4.6.21	convert_to_operands	127
4.6.22	convert_to_operands_premfn	128
4.6.23	definite_integral_check	128
4.6.24	definite_integral_expr_check	129
4.6.25	derive_definite_integral_domain	130
4.6.26	derive_elementary_function_domain	132
4.6.27	derive_elementary_function_range	135
4.6.28	derive_finite_function_domain	137
4.6.29	derive_finite_function_range	138
4.6.30	derive_function_domain	138
4.6.31	derive_function_range	141
4.6.32	domain_from	144
4.6.33	dot_count	145
4.6.34	dotted_identifiers_syntax	145
4.6.35	drop_numeric_constraints	146
4.6.36	enclose_cregion_in_pregion	147
4.6.37	enclose_pregion_in_cregion	151
4.6.38	enclose_pregion_in_pregion	154
4.6.39	equal_cregion_pregion	160
4.6.40	equal_maths_functions	162
4.6.41	equal_maths_spaces	163
4.6.42	equal_maths_values	166
4.6.43	es_subspace_of_es	168
4.6.44	expression_is_constant	169
4.6.45	extract_factors	169
4.6.46	extremal_position_check	170
4.6.47	factor1	171
4.6.48	factor_space	172
4.6.49	free_variables_of	172
4.6.50	function_applicability	173
4.6.51	function_is_1d_array	174
4.6.52	function_is_1d_table	175
4.6.53	function_is_2d_table	176
4.6.54	function_is_array	177
4.6.55	function_is_table	177
4.6.56	has_values_space	178
4.6.57	list_selected_components	180
4.6.58	make_abstracted_expression_function	180
4.6.59	make_atom_based_literal	181
4.6.60	make_b_spline_basis	181
4.6.61	make_b_spline_function	182
4.6.62	make_banded_matrix	182
4.6.63	make_basic_sparse_matrix	183
4.6.64	make_binary_literal	184
4.6.65	make_boolean_literal	184

4.6.66	make_cartesian_complex_number_region . . . . .	185
4.6.67	make_complex_number_literal . . . . .	185
4.6.68	make_constant_function . . . . .	186
4.6.69	make_cos_expression . . . . .	186
4.6.70	make_definite_integral_expression . . . . .	187
4.6.71	make_definite_integral_function . . . . .	187
4.6.72	make_elementary_function . . . . .	188
4.6.73	make_elementary_space . . . . .	188
4.6.74	make_environment . . . . .	189
4.6.75	make_expression_denoted_function . . . . .	189
4.6.76	make_extended_tuple_space . . . . .	190
4.6.77	make_finite_function . . . . .	190
4.6.78	make_finite_integer_interval . . . . .	191
4.6.79	make_finite_real_interval . . . . .	191
4.6.80	make_finite_space . . . . .	192
4.6.81	make_function_application . . . . .	192
4.6.82	make_function_space . . . . .	193
4.6.83	make_general_linear_function . . . . .	194
4.6.84	make_int_literal . . . . .	194
4.6.85	make_integer_interval_from_min . . . . .	195
4.6.86	make_listed_complex_number_data . . . . .	195
4.6.87	make_listed_data . . . . .	196
4.6.88	make_listed_integer_data . . . . .	196
4.6.89	make_listed_product_space . . . . .	197
4.6.90	make_listed_real_data . . . . .	197
4.6.91	make_logical_literal . . . . .	198
4.6.92	make_maths_enum_literal . . . . .	198
4.6.93	make_maths_real_variable . . . . .	199
4.6.94	make_maths_tuple_literal . . . . .	199
4.6.95	make_mult_expression . . . . .	200
4.6.96	make_parallel_composed_function . . . . .	200
4.6.97	make_partial_derivative_expression . . . . .	201
4.6.98	make_partial_derivative_function . . . . .	201
4.6.99	make_polar_complex_number_region . . . . .	202
4.6.100	make_rationalize_function . . . . .	202
4.6.101	make_real_interval_from_min . . . . .	203
4.6.102	make_real_interval_to_max . . . . .	203
4.6.103	make_real_literal . . . . .	204
4.6.104	make_regular_table_function . . . . .	204
4.6.105	make_reindexed_array_function . . . . .	205
4.6.106	make_repackaging_function . . . . .	205
4.6.107	make_selector_function . . . . .	206
4.6.108	make_series_composed_function . . . . .	207
4.6.109	make_sin_expression . . . . .	207
4.6.110	make_standard_table_function . . . . .	208
4.6.111	make_strict_triangular_matrix . . . . .	208
4.6.112	make_string_literal . . . . .	209
4.6.113	make_unary_minus_expression . . . . .	210
4.6.114	make_uniform_product_space . . . . .	210
4.6.115	max_exists . . . . .	211
4.6.116	max_included . . . . .	211
4.6.117	member_of . . . . .	212

4.6.118	min_exists . . . . .	217
4.6.119	min_included . . . . .	217
4.6.120	no_cyclic_domain_reference . . . . .	218
4.6.121	no_cyclic_space_reference . . . . .	219
4.6.122	nondecreasing . . . . .	220
4.6.123	number_superspace_of . . . . .	220
4.6.124	number_tuple_subspace_check . . . . .	221
4.6.125	one_tuples_of . . . . .	221
4.6.126	parallel_composed_function_composability_check . . . . .	222
4.6.127	parallel_composed_function_domain_check . . . . .	222
4.6.128	parse_express_identifier . . . . .	223
4.6.129	partial_derivative_check . . . . .	224
4.6.130	real_max . . . . .	225
4.6.131	real_min . . . . .	225
4.6.132	regular_indexing . . . . .	226
4.6.133	remove_first . . . . .	227
4.6.134	repackage . . . . .	227
4.6.135	shape_of_array . . . . .	228
4.6.136	simplify_function_application . . . . .	229
4.6.137	simplify_generic_expression . . . . .	243
4.6.138	simplify_maths_space . . . . .	249
4.6.139	simplify_maths_value . . . . .	250
4.6.140	singleton_member_of . . . . .	251
4.6.141	space_dimension . . . . .	252
4.6.142	space_is_continuum . . . . .	252
4.6.143	space_is_singleton . . . . .	253
4.6.144	stripped_typeof . . . . .	254
4.6.145	subspace_of . . . . .	254
4.6.146	subspace_of_es . . . . .	260
4.6.147	substitute . . . . .	261
4.6.148	values_space_of . . . . .	263
Annex A (normative) Short names of entities . . . . .		266
Annex B (normative) Information object registration . . . . .		269
Annex C (informative) Computer-interpretable listings . . . . .		270
Annex D (informative) EXPRESS-G diagrams . . . . .		271
Bibliography . . . . .		282
Index . . . . .		283

**Figures**

Figure 1	— Schema relationships of the mathematical_functions_schema . . . . .	xi
Figure D.1	— EXPRESS-G diagram of the mathematical_functions_schema (1 of 10) . . .	272
Figure D.2	— EXPRESS-G diagram of the mathematical_functions_schema (2 of 10) . . .	273
Figure D.3	— EXPRESS-G diagram of the mathematical_functions_schema (3 of 10) . . .	274
Figure D.4	— EXPRESS-G diagram of the mathematical_functions_schema (4 of 10) . . .	275
Figure D.5	— EXPRESS-G diagram of the mathematical_functions_schema (5 of 10) . . .	276
Figure D.6	— EXPRESS-G diagram of the mathematical_functions_schema (6 of 10) . . .	277



Figure D.7 — EXPRESS-G diagram of the mathematical\_functions\_schema (7 of 10) . . . 278  
 Figure D.8 — EXPRESS-G diagram of the mathematical\_functions\_schema (8 of 10) . . . 279  
 Figure D.9 — EXPRESS-G diagram of the mathematical\_functions\_schema (9 of 10) . . . 280  
 Figure D.10 — EXPRESS-G diagram of the mathematical\_functions\_schema (10 of 10) . . 281

**Tables**

Table 1 — Mathematical symbology . . . . . 6  
 Table 2 — Orderings indicated by ordering\_type . . . . . 23  
 Table A.1 — Short names of entities . . . . . 266

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO/DIS 10303-239

<https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ae27-4110-b740-77aa6139f058/iso-dis-10303-239>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10303-50 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC4, *Industrial data*.

This International Standard is organized as a series of parts, each published separately. The structure of this International Standard is described in ISO 10303-1.

Each part of this International Standard is a member of one of the following series: description methods, implementation methods, conformance testing methodology and framework, integrated generic resources, integrated application resources, application protocols, abstract test suites, application interpreted constructs, and application modules. This part is a member of the integrated generic resources series. The integrated generic resources and the integrated application resources specify a single conceptual product data model.

A complete list of parts of ISO 10303 is available from the Internet:

<http://www.nist.gov/sc4/editing/step/titles/>

Annexes A and B form a normative part of this part of ISO 10303. Annexes C and D are for information only.

## Introduction

ISO 10303 is an International Standard for the computer-interpretable representation of product information and for the exchange of product data. The objective is to provide a neutral mechanism capable of describing products throughout their life cycle. This mechanism is suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases, and as a basis for archiving.

This part of ISO 10303 is a member of the integrated resource series. This part of ISO 10303 specifies the **mathematical\_functions\_schema**.

This part of ISO 10303 specifies EXPRESS data representations for a large class of mathematical functions, expressions, and arrays. They are intended to be used to communicate product property data and related engineering analysis data. Familiarity with the branches of mathematics commonly used in engineering applications is assumed. The central concept is that mathematical functions and arrays are the abstract data objects of interest for expressing any property which requires more than a single number as a value, for describing deterministic relationships between properties, and for documenting behavioural responses of products to varying conditions.

The relationships of the schema in this part of ISO 10303 to other schemas that define the integrated resources of this International Standard are illustrated in Figure 1 using the EXPRESS-G notation. EXPRESS-G is defined in annex D of ISO 10303-11. The documents containing the specifications for these related schemas are identified in note 1 at the beginning of clause 4.




Figure 1 – Schema relationships of the **mathematical\_functions\_schema**



# Industrial automation systems and integration — Product data representation and exchange — Part 50 : Integrated generic resource: Mathematical constructs

## 1 Scope

This part of ISO 10303 specifies the resource constructs for the explicit representation of mathematical structures and data related to properties of a product.

The following are within the scope of this part of ISO 10303:

- multi-dimensional tables;
- mathematical expressions;
- mathematical functions;
- mathematical spaces.

The following are outside the scope of this part of ISO 10303:

- context of application;
- physical units;
- non-mathematical semantics.

## 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 10303. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 10303 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO/IEC 8824-1:1998, *Information technology — Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO 10303-1:1994, *Industrial automation systems and integration — Product data representation and exchange — Part 1: Overview and fundamental principles*

## ISO 10303-50:2002(E)

ISO 10303-11:1994, *Industrial automation systems and integration — Product data representation and exchange — Part 11: Description methods: The EXPRESS language reference manual*

ISO 10303-41:2000, *Industrial automation systems and integration — Product data representation and exchange — Part 41: Integrated generic resource: Fundamentals of product description and support*

ISO 10303-42:2000, *Industrial automation systems and integration — Product data representation and exchange — Part 42: Integrated generic resource: Geometric and topological representation*

ISO 13584-20:1998, *Industrial automation systems and integration — Parts Library — Part 20: Logical resource: Logical model of expressions*

## 3 Terms, definitions, and symbols

### 3.1 Terms defined in ISO 10303-1

For the purpose of this part of ISO 10303, the following terms defined in ISO 10303-1 apply:

— integrated resource

### 3.2 Other terms and definitions

For the purposes of this part of ISO 10303, the following definitions apply:

#### 3.2.1

##### **actual function domain**

mathematical space containing precisely the tuples of inputs to the function which are related to some tuple of outputs

NOTE See the definitions for “mathematical function” and “function domain”. See also 4.2.1 and 4.2.6.

#### 3.2.2

##### **actual function range**

mathematical space containing precisely the tuples of outputs from the function which are related to some tuple of inputs

NOTE See the definitions for “mathematical function” and “function range”. See also 4.2.1 and 4.2.6.

#### 3.2.3

##### **array function**

function whose domain is either a Cartesian product of finite intervals of integers or the one-tuples from such a Cartesian product

NOTE An element of such a domain is a subscript tuple. Evaluation of the function at such an element produces the “array entry” for that subscript tuple.

#### 3.2.4

##### **bound variable**

variable which has been specifically referenced by a quantifier in a quantifier expression

NOTE A bound variable is no longer available for substitution by a constant value. The semantics of the quantifier expression uses all possible values of the variable rather than one (perhaps undetermined) value.

EXAMPLE 1 The variable  $x$  in the statement  $\forall x(x = x)$ .

EXAMPLE 2 The variable  $x$  in the set declaration  $\{x | x^2 = x\}$ .

EXAMPLE 3 The variable  $x$  in the definite integral  $\int_1^2 \ln(x) dx$ .

EXAMPLE 4 The variable  $x$  in the function definition  $f(x) \equiv x + 2$ .

### 3.2.5

#### Cartesian product space

mathematical space consisting of all ordered tuples whose components are members of the corresponding factor spaces of the product

NOTE Some care must be taken to be explicit about which spaces are the factors entering into the Cartesian product. For example,  $R^3 \times R^3$  is the space of ordered pairs of ordered triples from space  $R$ , not the space of ordered sextuples from space  $R$ . When the factor spaces of the explicit factors are to be treated as the factor spaces of the Cartesian product, that is, the member tuples are to be concatenated rather than entupled, a subscript ‘ $a$ ’ (indicating the “associative” product) is appended to the Cartesian product symbol. Thus,  $R^3 \times_a R^3 \equiv R^6$ .

### 3.2.6

#### compatible spaces

mathematical spaces whose intersection is not determined to be empty by the algorithm represented by the EXPRESS function `compatible_spaces`

NOTE Two spaces are compatible if their intersection is not “obviously” empty. In practice, “obvious” is defined by what is detected by the algorithm. The purpose is to rule out some obvious nonsense while permitting ignorance.

### 3.2.7

#### computable function

mathematical function for which the relationship between tuples of inputs and tuples of outputs is expressible by means of an algorithm which takes the inputs and produces the related outputs

NOTE All the mathematical functions of interest in the intended applications of this part of ISO 10303 are computable. Nevertheless, the possibility of representing non-computable functions is not ruled out.

### 3.2.8

#### expression

language construct composed of constants, variables, operators, quantifiers, and grouping markers, organized in accordance with the language’s grammar and denoting some object in the domain of the language

### 3.2.9

#### free variable

variable which has not been bound by a quantifier in the expression in which it is used

NOTE A free variable denotes an undetermined member of some set of possible values. There is an implicit assumption that it may be substituted by any constant denoting one of those values.