

---

---

**Industrial automation systems and  
integration — Product data representation  
and exchange —**

Part 514:

**Application interpreted construct:  
Advanced boundary representation**

*Systèmes d'automatisation industrielle et intégration — Représentation  
et échange de données de produits —*

*Partie 514: Construction interprétée d'application: Représentation  
délimitée avancée*

<https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ae27-4110-b740-77aa6139f058/iso-dis-10303-239>



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[ISO/DIS 10303-239](https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ae27-4110-b740-77aa6139f058/iso-dis-10303-239)

<https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ae27-4110-b740-77aa6139f058/iso-dis-10303-239>

© ISO 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 734 10 79  
E-mail [copyright@iso.ch](mailto:copyright@iso.ch)  
Web [www.iso.ch](http://www.iso.ch)

Printed in Switzerland

<b>Contents</b>	<b>Page</b>
1 Scope . . . . .	1
2 Normative references . . . . .	2
3 Terms, definitions and abbreviations . . . . .	3
3.1 Terms defined in ISO 10303-1 . . . . .	3
3.2 Terms defined in ISO 10303-42 . . . . .	3
3.3 Terms defined in ISO 10303-202 . . . . .	4
3.4 Terms defined in ISO 10303-511 . . . . .	4
3.5 Other definitions . . . . .	4
3.6 Abbreviations . . . . .	5
4 EXPRESS short listing . . . . .	5
4.1 Fundamental concepts and assumptions . . . . .	6
4.2 aic_advanced_brep schema entity definition: advanced_brep_shape_representation . . . . .	8
Annex A (normative) Short names of entities . . . . .	11
Annex B (normative) Information object registration . . . . .	12
B.1 Document identification . . . . .	12
B.2 Schema identification . . . . .	12
Annex C (informative) Computer-interpretable listings . . . . .	13
Annex D (informative) EXPRESS-G diagrams . . . . .	14
Annex E (informative) AIC conformance requirements and test purposes . . . . .	23
Index . . . . .	24

## Figures

Figure D.1 aic_advanced_brep EXPRESS-G diagram, page 1 of 8 . . . . .	15
Figure D.2 aic_advanced_brep EXPRESS-G diagram, page 2 of 8 . . . . .	16

Figure D.3	aic_advanced_brep EXPRESS-G diagram, page 3 of 8 . . . . .	17
Figure D.4	aic_advanced_brep EXPRESS-G diagram, page 4 of 8 . . . . .	18
Figure D.5	aic_advanced_brep EXPRESS-G diagram, page 5 of 8 . . . . .	19
Figure D.6	aic_advanced_brep EXPRESS-G diagram, page 6 of 8 . . . . .	20
Figure D.7	aic_advanced_brep EXPRESS-G diagram, page 7 of 8 . . . . .	21
Figure D.8	aic_advanced_brep EXPRESS-G diagram, page 8 of 8 . . . . .	22

**Tables**

Table A.1	Short names of aic_advanced_brep entities . . . . .	11
-----------	---	----

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/DIS 10303-239](https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ac27-4110-b740-77aa6139f058/iso-dis-10303-239)

<https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ac27-4110-b740-77aa6139f058/iso-dis-10303-239>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

A complete list of parts of ISO 10303 is available from Internet:

<http://www.nist.gov/sc4/editing/step/titles/>

This part of ISO 10303 is a member of the application interpreted constructs series.

Annexes A and B form an integral part of this part of ISO 10303. Annexes C, D and E are for information only.

## Introduction

ISO 10303 is an International Standard for the computer-interpretable representation and exchange of product data. The objective is to provide a neutral mechanism capable of describing product data throughout the life cycle of a product independent from any particular system. The nature of this description makes it suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and archiving.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, generic resources, application interpreted constructs, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303-1. This part of ISO 10303 is a member of the application interpreted construct series.

An application interpreted construct (AIC) provides a logical grouping of interpreted constructs that supports a specific functionality for the usage of product data across multiple application contexts. An interpreted construct is a common interpretation of the integrated resources that supports shared information requirements among application protocols.

This part of ISO 10303 specifies the application interpreted construct for the definition of a boundary representation solid with explicit topology and elementary or free-form geometry. It specialises the generic constructs from ISO 10303-42 for the definition of manifold solid boundary representation models to ensure that such models are completely and unambiguously defined. The faces of the B-rep models defined in this AIC use the **advanced\_face** definition from ISO 10303-511.

---

# Industrial automation systems and integration — Product data representation and exchange — Part 514 : Application interpreted construct: Advanced boundary representation

## 1 Scope

The application interpreted construct defined in this part specifies the interpretation of the generic resources in order to satisfy the following requirements:

- For the definition of an advanced boundary representation model. An advanced B-rep model is a representation composed of one or more **manifold\_solid\_breps** each of which is defined with elementary geometry or sculptured geometry.
- For the definition of the unbounded geometry of curves and surfaces used in the definition of the faces of such a B-rep model.
- For the definition of the topological structure of a B-rep model. In particular all surfaces are bounded by defining an associated **advanced\_face** and all curves are bounded by reference from a topological **edge\_curve**.

This AIC is independent of any industrial application domain.

The following are within the scope of this part of ISO 10303:

- 3D geometry;
- B-reps;
- B-rep models;
- B-spline curves and surfaces;
- conics;
- elementary curves;
- elementary surfaces;
- geometric transformations;
- polylines;

- pcurves;
- sculptured surfaces;
- surface curves;
- swept surfaces;
- twisted curves;
- unbounded geometry;
- use of topology to bound geometric entities.

The following are outside the scope of this part of ISO 10303:

- 2D geometry other than for the definition of a pcurve in the parameter space of a surface;
- bounded curves other than polylines and B-spline curves;
- bounded surfaces other than B-spline surfaces;
- offset curves and surfaces.

## 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 10303. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 10303 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO/IEC 8824-1: 1995, *Information technology - Open systems interconnection - Abstract syntax notation one (ASN.1) Part 1 : Specification of basic notation*.

ISO 10303-1: 1994, *Industrial automation systems and integration - Product data representation and exchange - Part 1 : Overview and fundamental principles*.

ISO 10303-11: 1994, *Industrial automation systems and integration - Product data representation and exchange - Part 11 : Description methods: The EXPRESS language reference manual*.

ISO 10303-41: 1994, *Industrial automation systems and integration - Product data representation and exchange - Part 41 : Integrated generic resources: Fundamentals of product description and support*.



ISO 10303-42: 1994, *Industrial automation systems and integration - Product data representation and exchange - Part 42 : Integrated generic resources: Geometric and topological representation*.

ISO 10303-43: 1994, *Industrial automation systems and integration - Product data representation and exchange - Part 43 : Integrated generic resources: Representation structures*.

ISO 10303-202: 1995, *Industrial automation systems and integration - Product data representation and exchange - Part 202: Application protocol: Associative draughting*

ISO 10303-511: 1999, *Industrial automation systems and integration - Product data representation and exchange - Part 511: Application interpreted construct: topologically bounded surface*

### 3 Terms, definitions and abbreviations

#### 3.1 Terms defined in ISO 10303-1

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-1 apply.

- application; [ISO/DIS 10303-239](https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ac27-4110-b740-77aa6139f058/iso-dis-10303-239)
- application context; <https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ac27-4110-b740-77aa6139f058/iso-dis-10303-239>
- application protocol;
- implementation method;
- integrated resource;
- interpretation;
- product data;

#### 3.2 Terms defined in ISO 10303-42

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-42 apply.

- arcwise connected;
- axi-symmetric;
- boundary;
- boundary representation solid model (B-rep);

- bounds;
- coordinate space;
- curve;
- open curve;
- orientable;
- surface;
- topological sense.

### 3.3 Terms defined in ISO 10303-202

For the purposes of this part of ISO 10303, the following term defined in ISO 10303-202 applies.

#### 3.3.1

##### **application interpreted construct (AIC)**

a logical grouping of interpreted constructs that supports a specific functionality for the usage of product data across multiple application contexts.

### 3.4 Terms defined in ISO 10303-511

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-511 apply.

- advanced face
- sculptured surface
- swept surface
- twisted curve

### 3.5 Other definitions

#### 3.5.1

##### **advanced B-rep shape representation**

a shape representation made up of one or more manifold solid B-reps. Each constituent B-rep is required to have its faces and edges explicitly defined by elementary or free-form geometry.

### 3.5.2

#### manifold solid B-rep

an arcwise connected solid, represented by its boundary, such that, for a very small sphere, centred at any point on the boundary of the solid, the interior of the sphere is divided into precisely two regions. One of these regions is inside the solid, the other is outside.

## 3.6 Abbreviations

For the purposes of this part of ISO 10303, the following abbreviations apply.

AIC Application Interpreted Construct  
 AP Application Protocol  
 B-rep Boundary representation solid model

## 4 EXPRESS short listing

This clause specifies the EXPRESS schema that uses elements from the integrated resources and contains the types, entity specializations, and functions that are specific to this part of ISO 10303.

<https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ac27-4110-b740-77aa6139f058/iso-10303-514>

NOTE 1 There may be subtypes and items of select lists that appear in the integrated resources that are not imported into the AIC. Constructs are eliminated from the subtype tree or select list through the use of the implicit interface rules of ISO 10303-11. References to eliminated constructs are outside the scope of the AIC. In some cases, all items of the select list are eliminated. Because AICs are intended to be implemented in the context of an application protocol, the items of the select list will be defined by the scope of the application protocol.

NOTE 2 This AIC uses all the entities and types from the topology bounded surface AIC (**aic\_topologically\_bounded\_surface**). ISO 10303-511 should be referred to in order to obtain the complete data set.

#### EXPRESS specification:

```
*)
SCHEMA aic_advanced_brep;
  USE FROM aic_topologically_bounded_surface;

  USE FROM geometry_schema(cartesian_transformation_operator_3d);

  USE FROM geometric_model_schema
    (manifold_solid_brep,
     brep_with_voids);

REFERENCE FROM geometric_model_schema(msb_shells);

USE FROM topology_schema
```

```
(closed_shell,
  connected_face_set,
  oriented_closed_shell);
```

```
USE FROM representation_schema(mapped_item);
```

```
USE FROM product_property_representation_schema(shape_representation);
```

(\*

NOTE 3 The **connected\_face\_set** entity is explicitly interfaced (i.e. included in the USE FROM lists) to allow rules in the **advanced\_brep\_shape\_representation** entity to access attributes of this entity. For the use of this AIC this entity shall only be instantiated as one of its subtypes.

NOTE 4 The schemas referenced above can be found in the following parts of ISO 10303:

geometry_schema	ISO 10303-42
geometric_model_schema	ISO 10303-42
topology_schema	ISO 10303-42
representation_schema	ISO 10303-43
product_property_representation_schema	ISO 10303-41
aic_topologically_bounded_surface	ISO 10303-511

[ISO/DIS 10303-239](https://standards.iteh.ai/catalog/standards/sist/a06fe7b8-ac27-4110-b740-77aa6139f058/iso-10303-239)

## 4.1 Fundamental concepts and assumptions

The following entities<sup>1)</sup> are intended to be independently instantiated in the application protocol schemas that use this AIC:

- advanced\_face [511];
- axis2\_placement\_2d [511];
- axis2\_placement\_3d [511];
- brep\_with\_voids;
- bezier\_curve [511];
- bezier\_surface [511];
- b\_spline\_curve\_with\_knots [511];
- b\_spline\_surface\_with\_knots [511];
- cartesian\_point [511];

---

<sup>1)</sup>The entities marked [511] are defined in the **aic\_topologically\_bounded\_surface**