

INTERNATIONAL
STANDARD

ISO
17506

First edition
2022-03

**Industrial automation systems and
integration — COLLADA™ digital
asset schema specification for 3D
visualization of industrial data**

*Systèmes d'automatisation industrielle et intégration —
Spécifications du schéma des actifs numériques COLLADA™ pour la
visualisation 3D des données industrielles*

iTeh STANDARDS NOW
(standards.iteh.ai)

[ISO 17506:2022](#)

<https://standards.iteh.ai/catalog/standards/sist/b04b7846-c263-4b21-9ad3-52503e17d486/iso-17506-2022>



Reference number
ISO 17506:2022(E)

© ISO 2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 17506:2022](#)

<https://standards.iteh.ai/catalog/standards/sist/b04b7846-c263-4b21-9ad3-52503e17d486/iso-17506-2022>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	xi
Introduction.....	xii
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
3.1 Terms and definitions	2
3.2 Abbreviated terms.....	4
4 Notational conventions.....	5
4.1 Typographic conventions and notation.....	5
4.2 Notation and organization in the reference sections.....	5
4.2.1 Child element conventions.....	5
4.2.2 Child element order	6
5 COLLADA format.....	7
5.1 Design considerations.....	7
5.1.1 Introduction	7
5.1.2 Assumptions and dependencies	7
5.1.3 Goals and guidelines.....	7
5.2 Tool requirements and options.....	11
5.2.1 Introduction	11
5.2.2 Exporters.....	11
5.2.3 Importers.....	14
5.2.4 Archive packaging.....	15
5.3 Schema concepts.....	15
5.3.1 Introduction	15
5.3.2 XML overview.....	15
5.3.3 Address syntax.....	16
5.3.4 Instantiation and external referencing	19
5.3.5 The Common profile	21
5.3.6 Common profile elements	21
5.3.7 Example and discussion on techniques	22
5.3.8 Common glossary.....	22
5.4 Programming guideline.....	24
5.4.1 General.....	24
5.4.2 Parameters in COLLADA	24
5.4.3 Curve interpolation	25
5.4.4 Skin deformation (or skinning) in COLLADA	31
5.5 Core elements reference	33
5.5.1 General.....	33
5.5.2 Elements by category	34
5.5.3 accessor.....	38
5.5.4 ambient	44

5.5.5	animation	45
5.5.6	animation_clip	47
5.5.7	asset.....	49
5.5.8	bool_array	52
5.5.9	camera	53
5.5.10	channel.....	55
5.5.11	COLLADA	56
5.5.12	color.....	58
5.5.13	contributor.....	58
5.5.14	controller.....	59
5.5.15	control_vertices	61
5.5.16	directional	63
5.5.17	evaluate_scene.....	64
5.5.18	extra.....	65
5.5.19	float_array	67
5.5.20	formula.....	68
5.5.21	geographic_location	70
5.5.22	geometry.....	72
5.5.23	IDREF_array	74
5.5.24	imager	75
5.5.25	input (shared).....	77
5.5.26	input (unshared)	79
5.5.27	instance_animation	81
5.5.28	http://standards.iteh.ai/catalog/standards/sist/b04b7846-c263-4b21-9ad3-52503e17d486/iso-17506-2022	82
5.5.29	instance_controller	83
5.5.30	instance_formula.....	85
5.5.31	instance_geometry.....	87
5.5.32	instance_light.....	88
5.5.33	instance_node	90
5.5.34	instance_visual_scene.....	92
5.5.35	int_array.....	93
5.5.36	joints.....	94
5.5.37	library_animation_clips	95
5.5.38	library_animations.....	96
5.5.39	library_cameras	97
5.5.40	library_controllers.....	98
5.5.41	library_formulas	100
5.5.42	library_geometries.....	101
5.5.43	library_lights	102
5.5.44	library_nodes	103
5.5.45	library_visual_scenes	104
5.5.46	light	105
5.5.47	lines.....	107
5.5.48	linestrips	108

5.5.49	lookat.....	110
5.5.50	matrix.....	112
5.5.51	mesh	113
5.5.52	morph.....	115
5.5.53	Name_array.....	117
5.5.54	newparam	119
5.5.55	node	121
5.5.56	optics	123
5.5.57	orthographic.....	125
5.5.58	param (data flow)	126
5.5.59	param (reference).....	127
5.5.60	perspective	130
5.5.61	point.....	131
5.5.62	polygons.....	133
5.5.63	polylist.....	136
5.5.64	rotate.....	138
5.5.65	sampler.....	139
5.5.66	scale	146
5.5.67	scene.....	147
5.5.68	setparam.....	149
5.5.69	SIDREF_array	150
5.5.70	skeleton	151
5.5.71	skew.....	153
5.5.72	skins iteh.ai/catalog/standards/sist/b04b7846-c263-4b21-9ad3-52503e17d486/iso-17506-2022	154
5.5.73	source (Core)	158
5.5.74	spline.....	160
5.5.75	spot.....	161
5.5.76	targets	163
5.5.77	technique (Core).....	164
5.5.78	technique_common	165
5.5.79	Token_array.....	166
5.5.80	translate	167
5.5.81	triangles	168
5.5.82	trifans.....	170
5.5.83	tristrips.....	172
5.5.84	vertex_weights	173
5.5.85	vertices	175
5.5.86	visual_scene	176
5.6	Physics Reference	178
5.6.1	General.....	178
5.6.2	Elements by category	178
5.6.3	attachment.....	181
5.6.4	box.....	182
5.6.5	capsule.....	183

5.6.6	convex_mesh.....	184
5.6.7	cylinder.....	186
5.6.8	force_field.....	187
5.6.9	instance_force_field.....	188
5.6.10	instance_physics_material.....	189
5.6.11	instance_physics_model.....	190
5.6.12	instance_physics_scene.....	192
5.6.13	instance_rigid_body.....	193
5.6.14	instance_rigid_constraint.....	196
5.6.15	library_force_fields	198
5.6.16	library_physics_materials.....	199
5.6.17	library_physics_models	200
5.6.18	library_physics_scenes.....	201
5.6.19	physics_material.....	202
5.6.20	physics_model	204
5.6.21	physics_scene.....	206
5.6.22	plane.....	209
5.6.23	rigid_body.....	211
5.6.24	rigid_constraint.....	215
5.6.25	shape	220
5.6.26	sphere	222
5.7	Getting started with COLLADA FX.....	223
5.7.1	General	223
5.7.2	Using profiles for platform-specific effects	223
5.7.3	About parameters in COLLADA FX	227
5.7.4	Shaders.....	228
5.7.5	Rendering.....	228
5.7.6	Texturing	230
5.8	FX reference	232
5.8.1	General	232
5.8.2	Elements by category	232
5.8.3	About COLLADA FX	235
5.8.4	alpha	235
5.8.5	annotate	236
5.8.6	argument	237
5.8.7	array	239
5.8.8	binary	241
5.8.9	bind (FX)	242
5.8.10	bind_attribute	243
5.8.11	bind_material.....	244
5.8.12	bind_uniform.....	246
5.8.13	bind_vertex_input	248
5.8.14	blinn.....	250
5.8.15	code.....	252

5.8.16	color_clear	253
5.8.17	color_target.....	254
5.8.18	compiler	256
5.8.19	constant (FX).....	257
5.8.20	create_2d.....	259
5.8.21	create_3d.....	261
5.8.22	create_cube	263
5.8.23	depth_clear.....	265
5.8.24	depth_target	266
5.8.25	draw.....	268
5.8.26	effect.....	269
5.8.27	evaluate.....	271
5.8.28	format.....	273
5.8.29	fx_common_color_or_texture_type.....	275
5.8.30	fx_common_float_or_param_type	277
5.8.31	fx_sampler_common	278
5.8.32	image.....	282
5.8.33	include	284
5.8.34	init_from.....	285
5.8.35	instance_effect.....	287
5.8.36	instance_image	288
5.8.37	instance_material (geometry).....	290
5.8.38	instance_material (rendering).....	292
5.8.39	lambert.h ai/catalog/standards/sist/b04b7846-c263-4b21-9ad3-52503e17d486/iso-17506-2022.....	294
5.8.40	library_effects	296
5.8.41	library_images	297
5.8.42	library_materials	298
5.8.43	linker	299
5.8.44	material	300
5.8.45	modifier	302
5.8.46	pass	303
5.8.47	phong.....	305
5.8.48	profile_BRIDGE.....	307
5.8.49	profile_CG	309
5.8.50	profile_COMMON	311
5.8.51	profile_GLES	313
5.8.52	profile_GLES2.....	316
5.8.53	profile_GLSL.....	320
5.8.54	program.....	321
5.8.55	render	323
5.8.56	RGB.....	324
5.8.57	sampler1D.....	325
5.8.58	sampler2D.....	326
5.8.59	sampler3D.....	327

5.8.60	samplerCUBE	327
5.8.61	samplerDEPTH	328
5.8.62	samplerRECT	329
5.8.63	sampler_image	330
5.8.64	sampler_states	331
5.8.65	semantic	332
5.8.66	shader	333
5.8.67	sources	335
5.8.68	states	336
5.8.69	stencil_clear	342
5.8.70	stencil_target	343
5.8.71	technique (FX)	344
5.8.72	technique_hint	346
5.8.73	texcombiner	347
5.8.74	texenv	350
5.8.75	texture_pipeline	352
5.8.76	usertype	354
5.9	B-Rep Reference	355
5.9.1	General	355
5.9.2	Elements by category	356
5.9.3	About B-rep in COLLADA	357
5.9.4	brep	362
5.9.5	circle	364
5.9.6	cone	365
5.9.7	curve	367
5.9.8	curves	368
5.9.9	cylinder (B-Rep)	369
5.9.10	edges	370
5.9.11	ellipse	372
5.9.12	faces	373
5.9.13	hyperbola	375
5.9.14	line	376
5.9.15	nurbs	377
5.9.16	nurbs_surface	380
5.9.17	orient	382
5.9.18	origin	383
5.9.19	parabola	384
5.9.20	pcurves	385
5.9.21	shells	387
5.9.22	solids	389
5.9.23	surface	390
5.9.24	surfaces	392
5.9.25	surface_curves	393
5.9.26	swept_surface	394

5.9.27	torus.....	396
5.9.28	wires.....	397
5.9.29	Complete B-Rep example.....	399
5.10	Kinematics reference.....	409
5.10.1	General.....	409
5.10.2	Elements by Category.....	409
5.10.3	articulated_system.....	412
5.10.4	attachment_end.....	413
5.10.5	attachment_full.....	414
5.10.6	attachment_start.....	415
5.10.7	axis_info.....	417
5.10.8	bind (kinematics).....	420
5.10.9	bind_joint_axis.....	421
5.10.10	bind_kinematics_model	422
5.10.11	connect_param (kinematics).....	423
5.10.12	effector_info.....	424
5.10.13	frame_object, frame_origin, frame_tcp, frame_tip	426
5.10.14	instance_articulated_system.....	427
5.10.15	instance_joint.....	428
5.10.16	instance_kinematics_model	429
5.10.17	instance_kinematics_scene.....	431
5.10.18	joint.....	432
5.10.19	kinematics.....	434
5.10.20	kinematics_model	436
5.10.21	kinematics_scene.....	439
5.10.22	library_articulated_systems.....	440
5.10.23	library_joints	441
5.10.24	library_kinematics_models	442
5.10.25	library_kinematics_scenes.....	443
5.10.26	link.....	444
5.10.27	motion.....	446
5.10.28	prismatic.....	447
5.10.29	revolute	449
5.11	Types	450
5.11.1	General.....	450
5.11.2	Simple Value Types	450
5.11.3	Parameter-type elements	451
5.11.4	Other simple types.....	452
5.11.5	Value-or-param types.....	453
Annex A (informative) COLLADA example	454	
Annex B (informative) Profile GLSL and GLES2 examples	457	
B.1 Example: <profile-GLSL>	457	
B.2 Example: <profile-GLES2>	462	

Annex C (informative) Index of COLLADA elements.....	469
Bibliography.....	476

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 17506:2022](#)

<https://standards.iteh.ai/catalog/standards/sist/b04b7846-c263-4b21-9ad3-52503e17d486/iso-17506-2022>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 184, *Automation systems and integration*, Subcommittee SC 4, *Industrial data*.

This first edition cancels and replaces ISO/PAS 17506:2012, which has been technically revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document describes the COLLADA™¹ schema. COLLADA is a COLLABorative Design Activity that defines an XML-based schema to enable 3D authoring applications to freely exchange digital assets without loss of information, enabling multiple software packages to be combined into extremely powerful tool chains.

The purpose of this document is to provide a specification for the COLLADA schema in sufficient detail to enable software developers to create tools to process COLLADA resources. In particular, it is relevant to those who import to or export from digital content creation (DCC) applications, 3D interactive applications and tool chains, prototyping tools, real-time visualization applications such as those used in the video game and movie industries, and CAD tools.

This document covers the initial design and specifications of the COLLADA schema, as well as a minimal set of requirements for COLLADA exporters. A short example of a COLLADA instance document is presented in Annex A.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 17506:2022](#)

<https://standards.iteh.ai/catalog/standards/sist/b04b7846-c263-4b21-9ad3-52503e17d486/iso-17506-2022>

¹ COLLADA is the trademark of a product supplied by the Khronos Group Inc. (<http://khronos.org>) This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.

Industrial automation systems and integration — COLLADA™ digital asset schema specification for 3D visualization of industrial data

1 Scope

This document describes the COLLADA™ schema. COLLADA is a Collaborative Design Activity that defines an XML-based schema to enable 3D authoring applications to freely exchange digital assets without loss of information, enabling multiple software packages to be combined into extremely powerful tool chains.

The purpose of this document is to provide a specification for the COLLADA schema in sufficient detail to enable software developers to create tools to process COLLADA resources. In particular, it is relevant to those who import to or export from digital content creation (DCC) applications, 3D interactive applications and tool chains, prototyping tools, real-time visualization applications such as those used in the video game and movie industries, and CAD tools.

This document covers the initial design and specifications of the COLLADA schema, as well as a minimal set of requirements for COLLADA exporters.

This document covers the following information:

- initial design and specifications of the COLLADA schema;
- requirements of COLLADA tools and a minimal set of requirements for COLLADA exporters;
- detailed explanations for COLLADA programming;
- core elements that describe geometry, animation, skinning, assets, and scenes;
- physics model, visual effects (FX), boundary representation (B-rep) of animation, kinematics.

The document does not specify the implementation of, or definition of a run-time architecture for viewing or processing of COLLADA data.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

XML, Extensible Markup Language (XML) 1.0 (Fifth Edition), W3C Recommendation, 26 November 2008 [viewed 2020-09-01]. Available at <https://www.w3.org/TR/2008/REC-xml-20081126/>

XPath, XML Path Language (XPath) Version 1.0, W3C Recommendation, 16 November 1999 [viewed 2020-09-01]. Available at <https://www.w3.org/TR/1999/REC-xpath-19991116/>

XPointer, XML Pointer Language (XPointer) 1.0, W3C Recommendation, January 2001 [viewed 2020-09-01]. Available at <https://www.w3.org/TR/2001/WD-xptr-20010108/>

IETF RFC 3986, Uniform Resource Identifier (URI), January 2005 [viewed 2020-09-01]. Available at <https://datatracker.ietf.org/doc/html/rfc3986>

3 Terms and definitions

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1 **COLLADA** digital asset XML schema for 3D visualization (standards.iteh.ai)

Note 1 to entry: COLLADA is an abbreviation of Collaborative Design Activity.

3.1.2 **COLLADA document** **DAE file** file containing COLLADA XML elements that describe certain digital assets

3.1.3 **COLLADA schema** XML schema document that defines all valid COLLADA elements

3.1.4 **profile** <COLLADA> structure in which to gather effects information for a specific platform or environment

3.1.5 **instance** <COLLADA> occurrence of an object, the result of instantiating a copy or version of the object

3.1.6 **instance document** COLLADA document

3.1.7 **instantiation** creation of an instance of an object

3.1.8**node**

<COLLADA> point of information within a scene graph

Note 1 to entry: COLLADA uses node to refer to interior (branch) nodes rather than to exterior (leaf) nodes.

3.1.9**path**

<COLLADA> connection between nodes

3.1.10**shorthand pointer**

<COLLADA> value of the id attribute of an element in an instance document

Note 1 to entry: This is a URI fragment identifier that conforms to XPointer 1.0 syntax.

3.1.11**animation curve****function curve**

<COLLADA> 2D function defined by a set of key frames and the interpolation among them

3.1.12**effect scope****iTeh STANDARD PREVIEW**

<COLLADA> declaration space that is inside an <effect> element but not within any specific profile

(standards.iteh.ai)

3.1.13**FX runtime**

<COLLADA> library of code that handles the creation, use, and management of shaders, source code, parameters, and other effects properties

ISO 17506:2022
17506-2022

3.1.14**morph target**

<COLLADA> mesh that can be blended with other meshes

3.1.15**multiple render target****MRT**

<COLLADA> rendering to multiple drawing buffers simultaneously

3.1.16**scene graph**

<COLLADA> hierarchical structure of a scene represented

Note 1 to entry: scene graph is defined by the scene element contents in a COLLADA document.

Note 2 to entry: scene graph is a directed acyclic graph or tree data structure that contains nodes of visual information and related data.

3.1.17**tone mapping**

<COLLADA> combination of spectral sampling and dynamic range remapping which is performed as the last step of rendering.