



**SLOVENSKI STANDARD**  
**kSIST-TS FprCEN ISO/TS 24315-1:2025**  
**01-januar-2025**

---

**Inteligentni transportni sistem - Upravljanje elektronskih prometnih predpisov (METR) - 1. del: Slovar (ISO/DTS 24315-1:2024)**

Intelligent transport systems - Management of electronic traffic regulations (METR) - Part 1: Vocabulary (ISO/DTS 24315-1:2024)

Intelligente Verkehrssysteme - Management von elektronischen Verkehrsregularien - Teil 1: Vokabular (ISO/DTS 24315-1:2024)

Systèmes de transport intelligents - Gestion des règles de circulation sous forme électronique - Partie 1: Vocabulaire (ISO/DTS 24315-1:2024)

**Ta slovenski standard je istoveten z: FprCEN ISO/TS 24315-1**

[kSIST-TS FprCEN ISO/TS 24315-1:2025](https://standards.sist.net/standards/sist/05000000-0100-1002-0007-921207750100/kSIST-TS-FprCEN-ISO-TS-24315-1-2025)

**ICS:**

35.240.60      Uporabniške rešitve IT v      IT applications in transport  
                          prometu

**kSIST-TS FprCEN ISO/TS 24315-1:2025    en,fr,de**





# FINAL DRAFT

## Technical Specification

### ISO/DTS 24315-1

## Intelligent transport systems — Management of electronic traffic regulations (METR) —

### Part 1: Vocabulary

*Systèmes de transport intelligents — Gestion des règles de  
circulation sous forme électronique —*

*Partie 1: Vocabulaire*

ISO/TC 204

Secretariat: **ANSI**

Voting begins on:  
**2024-11-11**

Voting terminates on:  
**2025-02-03**

iTeh Standards  
(<https://standards.itih.ai>)  
Document Preview

[kSIST-TS FprCEN ISO/TS 24315-1:2025](https://standards.itih.ai/catalog/standards/sist/6300660b-ef8b-4b62-baa7-92f2e775c1a8/ksist-ts-fprcen-iso-ts-24315-1-2025)

<https://standards.itih.ai/catalog/standards/sist/6300660b-ef8b-4b62-baa7-92f2e775c1a8/ksist-ts-fprcen-iso-ts-24315-1-2025>

**ISO/CEN PARALLEL PROCESSING**

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

## ISO/DTS 24315-1:2024(en)

# iTeh Standards (<https://standards.iteh.ai>) Document Preview

[kSIST-TS FprCEN ISO/TS 24315-1:2025](https://standards.iteh.ai/catalog/standards/sist/6300660b-ef8b-4b62-baa7-92f2e775c1a8/ksist-ts-fprcen-iso-ts-24315-1-2025)

<https://standards.iteh.ai/catalog/standards/sist/6300660b-ef8b-4b62-baa7-92f2e775c1a8/ksist-ts-fprcen-iso-ts-24315-1-2025>



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

**ISO/DTS 24315-1:2024(en)****Contents**

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
3.1 Jurisdictional terms.....	1
3.2 Data terms.....	3
3.2.1 General data terms.....	3
3.2.2 Discrepancy state terms.....	5
3.2.3 Rule publication terms.....	6
3.2.4 Rule state terms.....	6
3.2.5 METR information state terms.....	8
3.2.6 Rule representation terms.....	8
3.2.7 Rule announcement terms.....	9
3.2.8 Rule projected longevity terms.....	9
3.2.9 Rule terms related to supporting data.....	9
3.2.10 Rule relevancy terms.....	10
3.2.11 Distribution terms.....	10
3.3 METR architectural terms.....	11
3.3.1 METR role terms.....	11
3.3.2 METR system terms.....	16
3.3.3 METR services.....	17
3.3.4 METR user terms.....	18
3.4 Transport terms.....	18
3.5 Trustworthiness terms.....	19
<b>Bibliography</b> .....	<b>21</b>
<b>Index</b> .....	<b>22</b>

[kSIST-TS FprCEN ISO/TS 24315-1:2025](https://standards.iteh.ai/catalog/standards/sist/6300660b-ef8b-4b62-baa7-92f2e775c1a8/ksist-ts-fprcen-iso-ts-24315-1-2025)

<https://standards.iteh.ai/catalog/standards/sist/6300660b-ef8b-4b62-baa7-92f2e775c1a8/ksist-ts-fprcen-iso-ts-24315-1-2025>

## ISO/DTS 24315-1:2024(en)

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents). ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 278, *Intelligent transport systems*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

A list of all parts in the ISO 24315 series can be found on the ISO website.


Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## ISO/DTS 24315-1:2024(en)

### Introduction

#### 0.1 System overview

The ISO 24315 series on the management of electronic traffic regulations (METR) is intended to provide users access to geo-specific, trustworthy, timely, authoritative and machine-interpretable rules relating to traffic and transport, enacted by jurisdictional entities, including those who define rules for campuses (i.e. private grounds). This is conceptually shown in [Figure 1](#).



**Figure 1 — METR concept**

#### 0.2 Purpose

METR is designed to assist developers and manufacturers of driving automation systems (i.e. automation Levels 1-5) and driver information systems (including those at automation Level 0) to electronically obtain traffic rules to better enable them in:


- a) interacting safely with other road users;
- b) following instructions from law enforcement organizations and those authorized to direct traffic;
- c) maintaining smooth and safe flow of traffic; and
- d) complying with other rules enacted to support legislative policies (such as environmental protection, noise, height and weight restrictions, and societal aspects such as market days, fiestas, pedestrian zones, etc.).<sup>[1]</sup>

METR is designed to provide a reference framework for the trustworthy distribution of electronic versions of legal traffic rules. The content and application of these traffic rules is outside of the scope of standards and specifications on METR.

#### 0.3 Flow of information

The general flow of METR information is illustrated in [Figure 2](#) and is described below the figure.

## ISO/DTS 24315-1:2024(en)



**Figure 2 — METR flow of information**


- METR starts with rule makers defining and enacting rules that are relevant to transport users.
- Each legal rule is translated into a METR rule, which is a secure, standardized electronic representation that includes a digital signature of the rule signing organization.
- METR rules are collected for a geographic area(s) and specific scope(s).
- Rules are distributed to METR users based on their needs.
- METR users become aware of the METR rules, verify their authenticity and respond appropriately.
- As needed, METR users can submit discrepancy reports to a discrepancy handler for investigation and correction.

#### 0.4 Graphical overview

[Figure 3](#) provides an overview of the data and devices included within the scope of the METR environment.



ISO/DTS 24315-1:2024(en)



Key




- A freight rules
- B kerbside usage rules
- C ride sharing rules
- D micromobility rules
- E VRU rules
- F public transport rules
- G rules for automated driving systems
- H driving rules
- I lane use rules
- J public-area mobile robot rules
- K road work rules
- L pre-announced rules with subset of emergent rules and/or supporting data
- M emergent rules and/or supporting data
-  various communications and networks infrastructure
-  roadside communication unit
-  METR user system

Figure 3 — METR streetscape

0.5 Rule distribution

Electronic traffic rules and their distribution have three orthogonal characteristics that are often confused with one another.

- a) Electronic rules can be pre-announced (i.e. known and publicized well in advance of the user's need) or emergent (i.e. publicized and needed while previously obtained pre-announced rules are still considered fresh).

## ISO/DTS 24315-1:2024(en)

- b) Electronic rules can be distributed through a wide-area distribution mechanism or a local distribution mechanism.
- c) Electronic rules can be pulled by users well in advance of their need or pushed to users as special conditions necessitate.

It is expected that the characteristics of METR users and the limitations on data capacities for local distribution mechanisms will lead to virtually all persistent rules being pre-announced and distributed from a wide-area distribution source, likely using a pull mechanism. However, any emergent rule that is activated while previously distributed pre-announced rules are still considered fresh will require a push mechanism, often from a local distribution source.


These two combinations are typical use cases only. METR supports every possible combination of characteristics a) – c) and addresses how discrepancies can be reported and resolved.

In addition, supporting data may provide context to the rules and can be transmitted by wide-area communication systems, roadside units, other vehicles or on-board devices.

The rules cover virtually any rule related to surface transport systems; [Figure 3](#) depicts rules for freight vehicles, kerbside usage, ride sharing, micromobility operations, vulnerable road users (VRUs), public transport usage, driving (i.e. human-in-the-loop, including driver support systems, which represent Levels 1 – 2 of automation), automated driving systems (ADS, i.e. Levels 3 – 5 of automation), lane usage, public-area mobile robots (PMRs), and road works. This information needs to be available and conveyed to all transport users including nomadic devices, PMRs and vehicles equipped with driving automation systems (i.e. Levels 1 – 5 of automation). Although not shown in [Figure 3](#), METR is also intended to be flexible enough to support rules relating to the use of ferries, passenger rail (e.g. trams, subways, and inter-city rail) and off-road environments.

### 0.6 Framework adaptation

METR is defined through the ISO 24315 series, which provides a comprehensive framework for the interoperable digitalization, distribution and management of electronic traffic regulations. Within the ISO 24315 series, this framework will be defined at a relatively high level and will support both regional adaptation and customization, as well as the use of legacy protocols and data formats, as depicted in [Figure 4](#).



**Figure 4 — METR three-tier framework**

## ISO/DTS 24315-1:2024(en)

- a) Global standards: ISO documents are developed to address global stakeholder needs. Other international organizations (e.g. UNECE) also play a role in standards development and implementation policies. The first edition of the ISO 24315 series provides a framework based on the ISO-specified systems engineering methodology, as defined by ISO/IEC/IEEE 29148. It consists of a Vocabulary, a concept of operations, a reference architecture and requirements for the METR system of systems (SoS). Subsequent documents in the ISO 24315 series will define requirements for each component system within the METR SoS and other requirements common to all component systems. The ISO 24315 series will promote semantic interoperability, but will need to be interpreted and adapted for regional use to provide complete interoperability (i.e. including syntactic interoperability).
- b) Regional interoperability: Each region (e.g. EU, Japan, Republic of Korea) may extend and adapt the ISO 24315 series based on their specific needs and environment to provide cross-border interoperability within their region. The METR reference architecture is refined to provide regional implementation guidance. For example, in Europe, METR can eventually become part of the National Access point (NAP). Furthermore, legacy data formats including TN-ITS,<sup>[3]</sup> DATEX-II,<sup>[4]</sup> TPEG2,<sup>[5]</sup> TransModel,<sup>[6]</sup> TMDD,<sup>[7]</sup> and WZDx<sup>[8]</sup> can be refined to support METR requirements or used as-is to deliver METR information to the extent that the data can be supported (i.e. non-METR distribution). The preferred solution is to update these formats to conform to the full set of METR trustworthiness requirements (i.e. the whole ISO 24315 series).
- c) National and local policies: Translating and adapting global standards and regional interoperability agreements is achieved at the national level and can even be handled at local levels. Operations, funding and governance are determined nationally, locally, or both. Legal implications of electronic rules provided through METR shall be defined nationally or locally. Many locations are starting this digitalization of the rules at an informative supplemental level, rather than as regulatory.

### 0.7 Document overview

The purpose of this document is to define METR-specific terms used throughout the ISO 24315 series. This document has been prepared according to the rules set forth in ISO 704.

This document has been developed by ISO/TC 204, *Intelligent transport systems*, in coordination with many experts from countries around the world. It is designed to be sufficiently generic to be used as an international standard applicable to any national or regional authority that wishes to adopt its processes.

System developers and system operators within authorities that adopt the METR model are advised to become familiar with this document and use it as their guide in operations.

For additional terms relevant to the ITS domain, which can help in the understanding of this document, see ISO/TS 14812 and ISO/IEC/IEEE 24765.