



SLOVENSKI STANDARD
SIST-TS ISO/TS 19303-1:2021

01-julij-2021

Grafična tehnologija - Smernice za zapisovalce shem - 1. del: Tiskanje embalaže

Graphic technology - Guidelines for schema writers - Part 1: Packaging printing

Technologie graphique -- Lignes directrices pour les auteurs de schémas

Ta slovenski standard je istoveten z: ISO/TS 19303-1:2020

[SIST-TS ISO/TS 19303-1:2021](https://standards.iteh.ai/catalog/standards/sist/e40407b-6430-41eb-9eeb-3fc77846249a/sist-ts-iso-ts-19303-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/e40407b-6430-41eb-9eeb-3fc77846249a/sist-ts-iso-ts-19303-1-2021>

ICS:

37.100.01	Grafična tehnologija na splošno	Graphic technology in general
55.020	Pakiranje in distribucija blaga na splošno	Packaging and distribution of goods in general

SIST-TS ISO/TS 19303-1:2021

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS ISO/TS 19303-1:2021](https://standards.iteh.ai/catalog/standards/sist/e40407b-6430-41eb-9eeb-3fc77846249a/sist-ts-iso-ts-19303-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/e40407b-6430-41eb-9eeb-3fc77846249a/sist-ts-iso-ts-19303-1-2021>

TECHNICAL
SPECIFICATION

ISO/TS
19303-1

First edition
2020-09

**Graphic technology — Guidelines for
schema writers —**

**Part 1:
Packaging printing**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS ISO/TS 19303-1:2021](https://standards.iteh.ai/catalog/standards/sist/e40407b-6430-41eb-9eeb-3fc77846249a/sist-ts-iso-ts-19303-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/e40407b-6430-41eb-9eeb-3fc77846249a/sist-ts-iso-ts-19303-1-2021>



Reference number
ISO/TS 19303-1:2020(E)

© ISO 2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST-TS ISO/TS 19303-1:2021](https://standards.iteh.ai/catalog/standards/sist/ef40407b-6430-41eb-9ceb-3fc77846249a/sist-ts-iso-ts-19303-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/ef40407b-6430-41eb-9ceb-3fc77846249a/sist-ts-iso-ts-19303-1-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principles	3
4.1 General.....	3
4.2 Example of guidelines associated with specific tasks.....	4
4.3 Consumer product company (CPC).....	4
4.4 Designer, comp house and photographer.....	5
4.5 Pre-media.....	5
4.6 Printer.....	5
4.7 Reporting by printer or converter.....	6
5 Basic support guidelines	7
5.1 Applicable printing standard examples.....	7
5.2 Colour definition.....	7
5.2.1 Digital file format.....	7
5.3 Colour reproduction.....	7
5.4 Incoming material verification.....	8
5.5 Colour conformity.....	8
6 Additional applicable standards	9
6.1 Measuring conditions and special metamerism index.....	9
6.2 Viewing, illumination and visual sensory assessment.....	11
6.2.1 General.....	11
6.2.2 Printing conformity assessment requirements.....	12
Annex A (informative) Flexography — Specifics	15
Annex B (informative) Gravure — Specifics	19
Annex C (informative) Offset — Specifics (Example)	24
Annex D (informative) Packaging digital specifications	26
Bibliography	30

ISO/TS 19303-1:2020(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 130, *Graphic technology*.

A list of all parts in the ISO 19303 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Packaging brand owners and procurement teams are experts in their products and are often not experts in printing technology. This document is intended to be used as a tool to develop global and technically consistent requirements by, for example, certification bodies certifying packaging, national certification groups, trade associations, or brand owners to communicate their expectations throughout the supply chain.

This document recognizes a set of best practices and International Standards related to packaging printing. This document points to those International Standards to align requirements defined inside schemes used in certification programs. See the Bibliography for the list of these International Standards. Packaging and packaging graphics have a significant influence on the consumer buying decision. The packaging printing industry is made up of a large supply chain with many workflows, which produce a variety of printed products.

To ensure tone and colour reproduction quality, many ISO TC 130 standards specify the aims and tolerances that are necessary for the implementation of colour-managed workflows. Even though technical standards specify aims and tolerances, the printer's ability to demonstrate conformity of his production workflow to these standards is both a technical issue and a conformity assessment issue.

The packaging printing industry has unique technical and conformity assessment requirements that are common to its stakeholders.

Certification schemes are developed by certification bodies, such as national certification groups, trade associations, or brand owners, to address market needs. They are regional, workflow-dependent, and with varying technical requirements. This document provides technical and conformity assessment to allow that the various certifications are based on common principles and are comparable. As such, this document enables the individual organizations to more readily agree to mutual recognition of the certifications of other bodies as well as enable international trade organizations to identify comparable competencies on a worldwide basis.

This document provides a framework for typical packaging printing workflow, either using CMYK, CMYK with spot colour, non-CMYK, spot colour only, and multi-colour printing. It also provides a corpus of International Standards, including aims, tolerances, and test methods, applicable at each stage of packaging printing workflow. In addition, supply chain communication guidelines and process-dependent checklists are also included in this document.

This document is also intended to aid the following stakeholders in understanding packaging printing conformity assessment at an international level.

- Print buyers and brand owners
- Printing associations
- Printing organizations
- Printing production personnel
- Printing equipment manufacturers and suppliers
- Printing professionals, including auditors, consultants, etc.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS ISO/TS 19303-1:2021](https://standards.iteh.ai/catalog/standards/sist/ef40407b-6430-41eb-9eeb-3fc77846249a/sist-ts-iso-ts-19303-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/ef40407b-6430-41eb-9eeb-3fc77846249a/sist-ts-iso-ts-19303-1-2021>

Graphic technology — Guidelines for schema writers —

Part 1: Packaging printing

1 Scope

This document provides recommended guidelines for the evaluation of colour reproduction capability in the printing of packaging materials. It provides a basis for the development of colour certification schemes by individual brand owners and/or industry associations and for the evaluation of printed results against those schemes.

Because the package printing supply chain involves multiple partners, both the potential impact of each partner on the overall colour control and the individual responsibilities of each partner are identified in this document. The unique requirements of the individual reproduction processes and their impact on colour reproduction are also identified.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19302, *Graphic technology — Colour conformity of printing workflows*
<https://standards.iteh.ai/catalog/standards/sist/c40407b-6430-41eb-9ceb-3fc77846249a/sist-ts-iso-ts-19303-1-2021>

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 19302 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

actual printing condition

APC

condition of the actual system printing the job defined by colourimetric and/or densitometric parameters

3.2

comp

proof formed to the shape of the final product Note 1 to entry: It is also called mock up.

3.3

certificate of conformance

CoC

document that certifies that the supplied services or goods meet the required specifications

Note 1 to entry: The CoC is normally issued by a recognized authority and is also known as a certificate of compliance.

ISO/TS 19303-1:2020(E)

3.4 certificate of analysis CoA

document that provides all the required specification and test results about a particular material, including a description of the test or examination method(s) used, limits of the test or examinations and actual results of the tests or examinations, to demonstrate that the requirements of the end user/customer are met

3.5 consumer product company CPC

company that delivers merchandise or other item of common or daily use, ordinarily bought by individuals or households for private consumption

3.6 device colour

colour designed to be printed using a specific devices process inks

Note 1 to entry: Device colour is typically used to define device specific values that allow reproduction of a spot or brand colour using only process inks, not spot inks

3.7 pre-media

part of the printing or publishing process preceding preparation of a printing plate

3.8 print buyer

organization, individual or group of individuals that prepares data for printing and delivers digital materials to the *print service provider* (3.9)

Note 1 to entry: The print buyer may be the distributor of digital files, the designer, a consumer products company or a trade shop.

3.9 print service provider

organization, individual or group of individuals that receives the files and is responsible for print product delivery

Note 1 to entry: The print service provider may be a prepress company, a printer or a converter.

3.10 process colour

colour that is the outcome of a colour separation operation

Note 1 to entry: A process colour typically requires one or more printing units and process inks to be reproduced.

3.11 process ink

ink that is used to print *process colours* (3.10)

3.12 characterized reference printing condition CRPC

identified printing condition and its colour characterization data that is used as the aim for a particular printing task (job)

[SOURCE: ISO/PAS 15339-1:2015, 3.4]

3.13 special effect

object inside a PDF that has an impact on colour but is not defined as an ink (for example a varnish) or any non-printed element that should be processed specifically (for example by a cutting line)

3.14**special metamerism index**

extent to which colour matching changes with a change of illuminant

[SOURCE: CIE Publication 15]

3.15**spot colour**

colour originally designed to be printed using one printing unit and a spot ink

Note 1 to entry: When associated with a corporate product identity, a spot colour is also known as brand colour.

Note 2 to entry: Spot colours are sometimes replicated with process colours or extended process colours.

3.16**spot ink**

ink that is primarily used to print a *spot colour* (3.15)

Note 1 to entry: A spot ink may replace or be mixed with process inks to achieve a desired gamut.

3.17**system qualification**

assessment operations used to qualify the ability of a print device or a printing process to reproduce a defined colour data set

Note 1 to entry: This qualification is also named “extended scrutiny”, because it cannot usually be performed by producers during production as it requires specific testing conditions and protocols.

3.18**total indicated runout****TIR**

measure of the out-of-roundness of a printing press roller or cylinder

Note 1 to entry: The difference in the lengths of a roller's radius as measured from the centre to the outside surface. A perfectly round roller would have zero TIR.

4 Principles**4.1 General**

The printing of packaging is the most diverse and complicated of any of the many segments of the printing industry. It makes use of any (and all) of the marking technologies available, both analogue and digital, and can use virtually any material as a substrate. The key participants in the packaging workflow are the consumer products companies, the design firms that support them and finally the printer that produces the packaging product. This document provides a collection of packaging industry best practices that may be used as a source for the any stakeholder to build a certification scheme.

While each individual package printed should meet the individual specifications associated with its design, the most important issue is related to the methods used to specify the intended colour appearance of the final product, the exchange of the data necessary for that to be accomplished, and finally the procedures for evaluation of the printed product against the specified aims.

This is often further complicated by the requirement that products printed on different substrates or by different processes may be expected to match colourimetrically.

Certification schemes may be established by any individual consumer product company, groups of consumer product companies, trade associations, or national certification bodies. These guidelines are based on an understanding of the typical workflow, the standards available, and the perceived needs of the industry. It is anticipated that the use of these guidelines will facilitate a commonality between the various schemas prepared.

ISO/TS 19303-1:2020(E)

It is expected that each of the participants associated with the application of a specific schema will demonstrate their ability to conform to the requirements of the schema both during a specific performance evaluation and on an ongoing basis.

[Clause 4](#) describes the guidelines for each of the various tasks in the workflow. Individual schemas may involve some or all of these guidelines, depending on the specifics of the application for which the schema is intended. Subclause [4.2](#) describes the basic support requirements that all participants may be expected to meet. Subclause [4.3](#) provides guidance on the definition of the intended colours to be printed and [4.4](#) describes the encoding of both content data and colour data in the digital file.

Subclause [4.5](#) covers proofing requirements that may be required. Subclause [4.7](#) provides for incoming material verification and the printing itself is defined in [4.6](#)

While individual printing processes are expected to produce results that meet common requirements, it is recognized that each process has specific unique requirements and/or options. These are described in [Annexes A to D](#).

4.2 Example of guidelines associated with specific tasks

Each partner in the supply chain has responsibilities to provide one or two communications from the CPC through the supply chain; the base responsibilities for each partner are examples of responsibilities. These requirements should be complied to across multiple CPC's and supply chain partners in order to provide communication across all partners. Subclauses [4.3](#) to [4.7](#) define a schema and deliverables from each partner in the supply chain so that deliverables are aligned.

4.3 Consumer product company (CPC)

The consumer product company (CPC) should define:

- viewing conditions according to ISO 3664; <https://standards.iteh.ai/catalog/standards/sist/ef40407b-6430-41eb-9eeb-10c9e219a10a/iso-3664-2018>
- instrument and settings for measurement verification conforming with ISO 13655;
- specification of aims and tolerances;
- CMYK – aims ICC profile or characterization data;
- spot or brand colours – CxF/X-4 or CxF/X-1 with spectral reflectance;
- minimum size and type of acceptable defect;
- registration – requirements;
- design guide – overview of objectives;
- structural requirements;
- print sequence – (creating an overprint simulation profile);
- die lines indications;
- minimum requirements for print and reporting;
- certificate of analysis (CoA) and certificate of conformance (CoC) testing requirements and reporting requirements;
- standard operating procedure (SOP), documenting all procedures and equipment upgrades.