



SLOVENSKI STANDARD
oSIST prEN ISO 18589-2:2024
01-maj-2024

Merjenje radioaktivnosti v okolju - Tla - 2. del: Navodila za izbiro strategije vzorčenja, vzorčenje in predobdelavo vzorcev (ISO 18589-2:2022)

Measurement of radioactivity in the environment - Soil - Part 2: Guidance for the selection of the sampling strategy, sampling and pre-treatment of samples (ISO 18589-2:2022)

iTeh Standards

Mesurage de la radioactivité dans l'environnement - Sol - Partie 2: Lignes directrices pour la sélection de la stratégie d'échantillonnage, l'échantillonnage et le prétraitement des échantillons (ISO 18589-2:2022)

Ta slovenski standard je istoveten z: prEN ISO 18589-2

<https://standards.iteh.ai/catalog/standards/sist/4dc4f3f9-07b2-4011-808f-6667fc82e52f/osist-pren-iso-18589-2-2024>

ICS:

13.080.01	Kakovost tal in pedologija na splošno	Soil quality and pedology in general
17.240	Merjenje sevanja	Radiation measurements

oSIST prEN ISO 18589-2:2024 **en,fr,de**

INTERNATIONAL STANDARD

ISO 18589-2

Third edition
2022-12

Measurement of radioactivity in the environment — Soil —

Part 2: Guidance for the selection of the sampling strategy, sampling and pre- treatment of samples

*Mesurage de la radioactivité dans l'environnement — Sol —
Partie 2: Lignes directrices pour la sélection de la stratégie
d'échantillonnage, l'échantillonnage et le prétraitement des
échantillons*

Document Preview

[oSIST prEN ISO 18589-2:2024](https://standards.iteh.ai/catalog/standards/sist/4dc4f3f9-07b2-4011-808f-6667fc82e52f/osist-pren-iso-18589-2-2024)

<https://standards.iteh.ai/catalog/standards/sist/4dc4f3f9-07b2-4011-808f-6667fc82e52f/osist-pren-iso-18589-2-2024>



Reference number
ISO 18589-2:2022(E)

© ISO 2022

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN ISO 18589-2:2024](https://standards.iteh.ai/catalog/standards/sist/4dc4f3f9-07b2-4011-808f-6667fc82e52f/osist-pren-iso-18589-2-2024)

<https://standards.iteh.ai/catalog/standards/sist/4dc4f3f9-07b2-4011-808f-6667fc82e52f/osist-pren-iso-18589-2-2024>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Symbols.....	2
5 Principle.....	2
6 Sampling strategy.....	4
6.1 General.....	4
6.2 Initial investigation.....	4
6.3 Types of sampling strategies.....	4
6.4 Selection of the sampling strategy.....	4
7 Sampling plan.....	5
7.1 General.....	5
7.2 Selection of sampling areas, units, and points.....	6
7.2.1 General.....	6
7.2.2 Sampling for use with a probabilistic strategy.....	6
7.2.3 Sampling for use with an orientated strategy.....	6
7.2.4 Selection criteria of sampling areas and sampling units.....	7
7.3 Identification of sampling areas, units, and points.....	7
7.4 Selection of field equipment.....	8
8 Sampling process.....	8
8.1 General.....	8
8.2 Collection of samples.....	9
8.2.1 Selection of sampling depth versus objectives of the study.....	9
8.2.2 Sampling surface soil.....	11
8.2.3 Sampling soil profile.....	12
8.3 Preparation of the sorted sample.....	13
8.4 Identification and packaging of samples.....	14
8.4.1 General.....	14
8.4.2 Sample identification.....	14
8.4.3 Sample sheet.....	14
8.5 Transport and storage of samples.....	15
9 Pre-treatment of samples.....	15
9.1 Principle.....	15
9.2 Laboratory equipment.....	15
9.3 Procedure.....	16
10 Determination of the activity deposited onto the soil.....	17
10.1 General.....	17
10.2 Determination using surface activity data.....	17
10.3 Determination by integration of soil profile activity data.....	18
11 Recorded information.....	18
Annex A (informative) Diagram of the selection of the sampling strategy according to the objectives and the radiological characterization of the site and sampling areas.....	19
Annex B (informative) Diagram of the evolution of the sample characteristics from the sampling site to the laboratory.....	20
Annex C (informative) Example of sampling plan for a site divided in three sampling areas (A, B, C).....	21

ISO 18589-2:2022(E)

Annex D (informative) Example of a sampling record for a single/composite sample	23
Annex E (informative) Example for a sample record for a soil profile with soil description	25
Bibliography	27

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[oSIST prEN ISO 18589-2:2024](https://standards.iteh.ai/catalog/standards/sist/4dc4f3f9-07b2-4011-808f-6667fc82e52f/osist-pren-iso-18589-2-2024)

<https://standards.iteh.ai/catalog/standards/sist/4dc4f3f9-07b2-4011-808f-6667fc82e52f/osist-pren-iso-18589-2-2024>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 85, *Nuclear energy, nuclear technologies, and radiological protection*, Subcommittee SC 2, *Radiological protection*.

This third edition cancels and replaces the second edition (ISO 18589-2:2015), which has been technically revised.

The main change is as follows:

- the review of the introduction according to the generic introduction adopted for the standards published on the radioactivity measurement in the environment.

A list of all parts in the ISO 18589 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html

ISO 18589-2:2022(E)

Introduction

Everyone is exposed to natural radiation. The natural sources of radiation are cosmic rays and naturally occurring radioactive substances which exist in the earth, flora and fauna, including the human body. Human activities involving the use of radiation and radioactive substances add to the radiation exposure from this natural exposure. Some of those activities, such as the mining and use of ores containing naturally-occurring radioactive materials (NORM) and the production of energy by burning coal that contains such substances, simply enhance the exposure from natural radiation sources. Nuclear power plants and other nuclear installations use radioactive materials and produce radioactive effluent and waste during operation and decommissioning. The use of radioactive materials in industry, agriculture and research is expanding around the globe.

All these human activities give rise to radiation exposures that are only a small fraction of the global average level of natural exposure. The medical use of radiation is the largest and a growing man-made source of radiation exposure in developed countries. It includes diagnostic radiology, radiotherapy, nuclear medicine and interventional radiology.

Radiation exposure also occurs as a result of occupational activities. It is incurred by workers in industry, medicine and research using radiation or radioactive substances, as well as by crew during air travel. The average level of occupational exposures is generally similar to the global average level of natural radiation exposure (see Reference [1]).

As uses of radiation increase, so do the potential health risk and the public's concerns. Thus, all these exposures are regularly assessed in order to

- improve the understanding of global levels and temporal trends of public and worker exposure,
- evaluate the components of exposure so as to provide a measure of their relative importance, and
- identify emerging issues that may warrant more attention and study.

While doses to workers are mostly directly measured, doses to the public are usually assessed by indirect methods using the results of radioactivity measurements of waste, effluent and/or environmental samples.

To ensure that the data obtained from radioactivity monitoring programs support their intended use, it is essential that the stakeholders (for example nuclear site operators, regulatory and local authorities) agree on appropriate methods and procedures for obtaining representative samples and for handling, storing, preparing and measuring the test samples. An assessment of the overall measurement uncertainty also needs to be carried out systematically. As reliable, comparable and 'fit for purpose' data are an essential requirement for any public health decision based on radioactivity measurements, international standards of tested and validated radionuclide test methods are an important tool for the production of such measurement results. The application of standards serves also to guarantee comparability of the test results over time and between different testing laboratories. Laboratories apply them to demonstrate their technical competences and to complete proficiency tests successfully during interlaboratory comparisons, two prerequisites for obtaining national accreditation.

Today, over a hundred International Standards are available to testing laboratories for measuring radionuclides in different matrices.

Generic standards help testing laboratories to manage the measurement process by setting out the general requirements and methods to calibrate equipment and validate techniques. These standards underpin specific standards which describe the test methods to be performed by staff, for example, for different types of samples. The specific standards cover test methods for:

- naturally-occurring radionuclides (including ^{40}K , ^3H , ^{14}C and those originating from the thorium and uranium decay series, in particular ^{226}Ra , ^{228}Ra , ^{234}U , ^{238}U and ^{201}Pb) which can be found in materials from natural sources or can be released from technological processes involving naturally occurring radioactive materials (e.g. the mining and processing of mineral sands or phosphate fertilizer production and use);

- human-made radionuclides, such as transuranium elements (americium, plutonium, neptunium, and curium), ^3H , ^{14}C , ^{90}Sr and gamma-ray emitting radionuclides found in waste, liquid and gaseous effluent, in environmental matrices (water, air, soil and biota), in food and in animal feed as a result of authorized releases into the environment, fallout from the explosion in the atmosphere of nuclear devices and fallout from accidents, such as those that occurred in Chernobyl and Fukushima.

The fraction of the background dose rate to man from environmental radiation, mainly gamma radiation, is very variable and depends on factors such as the radioactivity of the local rock and soil, the nature of building materials and the construction of buildings in which people live and work.

A reliable determination of the activity concentration of gamma-ray emitting radionuclides in various matrices is necessary to assess the potential human exposure, to verify conformity with radiation protection and environmental protection regulations or to provide guidance on reducing health risks. Gamma-ray emitting radionuclides are also used as tracers in biology, medicine, physics, chemistry, and engineering. Accurate measurement of the activities of the radionuclides is also needed for homeland security and in connection with the Non-Proliferation Treaty (NPT).

This document should be used in the context of a quality assurance management system (ISO/IEC 17025).

ISO 18589 is published in several parts for use jointly or separately according to needs. These parts are complementary and are addressed to those responsible for determining the radioactivity present in soil, bedrocks and ore (NORM or TENORM). The first two parts are general in nature and describe the setting up of programmes and sampling techniques, methods of general processing of samples in the laboratory (ISO 18589-1), the sampling strategy and the soil sampling technique, soil sample handling and preparation (ISO 18589-2). ISO 18589-3, ISO 18589-4 and ISO 18589-5 deal with nuclide-specific test methods to quantify the activity concentration of gamma emitters radionuclides (ISO 18589-3 and ISO 20042), plutonium isotopes (ISO 18589-4) and ^{90}Sr (ISO 18589-5) of soil samples. ISO 18589-6 deals with non-specific measurements to quantify rapidly gross alpha or gross beta activities and ISO 18589-7 describes in situ measurement of gamma-emitting radionuclides.

The test methods described in ISO 18589-3 to ISO 18589-6 can also be used to measure the radionuclides in sludge, sediment, construction material and products following proper sampling procedure.

This document is one of a set of International Standards on measurement of radioactivity in the environment.

[oSIST prEN ISO 18589-2:2024](https://standards.iteh.ai/catalog/standards/sist/4dc4f3f9-07b2-4011-808f-6667fc82e52f/osist-pren-iso-18589-2-2024)

<https://standards.iteh.ai/catalog/standards/sist/4dc4f3f9-07b2-4011-808f-6667fc82e52f/osist-pren-iso-18589-2-2024>

Measurement of radioactivity in the environment — Soil —

Part 2:

Guidance for the selection of the sampling strategy, sampling and pre-treatment of samples

1 Scope

This document specifies the general requirements, based on ISO 11074 and ISO/IEC 17025, for all steps in the planning (desk study and area reconnaissance) of the sampling and the preparation of samples for testing. It includes the selection of the sampling strategy, the outline of the sampling plan, the presentation of general sampling methods and equipment, as well as the methodology of the pre-treatment of samples adapted to the measurements of the activity of radionuclides in soil including granular materials of mineral origin which contain NORM or artificial radionuclides, such as sludge, sediment, construction debris, solid waste of different type and materials from technologically enhanced naturally occurring radioactive materials (mining, coal combustion, phosphate fertilizer production etc.).

For simplification, the term “soil” used in this document covers the set of elements mentioned above.

This document is addressed to the people responsible for determining the radioactivity present in soil for the purpose of radiation protection. It is applicable to soil from gardens, farmland, urban, or industrial sites, as well as soil not affected by human activities.

This document is applicable to all laboratories regardless of the number of personnel or the range of the testing performed. When a laboratory does not undertake one or more of the activities covered by this document, such as planning, sampling, test or calibration, the corresponding requirements do not apply.

NOTE The term “laboratory” is applicable to all identified entities (individuals, organizations, etc.) performing planning, sampling, test and calibration.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11074, *Soil quality — Vocabulary*

ISO 18589-1, *Measurement of radioactivity in the environment — Soil — Part 1: General guidelines and definitions*

ISO 80000-10, *Quantities and units — Part 10: Atomic and nuclear physics*

3 Terms and definitions

For the purposes of this document, the terms, definitions, and symbols given in ISO 80000-10, ISO 18589-1, ISO 11074, and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>