INTERNATIONAL STANDARD

First edition 2021-02

Petroleum, petrochemical and natural gas industries — Life cycle costing

Industries du pétrole et du gaz naturel — Estimation des coûts globaux de production et de traitement

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 15663:202

https://standards.iteh.ai/catalog/standards/iso/2a3f3187-d901-49ab-992a-69b6072b5ee6/iso-15663-2021



Reference number ISO 15663:2021(E)

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 15663:2021

https://standards.iteh.ai/catalog/standards/iso/2a3f3187-d901-49ab-992a-69b6072b5ee6/iso-15663-2021



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents

Page

Norn	e native references	
	nativo roforoncos	
Torm	11auve 1 eici eilles	
1611	ns, definitions and abbreviated terms	
3.1	Terms and definitions	
3.2	Abbreviated terms	
Appl	ication	
4.1	Users of this document	
4.2	Framework conditions	
4.3	Limitations	
	4.3.1 General	
Mana	agement of life cycle costing.	
5.1	General IICH Duantual us	
	Objectives for management of life cycle costing	
5.4	Strategy and planning – life cycle costing management plan	
	5.4.1 Life cycle costing management plan	
	Contractual strategies	
	Assessment and reedback	
6.2		
63		
0.0	1	
	6.3.4 Identify and collect data	
6.4	Step 3 — Modelling and analysis	
	6.4.1 Objective	
	6.4.2 Develop model	
6.5		
	1	
	6.5.3 Decide and implement.6.5.4 Capture lessons learned.	
		717
	4.1 4.2 4.3 4.4 4.5 4.6 4.7 Mana 5.1 5.2 5.3 5.4 5.5 5.6 5.7 8 Meth 6.1 6.2 6.3	 4.1 Users of this document. 4.2 Framework conditions 4.3 Limitations. 4.3.1 General. 4.3.2 HSE considerations. 4.3.3 Sustainability and climate change considerations. 4.3.4 Benefits of life cycle costing 4.5 Life cycle costing subject matters. 4.6 Life cycle costing subject matters. 4.7 Technology development. Management of life cycle costing 5.1 General. 5.2 Objectives for management of life cycle costing management plan. 5.4.1 Life cycle costing management plan. 5.4.2 Life cycle costing management plan. 5.4.2 Life cycle costing management plan. 5.4.2 Life cycle costing models. 6.6 Assessment and feedback. 6.7 Training and competence. Methodology 6.1 General. 6.2.2 Define scope and measures. 6.2.3 Identify potential options. 6.2.4 Define options. 6.3.1 Objective: 6.3.2 Identify potential cost drivers. 6.3.3 Define cost elements. 6.3.4 Identify and collect data. 6.4.1 Objective. 6.2.2 Define cost elements. 6.3.4 Identify and collect data. 6.4.4 Consider uncertainties and sensitivities. 6.5 Step 4 — Reporting and decision-making. 6.5.2 Report and recommend.

ISO 15663:2021(E)

Annex B (informative) Life cycle phases	50
Annex C (normative) Life cycle costing techniques	58
Annex D (informative) Data input	79
Annex E (informative) Examples	87
Annex F (informative) Assessment and feedback	100
Bibliography	102

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 15663:2021

https://standards.iteh.ai/catalog/standards/iso/2a3f3187-d901-49ab-992a-69b6072b5ee6/iso-15663-2021

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries,* in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 12, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries,* in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement)

- This first edition cancels and replaces ISO 15663-1:2000, ISO 15663-2:2001 and ISO 15663-3:2001, which have been technically revised. The main changes compared to the previous editions are as follows:
 - <u>Clause 3</u>: several new terms, definitions, symbols and abbreviations;
 - <u>Clause 4</u>: a new clause has been introduced;
 - <u>Clause 5</u> and <u>Clause 6</u>: new clauses describing life cycle costing management and methodology which have been restructured from previous editions;
 - <u>Annex A</u>: contains restructured text from ISO 15663-3:2001;
 - <u>Annex C</u>: new annex describing life cycle costing techniques which also includes text from ISO 15663-2:2001;
 - <u>Annex B</u>, <u>Annex D</u>, <u>Annex E</u> and <u>Annex F</u> are new annexes, but contain also some elements from the previous editions.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

Introduction

Cost management within the petroleum, petrochemical and natural gas industries is important and will benefit from the adoption of a common and consistent approach to life cycle costing.

Life cycle costing is the systematic consideration of costs and revenues associated with alternative options required to fulfil the objectives of the business. It is an iterative process of planning, estimating and monitoring costs and revenue differences throughout an asset's life. It is used to support the decision-making process by evaluating alternative options and performing trade-off studies. While the largest benefits are typically achieved in the early life cycle phases, it is equally applicable to all life cycle phases and at many levels of detail.

The petroleum, petrochemical and natural gas industries have historically assessed the financial viability of project options based on minimum capital expenditure and achieving project schedule, whilst operating expenditures and lost revenue have received less focus in the decision-making process. This has ignored potentially large cost factors and has in some cases resulted in selecting non-optimal solutions.

Recognizing this situation, life cycle costing is increasingly being applied by a variety of organizations within the industry. All participants in the process — operators, contractors and vendors — can have a substantial impact on the life cycle cost, and it is not until all are involved that the benefits sought from the use of life cycle costing will be realized.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 15663:2021

https://standards.iteh.ai/catalog/standards/iso/2a3f3187-d901-49ab-992a-69b6072b5ee6/iso-15663-2021

Petroleum, petrochemical and natural gas industries — Life cycle costing

1 Scope

This document specifies requirements for and gives guidance on the application of life cycle costing to create value for the development activities and operations associated with drilling, exploitation, processing and transport of petroleum, petrochemical and natural gas resources. This document covers facilities and associated activities within different business categories (upstream, midstream, downstream and petrochemical).

The life cycle costing process as described in this document is applicable when making decisions between competing options that are differentiated by cost and/or economic value. This document is not concerned with decision-making related to the economic performance of individual options or options differentiated by factors other than cost or economic value.

Guidance is provided on the management methodology and application of life cycle costing in support of decision-making across life cycle phases. The extent of planning and management depends on the magnitude of the costs involved, the potential value that can be created and the life cycle phase. It also provides the means of identifying cost drivers and provides a cost-control framework for these cost drivers, allowing effective cost control and optimization over the entire life of an asset.

2 Normative references://standards.iteh.ai)

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14224:2016, Petroleum, petrochemical and natural gas industries — Collection and exchange of reliability and maintenance data for equipment

ISO 19008:2016, Standard cost coding system for oil and gas production and processing facilities

ISO 20815:2018, Petroleum, petrochemical and natural gas industries — Production assurance and reliability management

3 Terms, definitions and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>
- IEC Electropedia: available at http://www.electropedia.org/

3.1 Terms and definitions

3.1.1

abatement cost

cost generated for the removal or reduction of an undesirable item

Note 1 to entry: An item can be several types of avoided emissions, e.g. emissions to air and water, but most commonly used for CO_2 emission reductions. See further information in <u>Clause C.7</u>.

Note 2 to entry: Abatement cost can be both CAPEX and OPEX cost elements.

3.1.2

asset

item, thing or entity that has potential or actual value to an organization

Note 1 to entry: Physical assets usually refer to equipment, inventory and properties owned by the organization. Physical assets are the opposite of intangible assets, which are non-physical assets such as leases, brands, digital assets, licenses, intellectual property rights, reputation or agreements.

Note 2 to entry: A grouping of assets referred to as an asset system (see ISO 55000:2014, 3.2.5) could also be considered as an asset.

[SOURCE: ISO 55000:2014, 3.2.1, modified — Note 1 to entry not included.]

3.1.3

best available techniques

BAT

latest stage of development (state of the art) of processes, of facilities or of methods of operation which indicates the practical suitability of a particular measure for limiting discharges, emissions and waste

[SOURCE: OSPAR Convention:1992, Appendix 1]

3.1.4

break-even price

 $U_{\rm PV}$

price which applied flat to the production sold gives $N_{\rm PV}=0$

Note 1 to entry: The production can be related to material such as oil, equipment or services. See further information in $\underline{C.6.3.8}$.

3.1.5

break-even volume

Document Preview

volume where a stream of revenues and cost balance results in $N_{\rm PV}$ =0

Note 1 to entry: The volume can be related to material such as oil, equipment or services that generates income. See further information in <u>C.6.3.7</u>.

3.1.6

capital efficiency index

CEI

*I*_{CE} NPV of a project after tax divided by the absolute value of the NPV of cash flow after tax up to a defined end point

Note 1 to entry: The capital efficiency index illustrates value creation relative to capital exposure. See further information in C.6.3.9.

Note 2 to entry: The absolute value of the net present value of cash flow after tax applies until the point where annual cash flow becomes positive [see Formula (C.8)].

3.1.7 capital expenditure CAPEX

investment used to purchase, install and commission an asset

Note 1 to entry: See further information regarding estimation of CAPEX in <u>Clause C.2</u>.

3.1.8 code of resource COR

hierarchical structure of SCCS that classifies all project resources according to the type of contract/ resource that is involved in the activity and has an associated set of rates

Note 1 to entry: Specific code of resource structure exist, i.e. SCCS is described in ISO 19008:2016. COR codes can be found at <u>https://standards.iso.org/iso/19008</u>.

[SOURCE: ISO 19008:2016, 2.1]

3.1.9

committed costs

fixed costs that cannot be eliminated or even cut back without having a major effect on profits or on the organization's objectives

3.1.10

constraint

limit imposed externally or internally by the project that rules out the selection of an option if the limit is exceeded

3.1.11

cost breakdown structure

structure related to the methods that an organization employs to record and report costs

Note 1 to entry: Specific cost breakdown structure exists, i.e. SCCS is described in ISO 19008:2016. See <u>https://standards.iso.org/iso/19008</u>.

3.1.12

cost data

cost information associated with a defined cost element

Note 1 to entry: Cost data can be qualitative or quantitative cost information.

3.1.13

ISO 15663:2021

cost driver.iteh.ai/catalog/standards/iso/2a313187-d901-49ab-992a-69b6072b5ee6/iso-15663-2021 major cost element which, if changed, will have a major impact on the life cycle cost of an option

3.1.14

cost element

subset at any level of the total cost for a cost breakdown structure

Note 1 to entry: The cost of an object/item, resource, activity or a combination of those.

Note 2 to entry: Specific cost element exists when ISO 19008:2016 is applied, i.e. the term 'cost item' as defined in 3.1.16.

3.1.15

cost issue

cost element which, if changed, will not have a major impact on the life cycle cost of an option

3.1.16 cost item

particular part/level that is coded/classified using the SCCS

[SOURCE: ISO 19008:2016, 2.2]

3.1.17 discount rate d

rate of return used in determining the net present value of future cash flow

Note 1 to entry: The discount rate is normally given on an annual basis, but can also be given based on another time period, e.g. a monthly or quarterly basis.

Note 2 to entry: See further information in <u>C.6.2</u>.

3.1.18

economic evaluation measure

quantitative measure used to quantify economic characteristics

Note 1 to entry: Economic evaluation measures may apply for the economic comparison where only subsets of costs are needed (e.g. subset of CAPEX, OPEX and revenue factors).

Note 2 to entry: See further information in <u>C.6.3</u>.

3.1.19

fixed cost

cost that does not vary with production volume or with the level of activity

Note 1 to entry: Fixed cost is not necessarily constant throughout all life cycle phases of an asset or an activity.

Note 2 to entry: Both CAPEX and OPEX can have fixed cost items.

3.1.20

initial investment first investment for a project https://standards.iteh.ai)

Note 1 to entry: Initial investment is a part of the overall CAPEX or the overall CAPEX for the project itself and will depend on the type of project. The timing of initial investment can vary and is important to describe in the LCC calculations in a given project.

3.1.21 internal rate of returnai/catalog/standards/iso/2a3f3187-d901-49ab-992a-69b6072b5ee6/iso-15663-2021 IRR

$d_{\rm R}$

rate of return of future net cash flow that gives $N_{\rm PV}=0$

Note 1 to entry: See further information in <u>C.6.3.4</u>.

3.1.22

item

subject being considered

Note 1 to entry: The item can be an individual part, component, subunit, equipment, system, plant or installation.

[SOURCE: IEC 60050-192:2015, 192-01-01, modified — Note 1 to entry has been adjusted.]

3.1.23

life cvcle

series of identifiable stages through which an item goes, from its conception to disposal

Note 1 to entry: The identified stages are defined as *life cycle phases* (3.1.28).

[SOURCE: IEC 60050-192:2015, 192-01-09, modified — Note 1 to entry has been added.]

3.1.24 life cycle cost LCC $L_{\rm CC}$ total cost incurred during the life cycle

Note 1 to entry: LCC is the discounted sum of CAPEX, OPEX and LOSTREV, see C.6.3.3.

Note 2 to entry: Total cost of ownership is sometimes used in preference to LCC when explaining the application of life cycle costing (i.e. the methodology) but it is not used in this document. See further information in 4.2.

[SOURCE: IEC 60050-192:2015, 192-01-10, modified — Notes 1 and 2 to entry have been added.]

3.1.25 life cycle cost analysis LCC analysis

systematic evaluations and calculations carried out to assess competing options using economic evaluation measures of as part of life cycle costing

Note 1 to entry: The economic evaluation measures are described in <u>C.6.3</u>.

3.1.26 life cycle cost model LCC model

mathematical relationship between cost elements and life cycle cost differences

Note 1 to entry: The LCC model will contain different economic evaluation measures as described in C.6.3.

3.1.27

life cycle costing

process of evaluating the difference between the life cycle cost of two or more alternative options

Note 1 to entry: Life cycle costing can involve quantitative and/or qualitative assessment.

3.1.28

life cycle phase discrete stage in the life cycle with a specified purpose

Note 1 to entry: The different life cycle phases are further described in <u>4.5</u>.

3.1.29 lost revenue LOSTREV income loss that occurs when generated income are less than expected due to external or internal factors

Note 1 to entry: When the generated income is related to production, ISO 20815:2018, 3.1.25 defines lost revenue as: Total cost of lost or deferred production due to down time. Production and time loss categories are defined in ISO 20815:2018, Clause G.3.

Note 2 to entry: See further information regarding estimation of lost revenue in <u>Clause C.4</u>, and see also ISO/TS 3250:—^[1].

3.1.30 net present value **NPV**

Nov

present value that is calculated by discounting the future net cash flow with the required rate of return as the discount rate

Note 1 to entry: In this document, the term net present value is used, even though the industry sometimes uses also the term present value reflecting the same discounted value. See further information in <u>C.6.3.2</u>.

3.1.31 operating expenditure OPEX

expenses used for operation and maintenance, including associated costs such as logistics and spares

Note 1 to entry: See further information regarding estimation of OPEX in <u>Clause C.3</u>.

3.1.32 payback period

 $Y_{\rm PB}$

period after which the initial investment has been paid back by the accumulated net revenue counted from the first income

Note 1 to entry: The payback period is also sometimes called pay-out time. See further information in <u>C.6.3.6</u>.

Note 2 to entry: When the payback period is calculated, it is important to state whether it is based on the summation of nominal values or based on discounted values where the latter can lead to a somewhat longer payback period.

3.1.33 physical breakdown structure PBS

hierarchical structure of SCCS that defines the types of physical asset components of field installations being delivered by the activity

Note 1 to entry: Specific physical breakdown structure exists, i.e. SCCS is described in ISO 19008:2016. PBS codes can be found at https://standards.iso.org/iso/19008.

[SOURCE: ISO 19008:2016, 2.6, modified — Note 1 to entry has been added.]

3.1.34

production availability **Document Preview**

ratio of production to planned production, or any other reference level, over a specified period of time

Note 1 to entry: This measure is used in conjunction with analysis of delimited systems without compensating elements such as substitution from other producers and downstream buffer storage. Battery limits need to be opposed defined in each case.

Note 2 to entry: See further information in ISO 20815:2018.

[SOURCE: ISO 20815:2018, 3.1.46, modified — Notes 1, 3, 4 and 5 to entry have not been included, new Note 2 to entry has been added.]

3.1.35 profitability index PI *I*_p ratio of NPV of the project divided by the discounted CAPEX

Note 1 to entry: See further information in $\underline{C.6.3.5}$.

3.1.36

required rate of return

discount rate requirement by the decision-maker for minimum profit for the investment project

3.1.37

revenue

income generated from normal business activities

3.1.38

revenue gain

generated income that is higher than expected due to external or internal factors

3.1.39

risk

combination of the probability of an event and the consequences of the event

Note 1 to entry: This definition is based on ISO/IEC Guide 51:2014, 3.9 that defines risk as combination of the probability of occurrence of harm and the severity of that harm, where the probability of occurrence includes the exposure to a hazardous situation, the occurrence of a hazardous event and the possibility to avoid or limit the harm. "Harm" has been replaced by "event" in the definition to cope with production assurance purpose. It is also similar to the definition of the "level of risk" given in ISO Guide 73:2009, 3.6.1.8 (i.e. "combination of consequences and their likelihood").

[SOURCE: ISO 20815:2018, 3.1.54, modified — Note 2 to entry not included.]

3.1.40 standard activity breakdown structure SAB

hierarchical structure of SCCS that defines the type of activity that is being performed

Note 1 to entry: Specific standard activity breakdown structure exists, i.e. SCCS is described in ISO 19008:2016. SAB codes can be found at https://standards.iso.org/iso/19008.

[SOURCE: ISO 19008:2016, 2.8, modified — Note 1 to entry has been added.]

3.1.41 standard cost coding system SCCS

standard system for classification and coding cost estimates, monitoring and final quantities and cost data

Note 1 to entry: The SCCS code comprises three individual hierarchical coding structures named PBS, SAB and COR, each based upon a different aspect/facet of the scope of work.

Note 2 to entry: In this document, SCCS means the use of ISO 19008:2016.

[SOURCE: ISO 19008:2016, 2.7, modified — Note 2 to entry has been added.]

3.1.42 sustainability a / catalog/standards/iso

state of the global system, including environmental, social and economic aspects, in which the needs of the present are met without compromising the ability of future generations to meet their own needs

[SOURCE: ISO Guide 82:2019, 3.1, modified — Notes to entry not included.]

3.1.43

uncertaintv

<of a quantity> inability to determine accurately what is or will be the true value of a quantity

Note 1 to entry: Uncertainty can have different meanings. It can be used as a measure of variability within a population, which is a type of uncertainty often referred to as stochastic (or aleatory) uncertainty. Uncertainty can also have a subjective meaning (epistemic uncertainties).

Note 2 to entry: Uncertainty of input data is particularly important for life cycle costing. See further information in 6.4.4 and D.5.

Note 3 to entry: Uncertainty is the state, even partial, of deficiency of information related to, understanding or knowledge of, an event, its consequences, or likelihood.

[SOURCE: ISO 14224:2016, 3.95, modified — Note 1 to entry has been adjusted, and Notes 2 and 3 to entry have been added.]

3.1.44

variability

variations in performance measures for different time periods under defined framework conditions

[SOURCE: ISO 20815:2018, 3.1.62, modified — Note 1 to entry not included.]

3.1.45 weighted average cost of capital WACC

average after-tax cost of a company's various capital sources, including stocks and interest-bearing debt

Note 1 to entry: WACC is the average rate a company expects to pay to finance its assets. See further information in $\underline{C.6.3.2}$.

3.2 Abbreviated terms

DRILLEX drilling expenditures

- EPC engineering procurement and construction
- EPCI engineering procurement construction and installation
- EPIC engineering procurement installation and commissioning
- FEED front-end engineering design
- FID final investment decision
- FPSO floating production storage and offloading and site n.a.i)
- HSE health safety and environment unent Preview
- LCCMP life cycle costing management plan

<u>ISO 15663:2021</u>

LNG_{tps://sta}liquefied natural gas_{g/standards/iso}/2a3f3187-d901-49ab-992a-69b6072b5ee6/iso-15663-2021

MU monetary units

4 Application

4.1 Users of this document

This document is intended for users responsible or involved in life cycle costing and associated activities such as:

- Installation/plant/facility: Operating facility, e.g. HSE, engineering, construction, installation, operation and maintenance personnel.
- Operator/owner/company: Project management and control, technology development, technology qualification, concept and system design, HSE, integrity management, maintenance management, production assurance, etc.
- Contractor: Main contractor for engineering, procurement, construction, drilling, installation, operation, maintenance services, etc.
- Vendor/manufacturer/supplier: Technology development, technology qualification, system design to ensure product quality and improvements, etc.
- Authority/regulatory body: Regulatory requirements that can refer to this document to enhance HSE, production availability, system availability, operability, maintenance and resource utilization.