

INTERNATIONAL
STANDARD

IEC
61375-1

First edition
1999-09

**Electric railway equipment –
Train bus –
Part 1: Train Communication Network**

*Matériel électrique ferroviaire – Bus de train –
Partie 1: Réseau embarqué de train*

<https://standards.itech.ai/iec-61375-1-1999>



Reference number
IEC 61375-1:1999(E)

Numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series.

Consolidated publications

Consolidated versions of some IEC publications including amendments are available. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Validity of this publication

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology.

Information relating to the date of the reconfirmation of the publication is available in the IEC catalogue.

Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is to be found at the following IEC sources:

- **IEC web site***
- **Catalogue of IEC publications**
Published yearly with regular updates
(On-line catalogue)*
- **IEC Bulletin**
Available both at the IEC web site* and as a printed periodical

Terminology, graphical and letter symbols

For general terminology, readers are referred to IEC 60050: *International Electrotechnical Vocabulary* (IEV).

For graphical symbols, and letter symbols and signs approved by the IEC for general use, readers are referred to publications IEC 60027: *Letter symbols to be used in electrical technology*, IEC 60417: *Graphical symbols for use on equipment. Index, survey and compilation of the single sheets* and IEC 60617: *Graphical symbols for diagrams*.

* See web site address on title page.

INTERNATIONAL STANDARD

IEC
61375-1

First edition
1999-09

Electric railway equipment – Train bus – Part 1: Train Communication Network

Matériel électrique ferroviaire – Bus de train

(<https://standards.iteh.ai>)

Partie 1: Réseau embarqué de train

[Document Preview](https://standards.iteh.ai/cd/020803d-644d-4ffd-bbca-d7aef2b9d277/iec-61375-1-1999)

<https://standards.iteh.ai/cd/020803d-644d-4ffd-bbca-d7aef2b9d277/iec-61375-1-1999>

© IEC 1999 – Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission
Telefax: +41 22 919 0300

3, rue de Varembé Geneva, Switzerland
e-mail: inmail@iec.ch IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

XH

For price, see current catalogue

CONTENTS

	Page
FOREWORD	27
INTRODUCTION	29
 Clause	
1 General	31
1.1 Scope.....	31
1.2 Normative references	31
1.3 Terms and definitions	33
1.4 Legends and abbreviations	51
1.5 Conventions	53
1.5.1 Base of Numeric Values.....	53
1.5.2 Naming conventions.....	53
1.5.3 Time naming conventions.....	53
1.5.4 Procedural interface conventions.....	53
1.5.5 Specification of transmitted data.....	56
1.5.6 State diagram conventions.....	58
1.6 General considerations	59
1.6.1 Interface between equipment	59
1.6.2 Interface between vehicles	59
1.6.3 Real-Time Protocols.....	59
1.6.4 Network Management	60
1.6.5 Configurations.....	60
1.6.6 Structure of a standard device.....	61
1.6.6.1 TCN device	61
1.6.6.2 MVB options.....	61
1.6.6.3 WTB options	61
1.6.6.4 RTP options	61
1.6.6.5 TNM options	61
1.7 Conformance Test	64
2 Real-Time Protocols	65
2.1 General	65
2.1.1 Contents of this clause.....	65
2.1.2 Structure of this clause	66
2.2 Variables – Services and Protocols	67
2.2.1 General	67
2.2.2 Link layer Interface for Process_Data	67
2.2.2.1 Purpose	67
2.2.2.2 Datasets	67
2.2.2.3 Link_Process_Data_Interface primitives	69
2.2.3 Application interface for Process_Variables	73
2.2.3.1 Purpose	73
2.2.3.2 Process_Variables	73
2.2.3.3 Application_Variables_Interface primitives	77

Clause		Page
2.3	Messages Services and Protocols.....	87
2.3.1	General	87
2.3.2	Reference station.....	87
	2.3.2.1 Terminal station	87
	2.3.2.2 Router station	88
	2.3.2.3 Station identifier	88
	2.3.2.4 Bus identifier.....	88
	2.3.2.5 Link address	89
2.3.3	Message packets handling	89
	2.3.3.1 Packet pools	89
	2.3.3.2 Type 'MD_PACKET'	89
	2.3.3.3 Procedure Type 'MD_GET_PACKET'.....	90
	2.3.3.4 Procedure Type 'MD_PUT_PACKET'.....	91
2.3.4	Message Link layer	91
	2.3.4.1 Purpose	91
	2.3.4.2 Link layer structure.....	92
	2.3.4.3 Link layer characteristics	93
	2.3.4.4 Link layer of the vehicle bus	94
	2.3.4.5 Link layer of the train bus	95
	2.3.4.6 Link layer interface for Message Data (LMI).....	96
2.3.5	Message Network Layer.....	103
	2.3.5.1 Purpose	103
	2.3.5.2 Directories	104
	2.3.5.3 Network layer constants and variables	106
	2.3.5.4 Network_Address	106
	2.3.5.5 Network Header encoding	109
	2.3.5.6 Routing in the network layer	113
	2.3.5.7 Network layer interface.....	117
2.3.6	Message transport layer	118
	2.3.6.1 Purpose	118
	2.3.6.2 Message Transport Protocol.....	118
	2.3.6.3 Packet exchange.....	119
	2.3.6.4 Connection reference	121
	2.3.6.5 Transport layer packets.....	121
	2.3.6.6 State transition diagrams.....	129
	2.3.6.7 Transport Message Interface	143
2.3.7	Multicast Transport Protocol (option)	150
	2.3.7.1 Multicast packet exchange	150
	2.3.7.2 Connection Identification	155
	2.3.7.3 Connection reference	155
	2.3.7.4 Multicast Message Transport Control encoding.....	155
	2.3.7.5 Multicast Packets encoding	155
	2.3.7.6 Multicast transport protocol definition	156

Clause		Page
2.3.8	Message session layer	167
	2.3.8.1 Purpose	167
	2.3.8.2 Conversation identifier	168
	2.3.8.3 Shortcut	168
	2.3.8.4 Topo_Counter check	168
	2.3.8.5 Session header encoding	168
	2.3.8.6 Buffer management.....	169
	2.3.8.7 Session layer interface	169
2.3.9	Message Presentation Layer	169
2.3.10	Message Application layer.....	169
	2.3.10.1 Purpose	169
	2.3.10.2 Application_Messages_Interface	170
	2.3.10.3 Caller side.....	174
	2.3.10.4 Replier site.....	177
	2.3.10.5 Initialisation.....	178
	2.3.10.6 Station directory interface.	179
	2.3.10.7 Function directory interface	181
	2.3.10.8 Group directory interface	182
	2.3.10.9 Caller application interface	182
	2.3.10.10 Replier application interface	186
	2.3.10.11 Procedure 'am_buffer_free'	191
	2.3.10.12 Multicast Application Interface	191
2.4	Presentation and encoding of transmitted and stored data.....	191
2.4.1	2.4.1 Purpose	191
2.4.2	2.4.2 Data ordering	191
	2.4.2.1 Transmission format	191
	2.4.2.2 Traffic_Store format	191
	2.4.2.3 Application data format.....	191
	2.4.2.4 General rules	192
	2.4.2.5 Relationship with ASN.1	192
2.4.3	2.4.3 Notation for the primitive types	193
	2.4.3.1 Notation for the boolean type.....	193
	2.4.3.2 Notation for the antivalent type	194
	2.4.3.3 Notation for the unsigned integer types.....	194
	2.4.3.4 Notation for the integer type	195
	2.4.3.5 Notation for the enumerated type.....	196
	2.4.3.6 Notation for the binary coded decimal type	197
	2.4.3.7 Notation for the unipolar types.....	197
	2.4.3.8 Notation for the bipolar types.....	198
	2.4.3.9 Notation for the real type	199
	2.4.3.10 Notation for the character type	199
	2.4.3.11 Notation for the unicode character type	199
	2.4.3.12 Notation for the uncommitted types	200

Clause		Page
2.4.4	Structured types.....	200
2.4.4.1	General.....	200
2.4.4.2	Notation for the record types	201
2.4.4.3	Notation for the bitset types.....	201
2.4.4.4	Notation for the array type	203
2.4.4.5	Notation for the choice types	205
2.4.4.6	Notation for the set types	207
2.4.5	Alignment	209
2.4.6	Notation for special types	210
2.4.6.1	Notation for the string type	210
2.4.6.2	Notation for the TIMEDATE48 type.....	210
2.4.6.3	Notation for the TIME64 type	211
2.4.6.4	Notation for the ASN.1 boolean8 type.....	211
2.4.6.5	Notation for Little-Endian types.....	212
3	Multifunction Vehicle Bus	213
3.1	General	213
3.1.1	Contents of this clause.....	213
3.1.2	Structure of this clause	213
3.2	Physical Layer	215
3.2.1	Topology.....	215
3.2.1.1	Segments	215
3.2.1.2	Couplers.....	215
3.2.1.3	Double-line segments.....	216
3.2.2	Device classes.....	217
3.2.2.1	Capabilities	217
3.2.2.2	Class 0 devices.....	217
3.2.2.3	Class 1 devices.....	217
3.2.2.4	Class 2 devices.....	218
3.2.2.5	Class 3 devices.....	218
3.2.2.6	Class 4 devices.....	218
3.2.2.7	Class 5 devices.....	218
3.2.2.8	Device Attachment	218
3.2.3	Specifications common to all media.....	218
3.2.3.1	Signalling speed.....	218
3.2.3.2	Maximum propagation delay	218
3.2.3.3	Transceiver interface.....	219
3.2.3.4	Redundant medium (option)	220
3.2.4	Electrical Short Distance medium (choice).....	220
3.2.4.1	ESD topology	220
3.2.4.2	ESD configuration rules.....	221
3.2.4.3	ESD section specifications	223
3.2.4.4	ESD shielding	223
3.2.4.5	ESD medium-dependent interface	224

Clause		Page
	3.2.4.6 ESD Line_Unit specifications.....	227
	3.2.4.7 ESD signal wave form	227
	3.2.4.8 ESD transmitter.....	228
	3.2.4.9 ESD receiver.....	229
3.2.5	Electrical Middle Distance medium (choice).....	230
	3.2.5.1 EMD topology.....	230
	3.2.5.2 EMD configuration rules	230
	3.2.5.3 EMD terminator.....	231
	3.2.5.4 Cable section	231
	3.2.5.5 EMD shielding.....	232
	3.2.5.6 EMD medium-dependent interface.....	233
	3.2.5.7 EMD Line_Unit specifications	237
	3.2.5.8 EMD signal waveform.....	239
	3.2.5.9 EMD transmitter specifications.....	239
	3.2.5.10 EMD receiver specifications.....	242
3.2.6	Optical Glass Fibre medium (choice).....	244
	3.2.6.1 OGF topology.....	244
	3.2.6.2 OGF optical cable and fibre.....	245
	3.2.6.3 OGF medium-dependent interface.....	240
	3.2.6.4 OGF test signal (guideline).....	246
	3.2.6.5 OGF transmitter specifications	247
	3.2.6.6 OGF receiver specifications	248
	3.2.6.7 OGF active star coupler	248
	3.2.6.8 OGF double-line layout (option).....	249
3.3	Medium-dependent signalling.....	250
3.3.1	Frame encoding and decoding	250
	3.3.1.1 Conventions	250
	3.3.1.2 Bit encoding	250
	3.3.1.3 Non-data symbols	251
	3.3.1.4 Start Bit	251
	3.3.1.5 Start Delimiter.....	251
	3.3.1.6 End Delimiter	252
	3.3.1.7 Valid frame (definition)	253
	3.3.1.8 Detection of line idle.....	253
	3.3.1.9 Detection of collision	253
	3.3.1.10 Receiver behaviour in case of error	253
	3.3.1.11 Jabber halt.....	254
3.3.2	Line Redundancy (option).....	254
	3.3.2.1 Principle.....	254
	3.3.2.2 Redundant transmission	254
	3.3.2.3 Redundant reception	255
	3.3.2.4 Switchover	255
	3.3.2.5 Redundancy status report.....	255

Clause		Page
3.3.3	Repeater	256
	3.3.3.1 Repeater between single-line segments	256
	3.3.3.2 Repeater for redundant medium (option)	257
3.4	Frames and Telegrams	258
3.4.1	Frame format	258
	3.4.1.1 Master Frame format.....	258
	3.4.1.2 Slave Frame format.....	258
	3.4.1.3 Check Sequence	259
3.4.2	Telegram timing	259
	3.4.2.1 Conventions.....	259
	3.4.2.2 Reply delay (definition)	260
	3.4.2.3 Frame spacing at the source	262
	3.4.2.4 Frame spacing at the destination	262
	3.4.2.5 Frame spacing at the master	262
3.5	Link Layer Control	264
3.5.1	Addressing.....	264
	3.5.1.1 Device Address	264
	3.5.1.2 Logical_Address	264
	3.5.1.3 Group_Address	265
3.5.2	Master Frames contents.....	265
	3.5.2.1 Master Frame format.....	265
	3.5.2.2 F_code encoding.....	265
3.5.3	Slave Frame contents	267
	3.5.3.1 Slave Frame format.....	267
	3.5.3.2 Size error	267
3.5.4	Telegram types	267
	3.5.4.1 Process Data telegrams	267
	3.5.4.2 Message Data.....	268
	3.5.4.3 Supervisory Data telegrams.....	269
3.6	Medium allocation	270
3.6.1	Organisation	270
	3.6.1.1 Turn.....	270
	3.6.1.2 Basic Period.....	271
	3.6.1.3 Padding	271
3.6.2	Periodic Polling	271
	3.6.2.1 Periodic List	271
	3.6.2.2 Individual Period	271
	3.6.2.3 Periodic Phase construction	273
3.6.3	Event Polling.....	274
	3.6.3.1 Group_Address	274
	3.6.3.2 Event_Round	275
	3.6.3.3 Recommended event search algorithm	277
	3.6.3.4 Supervisory Data frames for Event_Arbitration.....	278

Clause		Page
3.6.4	Devices_Scan	280
3.6.4.1	Device_Status.....	280
3.6.4.2	Device_Status protocol.....	283
3.6.4.3	Devices_Scan protocol.....	283
3.7	Mastership transfer.....	283
3.7.1	Mastership transfer operation.....	283
3.7.1.1	Bus administrator configuration	283
3.7.2	Mastership transfer specifications	285
3.7.2.1	States	287
3.7.2.2	Time-outs for mastership transfer.....	287
3.7.2.3	Supervisory Data frames for mastership transfer.....	287
3.8	Link Layer Interface	288
3.8.1	Link Layer layering	288
3.8.2	Link Process Data interface	289
3.8.3	Link Message Data interface	289
3.8.3.1	General.....	289
3.8.3.2	Priority	290
3.8.3.3	Packet size	290
3.8.3.4	Protocol_Type.....	290
3.8.3.5	Message Transport Protocol.....	290
3.8.4	Link Supervision Interface.....	290
3.8.4.1	General.....	290
3.8.4.2	Link Supervision Interface procedures	291
3.8.4.3	MVB_Status	291
3.8.4.4	MVB_Control.....	292
3.8.4.5	MVB_Devices.....	293
3.8.4.6	MVB_Administrator	294
3.8.4.7	MVB_Report	297
4	Wire Train Bus.....	298
4.1	General	298
4.1.1	Contents of this clause.....	298
4.1.2	Structure of this clause	301
4.2	Physical layer	301
4.2.1	Topology.....	301
4.2.1.1	Bus sections	301
4.2.1.2	Couplers	301
4.2.1.3	Nodes	301
4.2.1.4	Vehicle orientation	302
4.2.1.5	Vehicle specification (informal).....	302
4.2.2	Medium specifications	303
4.2.2.1	Topology.....	303
4.2.2.2	Duplicated medium (option).....	304

Clause		Page
	4.2.2.3 Bus Configuration rules	304
	4.2.2.4 Cable specification	305
	4.2.2.5 Shielding concept	307
	4.2.2.6 Terminator	308
4.2.3	Medium attachment	308
	4.2.3.1 Node connection points identification	309
	4.2.3.2 Direct node attachment	309
	4.2.3.3 Indirect node attachment	309
	4.2.3.4 Connector (optional)	310
4.2.4	Node specifications	311
	4.2.4.1 Node elements	311
	4.2.4.2 Node and switch settings	313
	4.2.4.3 Duplicated Line Units (option)	313
4.2.5	Line Unit specifications	314
	4.2.5.1 Galvanic separation	314
	4.2.5.2 Insertion losses of a Line Unit	314
	4.2.5.3 Switches specifications	315
	4.2.5.4 Shield connection to a Line Unit	315
	4.2.5.5 Fritting (option)	316
4.2.6	Transceiver specifications	318
	4.2.6.1 Conventions	318
	4.2.6.2 Transmitter	318
	4.2.6.3 Receiver specifications	321
4.3	Medium-dependent signalling	323
	4.3.1 Frame encoding and decoding	323
	4.3.1.1 Conventions	323
	4.3.1.2 Bit encoding	324
	4.3.1.3 Preamble encoding	324
	4.3.1.4 End Delimiter	325
	4.3.1.5 Signal quality supervision	325
	4.3.2 Duplicated line handling (option)	327
	4.3.2.1 Principle	327
	4.3.2.2 Skew	327
	4.3.2.3 Redundant transmission	328
	4.3.2.4 Redundant reception	328
	4.3.2.5 Switchover	329
	4.3.2.6 MAU report	329
	4.3.3 Line Unit interface	329
4.4	Frames and telegrams	330
	4.4.1 Frame_Data format	331
	4.4.2 Telegram timing	332
	4.4.2.1 Conventions	332
	4.4.2.2 Computation of the Reply Delay	332
	4.4.2.3 Collision	334
	4.4.2.4 Transmitted frame spacing	334

Clause		Page
4.5	Link Layer Control	335
4.5.1	Addressing.....	335
4.5.2	Frame structure	335
4.5.2.1	Elements of the HDLC Frame	335
4.5.2.2	Link Control Field	336
4.5.2.3	Handling of 'Attention', 'Change', 'Inhibit', and 'Remove_Inhibit'	340
4.5.2.4	Size, FCS and protocol errors.....	340
4.5.3	Telegram formats.....	340
4.5.3.1	Link Data field.....	340
4.5.3.2	Process Data	340
4.5.3.3	Message Data.....	342
4.5.3.4	Supervisory Data.....	343
4.5.3.5	Detection telegram	344
4.5.3.6	Presence telegram	346
4.5.3.7	Status telegram.....	347
4.5.3.8	Set to Intermediate telegram	349
4.5.3.9	Naming telegram.....	350
4.5.3.10	Unname telegram.....	352
4.5.3.11	Set to End telegram	353
4.5.3.12	Topography telegram.....	354
4.6	Medium allocation	357
4.6.1	Organisation.....	357
4.6.1.1	Basic Period.....	357
4.6.2	Periodic Phase.....	357
4.6.2.1	Individual Period	357
4.6.2.2	Periodic List	358
4.6.2.3	Polling of the End Nodes	358
4.6.2.4	Error conditions and treatment	358
4.6.3	Sporadic phase	359
4.6.3.1	Event announcement.....	359
4.6.3.2	Message List.....	359
4.6.3.3	Supervisory List	359
4.6.3.4	Background scanning (option)	359
4.7	Inauguration	359
4.7.1	General.....	359
4.7.1.1	Address Allocation	359
4.7.1.2	Node ranking	360
4.7.2	Descriptors	361
4.7.2.1	Node Descriptor	361
4.7.2.2	Node Report	362
4.7.2.3	User Report	362
4.7.2.4	Composition strength	363

Clause		Page
	4.7.2.5 Master_Report	364
	4.7.2.6 Topo Counter	364
	4.7.2.7 Master Topo.....	364
	4.7.2.8 Inauguration_Counter.....	365
4.7.3	Detection of other compositions (informal).....	365
	4.7.3.1 Detection protocol	365
	4.7.3.2 Collision avoidance rules.....	366
4.7.4	State diagrams of the inauguration	368
	4.7.4.1 Node structure	368
	4.7.4.2 Inauguration process structure	368
	4.7.4.3 Specification language	370
	4.7.4.4 Node variables	370
	4.7.4.5 Auxiliary_Process.....	374
	4.7.4.6 Major states of the Main Process.....	379
	4.7.4.7 Macro 'START_NODE'	382
	4.7.4.8 Master States.....	383
	4.7.4.9 Slave States.....	400
	4.7.4.10 Time-outs	410
4.8	Link layer interface	411
4.8.1	Link layer layering	411
4.8.2	Link Process_Data_Interface.....	412
	4.8.2.1 General.....	412
	4.8.2.2 WTB specific.....	412
4.8.3	Link Message_Data_Interface	413
	4.8.3.1 General.....	413
	4.8.3.2 Packet size.....	413
	4.8.3.3 Protocol_Type.....	413
	4.8.3.4 Message transport protocol	413
4.8.4	Link management interface	413
	4.8.4.1 General.....	413
	4.8.4.2 Interface procedures	413
	4.8.4.3 Reporting	414
	4.8.4.4 Initialisation service.....	415
	4.8.4.5 Reset service	415
	4.8.4.6 Configuration service	416
	4.8.4.7 Set Slave service	418
	4.8.4.8 Set Weak service	418
	4.8.4.9 Set Strong service.....	419
	4.8.4.10 StartNaming service.....	419
	4.8.4.11 Remove service	419
	4.8.4.12 Inhibit service.....	419
	4.8.4.13 Allow service.....	419
	4.8.4.14 SetSleep service	420

Clause		Page
	4.8.4.15 CancelSleep service.....	420
	4.8.4.16 GetStatus service.....	420
	4.8.4.17 Get WTB nodes service	421
	4.8.4.18 Get Topography service	421
	4.8.4.19 Change Node Descriptor service	423
	4.8.4.20 Change User Report service.....	424
	4.8.4.21 Change Inauguration_Data service.....	424
	4.8.4.22 Get Statistics service	424
	4.8.4.23 Get Inauguration_Data service	425
5	Train Network Management	426
5.1	General	426
5.1.1	Contents of this clause.....	426
5.1.2	Structure of this clause	427
5.2	Manager, Agents and interfaces.....	427
5.2.1	Manager and Agent.....	427
5.2.2	Management messages protocol	427
5.2.3	Interfaces	428
5.2.3.1	Object interface.....	428
5.2.3.2	Manager interface (MGI)	430
5.2.3.3	Agent interface (AGI)	430
5.3	Managed objects	430
5.3.1	Object Attributes	430
5.3.2	Station objects	430
5.3.2.1	Station_Status object	430
5.3.2.2	Station_Control object	426
5.3.2.3	Station_Inventory object.....	432
5.3.2.4	Station_Reservation object.....	432
5.3.3	MVB link objects	438
5.3.3.1	MVB_Status object.....	433
5.3.3.2	MVB_Control object	433
5.3.3.3	MVB_Configuration object	434
5.3.3.4	MVB_Devices object	434
5.3.4	WTB link objects	434
5.3.4.1	WTB_Status object	434
5.3.4.2	WTB_Topo graphy object.....	435
5.3.5	Variable objects	435
5.3.5.1	Port Configuration object.....	435
5.3.5.2	Variables object	435
5.3.5.3	Port_Attach	436
5.3.6	Messenger objects	437
5.3.6.1	Messenger status.....	437
5.3.6.2	Messenger control.....	437
5.3.6.3	Directory objects	437