INTERNATIONAL STANDARD

ISO 9803-2

Second edition 2020-01

Vacuum technology — Mounting dimensions of pipeline fittings —

Part 2: **Knife-edge flange type**

Technique du vide — Dimensions de montage des raccords de

iTeh STANDARD PREVIEW
Partie 2: Brides de type à guillotine
(standards.iteh.ai)



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 9803-2:2020 https://standards.iteh.ai/catalog/standards/sist/f33fdfcf-5d82-4d54-9634-8e931247c82a/iso-9803-2-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org Published in Switzerland

Con	tents	Page
Forew	vord	iv
Introd	luction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Requirements	1
Biblio	graphy	4

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 112, *Vacuum technology*.

This second edition cancels and replaces the first edition (ISO 9803-182007), of which it constitutes a minor revision. The changes compared to the previous edition are as follows:

The changes compared to the previous edition are as follows:

- The normative references have been updated.
- References [1] and [2] have been updated.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

ISO 9803:1993 defined only those pipeline fittings whose flanges are non knife-edge type, as defined in ISO 1609:1986 and ISO 2861-1:1974. The previous revision divided ISO 9803 into two parts:

- ISO 9803-1, in which fittings with non knife-edge flanges are defined, and
- this part of ISO 9803, in which fittings with knife-edge flanges as specified in ISO 3669 are defined.

This document deals with dimensions of pipeline fittings whose flanges are of knife-edge type, as defined in ISO 3669.

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Vacuum technology — Mounting dimensions of pipeline fittings —

Part 2:

Knife-edge flange type

1 Scope

This document specifies mounting dimensions for vacuum pipeline fittings (elbows, tees and crosses) of knife-edge flanges for nominal bores from 16 mm to 200 mm.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3669, Vacuum technology — Dimensions of knife-edge flanges

3 Terms and definitions (standards.iteh.ai)

For the purposes of this document, the terms and definitions given in ISO 3669 apply.


ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Requirements

- **4.1 Mounting dimensions** of the vacuum pipeline fittings shall be as specified in <u>Table 1</u>. See <u>Figures 1</u> to <u>3</u>.
- **4.2 Flange dimensions** shall be as specified in ISO 3669. One or more flange should be rotatable.


4.3 Bolt holes in the flanges specified in ISO 3669 shall be positioned as shown in Figure 4. Angle α is a function of the number of bolt holes.



Key

e edge dimension

Figure 1 — Elbow




8e931247c82a/iso-9803-2-2020

Key

e edge dimension

H length

Figure 2 — Tee




Key

e edge dimension

H length

Figure 3 — Cross



Key

$$\alpha = \frac{360^{\circ}}{\text{total number of bolt holes}}$$

Figure 4 — Position of bolt holes

Table 1 — Dimension of pipeline fittings

Dimensions in millimetres

Nominal bore	Edge dimension, e		Length, H		Perpendicularity or parallelism
Nommai bore		tolerance		tolerance	tolerance for the two mating faces
16	38		76		±1°
40	63	±1,5	126	±1 E	±1
63	105		210	±1,5	
100	135 e	STAN	270R	PREV	1EW ±0°30′
160	167	(#fanc	334	itel±2ai)	±0 30
200	203		14 ₄₀₆ 15.	mental)	

ISO 9803-2:2020