
Criteria for assessment of new extinguishants for inclusion in the ISO 14520 series

*Critères pour l'évaluation de nouveaux agents extincteurs destinés à
être inclus dans la série ISO 14520*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/TR 23107:2021](https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021)

<https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021>



iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/TR 23107:2021](https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021)

<https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents		Page
Foreword		iv
Introduction		v
1 Scope		1
2 Normative references		1
3 Terms and definitions		1
4 Checklist		1
Bibliography		4

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/TR 23107:2021](https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021)

<https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 21, *Equipment for fire protection and fire fighting*, Sub-committee SC 8, *Gaseous media and firefighting systems using gas*.

This second edition cancels and replaces the first edition (ISO/TR 23107:2019), which has been technically revised.

The main changes compared to the previous edition are as follows:

- the title has been modified;
- additional information has been added to the Introduction;
- the Scope has been reworded;
- checklist items 7.5, 7.5.1 and 7.5.2 have been renumbered 8, 8.1 and 8.2 respectively.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The ISO 14520 series sets forth important information necessary for introducing total flooding fire extinguishing agents into the marketplace. Important information includes that related to physical, thermodynamic and chemical properties, safe exposure criteria, performance criteria such as minimum extinguishing and design concentrations, and environment characteristics.

This document includes technical information related to the design and use of total flooding fire extinguishing systems using liquefied or non-liquefied gaseous fire extinguishing agents. Suggested minimum extinguishant information includes:

- identification;
- specifications;
- physical properties;
- minimum extinguishing concentrations and minimum design concentrations;
- use parameters;
- toxicity;
- environmental properties;
- system design.

If the extinguishant manufacturer so wishes, the required information can be supplemented with additional information that can prove useful in matters related to the manufacturer, storage, use and handling of extinguishant containers.

[ISO/TR 23107:2021](https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021)

<https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/TR 23107:2021

<https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021>

Criteria for assessment of new extinguishants for inclusion in the ISO 14520 series

1 Scope

This document suggests specific types of information that can be useful for assessing safe and effective gaseous extinguishing media for inclusion in the ISO 14520 series.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Checklist

The following checklist provides examples of information used for the review of new gaseous extinguishing media in the ISO 14520 series.

1	Extinguishant identification		
	1.1	Extinguishant designation [American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE) designation, or equivalent]	
	1.2	Chemical name (each component if a mixture)	
	1.3	Chemical formula	
	1.4	Chemical Abstracts Service (CAS) number (each component if a mixture)	
2	Extinguishant specifications, including (as applicable)		
	2.1	Purity	
	2.2	Acidity (halocarbons)	
	2.3	Moisture content	
	2.4	Non-volatile residue	
	2.5	Suspended matter	
	2.6	Oxygen content (inert gases)	
3	Physical properties		

NOTE The unit of pressure, "bar", is in bar-gauge unless otherwise noted. For example, container pressures, such as fill pressure and super pressure, are in bar gauge. Atmospheric pressure, critical pressure, vapour pressure are in bar absolute.

^a The Extinguishing Concentrations can be supported by full test reports. Tests can be conducted and reported in accordance with the current protocol in ISO 14520-1 and witnessed by an independent internationally recognized laboratory.

3.1	Molecular weight (average if a mixture)	
3.2	Boiling point at 1,013 bar absolute	
3.3	Freezing point	
3.4	Critical temperature, K	
3.5	Critical pressure, bar absolute	
3.6	Critical volume, cm ³ /mol	
3.7	Critical density, kg/m ³	
3.8	Vapour pressure, bar absolute at 20 °C	
3.9	Liquid density at 20 °C, kg/m ³	
3.10	Saturated vapour density at 20 °C, kg/m ³	
3.11	Specific volume of superheated vapour density at 1,013 bar absolute, 20 °C, m ³ /kg	
4 Extinguishing and design concentrations^a		
4.1	Class B (heptane)	
	4.1.1	Extinguishing concentration, vol %
	4.1.2	Minimum design concentration, vol %
4.2	Surface Class A	
	4.2.1	Extinguishing concentration, vol %
		4.2.1.1 Wood crib fire
		4.2.1.2 Polymethylmethacrylate (PMMA) plastic sheet fire
		4.2.1.3 Polypropylene (PP) plastic sheet fire
		4.2.1.4 Acrylonitrile-butadiene-styrene (ABS) plastic sheet fire
	4.2.2	Minimum design concentration, vol %
4.3	Higher hazard Class A	
	4.3.1	Minimum design concentration, vol %
4.4	Extinguishing and minimum design concentrations for other fuels (optional)	
4.5	Minimum inerting design concentrations for select fuels (optional)	
5 Extinguishant use parameters		
5.1	Table of total flooding quantities (flooding factor table)	
5.2	Equation constants for specific volume (<i>S</i>) of agent vapour at 1,013 bar absolute pressure (1 standard atmosphere)	
	5.2.1	Formula of the form $S = k_1 + k_2 T$, where <i>T</i> is in °C
6 Agent toxicity information		
6.1	4 h LC ₅₀ concentration	
6.2	No observed adverse effect level (NOAEL)	
6.3	Lowest observed adverse effect level (LOAEL)	
7 System design		
7.1	Container fill pressure at 15 °C, bar (inert gas agents)	
7.2	Maximum container fill density, kg/m ³ (halocarbon agents)	
NOTE The unit of pressure, "bar", is in bar-gauge unless otherwise noted. For example, container pressures, such as fill pressure and super pressure, are in bar gauge. Atmospheric pressure, critical pressure, vapour pressure are in bar absolute.		
^a The Extinguishing Concentrations can be supported by full test reports. Tests can be conducted and reported in accordance with the current protocol in ISO 14520-1 and witnessed by an independent internationally recognized laboratory.		

	7.3	Filled container super pressure, at 20 °C, bar (halocarbon agents)	
	7.4	Container pressure vs temperature (graph or table) for each container fill configuration	
	7.4.1	Inert gas agent: Fill pressure	
	7.4.2	Halocarbon agent: Maximum fill density and super pressure	
8	Environmental properties		
	8.1	Ozone depletion potential (ODP)	
	8.2	Global warning potential (GWP), 100-year basis	

NOTE The unit of pressure, "bar", is in bar-gauge unless otherwise noted. For example, container pressures, such as fill pressure and super pressure, are in bar gauge. Atmospheric pressure, critical pressure, vapour pressure are in bar absolute.

^a The Extinguishing Concentrations can be supported by full test reports. Tests can be conducted and reported in accordance with the current protocol in ISO 14520-1 and witnessed by an independent internationally recognized laboratory.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/TR 23107:2021](https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021)

<https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021>

Bibliography

- [1] ISO 14520-1, *Gaseous fire extinguishing systems — Physical properties and system design — Part 1: General requirements*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/TR 23107:2021](https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021)

<https://standards.iteh.ai/catalog/standards/sist/a8e55676-5c79-46ef-9c61-038dc7d5c636/iso-tr-23107-2021>