



SLOVENSKI STANDARD
SIST EN 16005:2024+A1:2024
01-junij-2024

Avtomatska vrata za prehod ljudi - Varnost pri uporabi - Zahteve in preskusne metode (vključno z dopolnilom A1)

Power operated pedestrian doorsets - Safety in use - Requirements and test methods

Kraftbetätigte Türen - Nutzungssicherheit - Anforderungen und Prüfverfahren

Blocs-portes motorisés pour piétons - Sécurité d'utilisation - Exigences et méthodes d'essai

Ta slovenski standard je istoveten z: EN 16005:2023+A1:2024

[SIST EN 16005:2024+A1:2024](https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024)

<https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024>

ICS:

91.060.50	Vrata in okna	Doors and windows
97.120	Avtomatske krmilne naprave za dom	Automatic controls for household use

SIST EN 16005:2024+A1:2024

en,fr,de

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[SIST EN 16005:2024+A1:2024](https://standards.itih.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024)

<https://standards.itih.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024>

EUROPEAN STANDARD

EN 16005:2023+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2024

ICS 91.060.50

Supersedes EN 16005:2023

English Version

Power operated pedestrian doorsets - Safety in use - Requirements and test methods

Blocs-portes motorisés pour piétons - Sécurité
d'utilisation - Exigences et méthodes d'essaiKraftbetätigte Türen - Nutzungssicherheit -
Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 20 November 2023 and includes Amendment 1 approved by CEN on 7 February 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

Document Preview

[SIST EN 16005:2024+A1:2024](https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024)<https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024>

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	5
Introduction	7
1 Scope	8
2 Normative references	9
3 Terms and definitions	10
4 List of significant hazards	13
4.1 General.....	13
4.2 Hazards caused by inadequate functional safety.....	13
4.3 Hazards caused by source of energy and power controls.....	13
4.4 Hazards caused by materials and shape of the door leaves	13
4.4.1 Materials	13
4.4.2 Shape of door leaves	13
4.5 Hazards caused by uncontrolled movement of the door leaves	13
4.6 Hazards caused by manual operation	13
4.7 Hazards caused by activation of the movement of the door leaf.....	13
4.8 Hazards which can cause crushing, impact, shearing and drawing-in.....	14
4.9 Hazards related to peripheral speed of revolving doorsets.....	14
4.10 Hazards related to lighting of swept area of revolving doorsets.....	14
4.11 Hazards related to entrapment in the passage area of revolving doorsets.....	14
4.12 Hazards related to the use of the doorsets in escape routes and emergency exits	14
5 Safety requirements and/or protective/risk reduction measures	14
5.1 General.....	14
5.2 Functional safety.....	15
5.3 Source of energy and power controls.....	15
5.3.1 General.....	15
5.3.2 Emergency stop function for revolving doorsets	15
5.4 Material and shape of door leaves.....	16
5.4.1 Materials	16
5.4.2 Shape of door leaves	16
5.5 Movement of the door leaves.....	16
5.6 Manual operation.....	16
5.7 Activation of the movement of the door leaf.....	16
5.7.1 Automatic activation.....	16
5.7.2 Manual activation devices	17
5.7.3 Remote activation.....	17
5.8 Crushing, impact, shearing and drawing-in	17
5.8.1 General.....	17
5.8.2 Guards.....	18
5.8.3 Barriers	18
5.8.4 Power operated sliding doorsets	18
5.8.5 Power-operated swing doorsets	21
5.8.6 Power operated balanced doorsets	22
5.8.7 Power operated folding doorsets.....	22
5.8.8 Power operated revolving doorsets.....	23

5.8.9	Low energy movement	25
5.8.10	Limitation of impact forces	26
5.8.11	Protective device(s)	27
5.8.12	Safety distances	28
5.9	Additional requirements for doorsets in escape routes and emergency exits	28
5.9.1	Operating mode selection	28
5.9.2	Power operated doorsets with break-out function	28
5.9.3	Power operated sliding and folding doorsets without a break-out function	29
5.9.4	Power operated swing doorsets without a break-out function	29
5.9.5	Power operated revolving doors	29
5.10	Durability	31
6	Verification of the safety requirements and/or protective/risk reduction measures	31
6.1	General	31
6.1.1	General	31
6.1.2	Dynamic force measuring equipment	31
6.1.3	Field dynamic force measuring equipment	32
6.2	Functional safety	32
6.3	Source of energy and power controls	32
6.3.1	General	32
6.3.2	Emergency stop function for revolving doorsets	32
6.4	Material and shape of door leaves	32
6.4.1	Materials	32
6.4.2	Shape of door leaves	32
6.5	Movement of the door leaves	32
6.6	Manual operation	32
6.7	Activation of the movement of the door leaf	33
6.8	Crushing, impact, shearing and drawing-in	33
6.8.1	General	33
6.8.2	Guards	33
6.8.3	Barriers	33
6.8.4	Power operated sliding doorsets	33
6.8.5	Power-operated swing doorsets	33
6.8.6	Power operated balanced doorsets	33
6.8.7	Power operated folding doorsets	33
6.8.8	Power operated revolving doorsets	33
6.8.9	Low energy movement	33
6.8.10	Limitation of impact forces	33
6.8.11	Protective device(s)	33
6.8.12	Safety distances	34
6.9	Doorsets in escape routes and emergency exits	34
6.10	Durability test	34
6.10.1	General	34
6.10.2	Testing at ambient temperature	34
6.10.3	Testing at extreme temperature	34
6.10.4	Additional test for doorsets in escape routes and emergency exits with a break-out facility	34
6.10.5	Additional test for doorsets in escape routes and emergency exits without a break-out facility	35
7	Information for use	35
7.1	General	35
7.2	Instruction handbook	35

EN 16005:2023+A1:2024 (E)

7.3	Marking	36
	Annex A (informative) Illustration of some essential terms for various types of doorsets..	38
	Annex B (normative) Measuring points.....	39
	Annex C (normative) Tests for protective device(s)	42
	Annex D (informative) Graphical symbol for disabled or handicapped persons	53
	Annex E (informative) Emergency break-out sign.....	54
	Annex F (normative) Low energy doorsets	55
F.1	Speed settings for low energy power operated swing doorsets	55
F.2	Speed settings for low energy power operated sliding doorsets	56
	Annex G (normative) Safeguarding of power operated swing doorsets	58
	Annex H (informative) Danger points at revolving doorsets.....	61
	Annex I (informative) Maintenance documentation.....	64
	Annex ZA (informative) Relationship between this European standard and the Essential Requirements of Directive 2006/42/EC aimed to be covered	65
	Bibliography	67

iTech Standards
 (<https://standards.iteh.ai>)
 Document Preview

[SIST EN 16005:2024+A1:2024](https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024)

<https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024>

European foreword

This document (EN 16005:2023+A1:2024) has been prepared by Technical Committee CEN/TC 33 “Doors, windows, shutters, building hardware and curtain walling”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2024, and conflicting national standards shall be withdrawn at the latest by September 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 7 February 2024.

This document supersedes A1 EN 16005:2023 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

Compared with EN 16005:2012, the following changes have been made:

- scope revised;
- normative references updated;
- Clause 4 added; following clauses renumbered accordingly; <https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024>
- Clause 5 (former Clause 4) revised;
- Clause 6 (former Clause 5) revised;
- Annex C revised;
- Annex J deleted;
- Annex ZA revised;
- Bibliography revised;
- various figures updated and revised;
- editorially revised.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

EN 16005:2023+A1:2024 (E)

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN 16005:2024+A1:2024](https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024)

<https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024>

Introduction

This document is a type C standard as stated in EN ISO 12100:2010.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations and hazardous events are covered are indicated in the scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the provisions of this type-C standard.

[SIST EN 16005:2024+A1:2024](https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024)

<https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024>

EN 16005:2023+A1:2024 (E)

1 Scope

This document specifies requirements regarding design and test methods for power operated pedestrian doorsets. Examples of how the doorset constructions may be operated include: electro-mechanically, electro-hydraulically, electro-magnetically or pneumatically.

This document covers safety in use of power operated pedestrian doorsets used for normal access as well as in emergency and escape routes and as fire resistance and/or smoke control doorsets.

The type of doorsets covered include power operated pedestrian sliding, swing and revolving doorsets, including balanced doorsets and folding doorsets with a horizontally moving door leaf.

This document deals with all significant hazards, hazardous situations and events relevant to power operated doorsets when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer.

All lifetime phases of the power operated pedestrian doorsets including transportation, assembly, dismantling, disabling and scrapping are considered by this document.

This document does not apply to:

- vertically moving doors;
- doors on lifts;
- doors on vehicles;
- power operated doors or gates mainly intended for vehicular traffic or access for goods;
- doors used in industrial processes;
- partition walls;
- doors outside the reach of people (such as crane gantry fences);
- turnstiles;
- platform doors;
- traffic barriers.

This document does not cover special functions of doorsets, such as security in banks, airports, etc. or fire and/or smoke compartmentation, where conformity of the specific function with requirements of the application is the preference.

This document does not deal with any specific requirements on noise emitted from power operated pedestrian doorsets as their noise emission is not considered to be a relevant hazard.

NOTE Noise emission of power operated pedestrian doorsets is not a significant hazard for the users of these products. It is a comfort aspect.

This document is not applicable to power operated pedestrian doorsets manufactured before the date of its publication.

This document does not cover operation in environments where there is a risk of explosion.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12150-1:2015+A1:2019, *Glass in building — Thermally toughened soda lime silicate safety glass — Part 1: Definition and description*

EN 12433-1:1999, *Industrial, commercial and garage doors and gates — Terminology — Part 1: Types of doors*

EN 12433-2:1999, *Industrial, commercial and garage doors and gates — Terminology — Part 2: Parts of doors*

EN 12978:2003+A1:2009, *Industrial, commercial and garage doors and gates — Safety devices for power operated doors and gates — Requirements and test methods*

EN 14351-1:2006+A2:2016, *Windows and doors — Product standard, performance characteristics — Part 1: Windows and external pedestrian doorsets*

EN 60335-2-103:2015, *Household and similar electrical appliances — Safety — Part 2-103: Particular requirements for drives for gates, doors and windows*

EN 60529:1991,¹ *Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)*

EN IEC 60664-1:2020,² *Insulation coordination for equipment within low-voltage supply systems — Part 1: Principles, requirements and tests (IEC 60664-1:2020)*

EN ISO 4413:2010, *Hydraulic fluid power — General rules and safety requirements for systems and their components (ISO 4413:2010)*

EN ISO 4414:2010, *Pneumatic fluid power — General rules and safety requirements for systems and their components (ISO 4414:2010)*

<https://standards.iteh.ai/catalog/standards/sist/894d3936-a5da-4612-a2b8-18a4984b4da2/sist-en-16005-2024a1-2024>

EN ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)*

EN ISO 13849-1:2015, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design (ISO 13849-1:2015)*

EN ISO 13850:2015, *Safety of machinery — Emergency stop function — Principles for design (ISO 13850:2015)*

EN ISO 13854:2019, *Safety of machinery — Minimum gaps to avoid crushing of parts of the human body (ISO 13854:2017)*

EN ISO 13856-2:2013, *Safety of machinery — Pressure-sensitive protective devices — Part 2: General principles for the design and testing of pressure-sensitive edges and pressure-sensitive bars (ISO 13856-2:2013)*

¹ As impacted by EN 60529:1991/A1:2000, EN 60529:1991/A2:2013, EN 60529:1991/A2:2013/AC:2019-02 and EN 60529:1991/AC:2016-12.

² As impacted by EN IEC 60664-1:2020/AC:2020-12.

EN 16005:2023+A1:2024 (E)**3 Terms and definitions**

For the purposes of this document, the terms and definitions given in EN ISO 12100:2010, EN 12433-1:1999, EN 12433-2:1999 and EN 14351-1:2006+A2:2016 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1**activator**

means by which the power operation of the doorset is started

3.2**back check**

open check

checking or slowing down of the speed of the door leaf before the doorset is being fully opened

3.3**balanced doorset**

power operated pedestrian doorset with a pivot point allowing the door leaf/leaves to slide sideways whilst simultaneously rotating

3.4**break-out**

system whereby door leaves and/or side screens can be pushed open manually in the direction of escape when this is not the normal function of the doorset

3.5**cycle**

movement consisting of an opening and closing movement

Note 1 to entry: For sliding and swing doorsets, a cycle consists of a complete opening and closing movement. For revolving doorsets, a cycle means one passage.

3.6**fire doorset**

generic term used in this document for fire resistance doorsets and/or smoke control doorsets

3.7**folding doorset**

doorset with two or more door leaves hinged together with one side of the door leaf hinged or pivoted at the doorset jamb

3.8**leading mullion**

mullion of the door leaf at the first point at which a door leaf of a power operated revolving doorset passes the curved screens

Note 1 to entry: See Annex A, Figure A.1.

3.9**lintel**

horizontal structural member spanning an opening at its head to carry a load above the opening

3.10**low energy power operated doorset**

power operated pedestrian doorset with a limited kinetic energy

3.11**main closing edge**

edge of a door leaf, whose distance from the parallel opposing edge or surface determines the usable aperture

[SOURCE: EN 12433-2:1999, definition 3.1.1]

3.12**monitoring system**

system that checks and verifies the correct functioning of another system and in the event of any malfunctioning of that system switches the power operated doorset to a selected safe mode of operation

3.13**opposing closing edge**

edge formed by the main closing edge of a counter closing door leaf, a fixed edge or a surface against which the door leaf is moving (e.g. frame, floor)

[SOURCE: EN 12433-2:1999, definition 3.1.2]

3.14**power operated pedestrian doorset**

doorset for pedestrian passage only with one or more door leaves that is moved, at least in one direction, by an external energy supply (e.g. electrically) instead of manual or stored mechanical energy

Note 1 to entry: It includes drive, door leaves, protective device(s) and any components (e.g. building hardware) needed for its safe operation.

3.15**revolving doorset**

power operated pedestrian doorset with one or more door leaves connected to a common vertical axis of rotation within an enclosure

Note 1 to entry: There is a wide range of design variations in this product group. See Figure 1 for examples.

Note 2 to entry: Figure 1 refers to any rotation. The shown anticlockwise rotation is only the more common one.

EN 16005:2023+A1:2024 (E)




Figure 1 — Revolving doorsets

3.16

secondary closing edge

any other closing edge of a door leaf, which is not the main closing edge or the opposing closing edge

[SOURCE: EN 12433-2:1999, definition 3.1.3]

3.17

side screen

side wall fixed or with a break out function that can be part of a power operated pedestrian doorset

3.18

sliding doorset

power operated pedestrian doorset with one or more door leaves, moving horizontally in its guides parallel to the adjacent structure

3.19

swing doorset

power operated pedestrian doorset with a door leaf or door leaves hinged or pivoted at one side

3.20

track

component or assembly designed to guide or support a door leaf when it moves

3.21

trailing mullion

mullion of the door leaf at the last point at which a door leaf of a power operated revolving doorset passes the curved screens

Note 1 to entry: See Annex A, Figure A.1.