2022-12-05

Date: 2023-02-15

ISO/FDIS 22526-4:<del>2022</del>2023(E)

ISO TC 61/SC 14/WG 3

**Secretariat: DIN** 

Plastics — Carbon and environmental footprint of biobased plastics — Part 4: Environmental (total) footprint (Life cycle assessment)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 22526-4
https://standards.iteh.ai/catalog/standards/sist/31206c12-4dd0-4c47-956ff37bf44284b7/iso-fdis-22526-4

### © ISO <del>2022</del>2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office

CP 401 • Ch. de Blandonnet 8

CH-1214 Vernier, Geneva

Phone: +41 22 749 01 11

Email: copyright@iso.org

Website: www.iso.org

Published in Switzerland

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 22526-4

https://standards.iteh.ai/catalog/standards/sist/31206c12-4dd0-4c47-956ff37bf44284b7/iso-fdis-22526-4

## Contents

Forward	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3—Terms and definitions	1
4 Methodology for LCA of biobased products	2
4.1 General description of an LCA	2
4.2 General aspects of LCA for biobased plastic products	2
4.3 Goal and scope of the LCA study	3
5 Life cycle inventory (LCI)	5
5.1 General	5
5.2 Sources of data	6
5.3 Allocation procedure	7
5.4 LCI — Collecting data and modelling	8
5.5 Inventory of fossil and biogenic carbon flows	11
5.6 Guidance for modelling agro-, forestry and aquaculture systems	11
6 Life cycle impacts assessment (LCIA)	16
6.1 Impact categories and impact indicators	16
6.2 Guidelines for specific impact indicators	<del></del> 17
7 Interpretation and reporting of LCA	18
7.1 Interpretation	18
7.2—Reporting of LCA	19
7.3 Critical review	19
Annex A (informative) Example of allocation on glycerol	20
A.1 Example for the basic approach	20
Annex B (informative) Examples of fossil and biogenic carbon flows accounting and	0.4
communication	<u>21</u>

# ISO/FDIS 22526-4:2023(E)

<del></del> 21
22
24
<u></u> 24
<del>s</del> 24
24
24
27
<u></u> vi
<u></u> vii
 1
1
1 1
2
2
<u></u> 2
<u></u> 3
3
<u></u> 3
<u></u> 5
<u></u> 5
6
<u></u> 6
6
6 7
7
8
8 <u></u> 8
8 9

5.5 Invent	ory of fossil and biogenic carbon flows	11
5.6 Guidar	nce for modelling agro-, forestry and aquaculture systems	11
<u>5.6.1</u> M	odelling agricultural systems	11
<u>5.6.2</u> M	odelling forestry systems	15
	odelling aquaculture systems	
<u>5.6.4</u> M	odelling the use-phase in LCAs of biobased products	15
	odelling end-of-life processes in LCAs of biobased products	
	mpacts assessment (LCIA)	
6.1 Impac	t categories and impact indicators	16
6.1.1 G	eneral	16
	election of impact categories	
	pplicability of methods and data	
	Veighting and comparative assertions disclosed to the public	
	ines for specific impact indicators	
<u>6.2.1 T</u>	reatment of fossil and biogenic carbon in assessing climate change	<u></u> 17
	and use	
6.2.3 In	npact of water use	18
7 Interpreta	tion and reporting of LCA	<u></u> 18
	retation	
	ting of LCA f37bf44284b7/iso-fdis-22526-4	
7.3 Critica	l review	19
Annex A (infor	mative) Example of allocation on glycerol	20
	mative) Examples of fossil and biogenic carbon flows accounting and	
<u>communicatio</u>	n	<u></u> 21
Annex C (infor	mative) Examples of impact categories and impact indicators	24
Bibliography		<u></u> 27

### Forword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives/">www.iso.org/directives/</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 14, *Environmental aspects*.

A list of all parts in the ISO 22526 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>. www.iso.org/members.html.

## Introduction

Increased use of biomass resources for manufacturing plastic products can be effective in reducing global warming and the depletion of fossil resources.

Current plastic products are composed of biobased synthetic polymers, fossil-based synthetic polymers, natural polymers and additives that can include biobased materials.

Biobased plastics refer to plastics that contain materials wholly or partly of biogenic origin.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 22526-4
https://standards.iteh.ai/catalog/standards/sist/31206c12-4dd0-4c47-956ff37bf44284b7/iso-fdis-22526-4

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 22526-4

https://standards.iteh.ai/catalog/standards/sist/31206c12-4dd0-4c47-956ff37bf44284b7/iso-fdis-22526-4

# Plastics — Carbon and environmental footprint of biobased plastics — Part 4: Environmental (total) footprint (Life cycle assessment)

## 1 Scope

This document provides <u>Lifelife</u> cycle assessment (LCA) requirements and guidance to assess impacts over the life cycle of biobased plastic products, materials and polymer resins, which are partly or wholly based on biobased constituents.

The applications of LCA as such are outside the scope of this document. Clarifications, considerations, practices, simplifications and options for the different applications, are also beyond the scope of this document.

In addition, this document can be applied in studies that do not cover the whole life cycle, with justification, for example in the case of business-to-business information, such as cradle-to-gate studies, gate-to-gate studies, and specific parts of the life cycle (e.g. waste management, components of a product). For these studies, most requirements of this document are applicable (e.g. data quality, collection and calculation as well as allocation and critical review), but not all the requirements for the system boundary.

# 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 472, Plastics — Vocabulary

ISO 14025, Environmental labels and declarations — Type III environmental declarations — Principles and procedures

ISO 14040:2006, Environmental management — Life cycle assessment — Principles and framework

ISO 14044:2006, Environmental management — Life cycle assessment — Requirements and guidelines

<u>ISO/TR 21960, Plastics — Environmental aspects — State of knowledge and methodologies</u>

EN 16575, Bio-based products — Vocabulary

EN 16760, Bio-based products — Life cycle assessment

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 16760 SO 472, ISO 14040, ISO 14044, ISO 472EN 16575, EN 16760 and ISO/TR 21960 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obphttps://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="https://www.electropedia.org/">https://www.electropedia.org/</a>

# 4 Methodology for LCA of biobased products

## 4.1 General description of an LCA

The general description of life cycle assessment is defined in ISO 14040:2006, Clause 4.

## 4.2 General aspects of LCA for biobased plastic products

The LCA of a biobased plastic product shall cover the whole product, not only the biobased part; see Figure 1. However, the focus of this document is on how to handle the specificities of the biobased part of the product.




Figure 1 —-Example of a product system of a biobased plastic product which includes biomass as well as non-biogenic material feedstocks

NOTE 1 The boxes linked with bold arrows in Figure 1 represent the flows of biobased products (partly or fully derived from biomass) that can be raw materials, intermediary products and final product.

NOTE 2 For simplification purposes, transportation steps have not been reported in Figure 1, but transportation can occur within or between any of the unit processes.

This document provides requirements and guidelines for biobased products: see  $\frac{54}{.}$ 3, Clause  $\frac{5}{.}$  Clause  $\frac{5}{.}$ 

An LCA for a biobased product shall include the four phases of LCA. LCA requirements and guidelines are provided in ISO 14044:2006, 4.2, 4.3, 4.4 and 4.5.

This document provides further guidance on the following, which can be important for biobased plastic products, due to their biomass origin:

- geographical (see <u>65</u>.2.2) and temporal scope (see <u>65</u>.2.3) to be representative for the biomass acquisition phase considering agricultural, forest and aquaculture specificities;
- allocation procedures (see  $\frac{65}{2}$ .3) as the production stages typically generates co-products;
- consideration for resource elementary flows (see 65.4.1);

- data collection and modelling for land use (see 65.4.2), water use (see 65.4.3), and fossil and biogenic carbon flows (see 65.5);
- modelling of agriculture and aquaculture systems (see  $\frac{65}{1}$ .6) and
- inventory and modelling requirements for biobased plastic products end-of-life (see <u>65</u>.6.4).

This The ISO 22526 series of Standards focuses on biobased products for industrial application; food, feed and energy are excluded from the scope. However, the guidelines and requirements for LCA provided in this standarddocument can be applied to any product derived from biomass, irrespective of the application.

## 4.3 Goal and scope of the LCA study

### 4.3.1 Goal of the LCA study

When defining the goal of the LCA study, the requirements of ISO 14040:2006, 5.2.1 and ISO 14044:2006, 4.2.2 and 4.2.3 shall apply.

There is no single solution as to how LCA can <u>be</u> best<u>be</u> applied, it depends on the goal of the LCA and on each organization size and culture, its products, the strategy, the internal systems, tools and procedures and the external drivers.

In defining the goal of an LCA, the following items shall be clearly stated:

- the intended application of the study;
- the reasons for carrying out the study;
- the intended audience, i.e. to whom the results of the study are intended to be communicated; and
- whether the results are intended to be used in comparative assertions intended to be disclosed to the public.

#### 4.3.2 Scope of the LCA study

#### 4.3.2.1 General

The scope should be sufficiently well—defined to ensure that the breadth, depth and detail of the study are compatible and sufficient to address the stated goal.

In addition to the definition of the scope of the LCA study in ISO 14044:2006, 4.2.3, the limitations, assumptions and methods to assess issues specific to biobased products should be explained (e.g. assumptions for use stage, for end-of-life stage, carbon storage).

In some cases, the goal and scope of the study may be revised due to unforeseen limitations, constraints or as a result of additional information. Such modifications, together with their justification, should be documented.

It shall be determined which impact categories, category indicators and characterization models are included within the LCA study. The selection of impact categories, category indicators and characterization models used in the LCIA methodology shall be consistent with the goal of the study and considered as described in ISO 14044:2006, 4.4.2.2.

### 4.3.2.2 Function and functional unit

In defining the functional unit, the requirements of ISO 14040:2006, 5.2.2 and ISO 14044:2006, 4.2.3.2 shall apply.

### ISO/FDIS 22526-4:2023(E)

The scope of an LCA shall clearly specify the function (performance characteristics) of the product system being studied. The functional unit shall be consistent with the goal and scope of the study. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are related. This reference is necessary to ensure comparability of LCA results, in particular when different systems are being assessed to enable comparison on a common basis. Therefore, the functional unit shall be clearly defined and measurable.

An appropriate reference flow shall be determined in relation to the functional unit. The quantitative input and output data collected in support of the analysis shall be calculated in relation to this flow. For biobased products which are intermediates or which can serve several functions or services, it is recommended to use a reference flow such as weight or volume (e.g. 1 kg of product), and to provide information whether it refers to dry matter weight, gross weight, etc.

EXAMPLE In the function of drying hands, both a paper towel and an air-dryer system are studied. The selected functional unit can be expressed in terms of the identical number of pairs of hands dried for both systems. For each system, it is possible to determine the reference flow, e.g. the average mass of paper or the average volume of hot air required for one pair of hand-dry, respectively. For both systems, it is possible to compile an inventory of inputs and outputs on the basis of the reference flows. At its simplest level, in the case of paper towel, this is related to the paper consumed. In the case of the air-dryer, this is related to the mass of hot air needed to dry the hands (copied from ISO 14040:2006, 5.2.2).

### 4.3.2.3 System boundary

In defining the system boundary, the requirements of ISO 14040:2006, 5.2.3 and ISO 14044:2006, 4.2.3.3 shall apply.

The system boundary shall be explained clearly and in an unambiguous way, preferably in a flow chart figure. The exclusion of any life cycle stage shall be documented and explained.

LCA technique with proper justification may be applied in studies that are not LCA or LCI studies. Examples are:

- cradle-to-gate studies; andards.iteh.ai/catalog/standards/sist/31206c12-4dd0-4e47-956f-
- gate-to-gate studies; and
- specific parts of the life cycle (e.g. waste management, components of a product).

#### 4.3.2.4 Cut-off criteria

When using cut-off criteria to decide on inclusion of inputs and outputs, the requirements of ISO 14044:2006, 4.2.3.3.3 shall apply.

The choice of elements of the physical system to be modelled depends on the goal and scope definition of the study, its intended application and audience, the assumptions made, data and cost constraints, and cut-off criteria. The models used should be described and the assumptions underlying those choices should be identified. The cut-off criteria used within a study should be clearly understood and defined within the goal and scope definition phase.

In principle, all elementary and technosphere flows should be accounted for. If not, mass, energy environmental significance should be used to determine cut-off criteria. The final report shall include an estimation of completeness, based on:

- Mass cut-off (in % of total product mass): best estimation of the mass of all non-accounted components of the product.
- Energy cut-off (in % of total energy consumption): best estimation of all energy consumption of nonaccounted mass inputs. Environmental significance: decisions on cut-off criteria should be based on best knowledge of environmental significance. Such information may, for example, be sought on