



SLOVENSKI STANDARD
oSIST prEN IEC 63541:2025

01-junij-2025

Kristali litijevega tantalata in litijevega niobata za površinske zvočnovalovne naprave (SAW) - Specifikacije in merilne metode

Lithium tantalate and lithium niobate crystals for surface acoustic wave (SAW) device applications - Specifications and measuring methods

iTeh Standards
(<https://standards.iteh.ai>)

Ta slovenski standard je istoveten z: prEN IEC 63541:2025

[oSIST prEN IEC 63541:2025](https://standards.iteh.ai/catalog/standards/sist/a3c7f48a-5c7e-4cac-a54c-6fd32e6a0967/osist-pren-iec-63541-2025)

<https://standards.iteh.ai/catalog/standards/sist/a3c7f48a-5c7e-4cac-a54c-6fd32e6a0967/osist-pren-iec-63541-2025>

ICS:

31.140

Piezoelektrične naprave

Piezoelectric devices

oSIST prEN IEC 63541:2025

en



49/1496/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

IEC 63541 ED1

DATE OF CIRCULATION:

2025-04-18

CLOSING DATE FOR VOTING:

2025-07-11

SUPERSEDES DOCUMENTS:

49/1471/CD, 49/1488/CC

IEC TC 49 : PIEZOELECTRIC, DIELECTRIC AND ELECTROSTATIC DEVICES AND ASSOCIATED MATERIALS FOR FREQUENCY CONTROL, SELECTION AND DETECTION

SECRETARIAT:

Japan

SECRETARY:

Mr Masanobu Okazaki

OF INTEREST TO THE FOLLOWING COMMITTEES:

HORIZONTAL FUNCTION(S):

ASPECTS CONCERNED:

☒ SUBMITTED FOR CENELEC PARALLEL VOTING

☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING
Attention IEC-CENELEC parallel voting

The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting.

The CENELEC members are invited to vote through the CENELEC online voting system.

oSIST prEN IEC 63541:2025

<https://standards.iteh.ai/catalog/standards/sist/a3c7f48a-5c7e-4cac-a54c-6fd32e6a0967/osist-pren-iec-63541-2025>

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Lithium tantalate and lithium niobate crystals for surface acoustic wave (SAW) device applications - Specifications and measuring methods

PROPOSED STABILITY DATE: 2028

NOTE FROM TC/SC OFFICERS:

Copyright © 2025 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

1			
2	FOREWORD		4
3	1 Scope		6
4	2 Normative references.....		6
5	3 Terms and definitions.....		6
6	4 Requirements.....		8
7	4.1 Material specification		8
8	4.1.1 LN.....		8
9	4.1.2 LT		8
10	4.2 Requirements for as-grown crystal.....		8
11	4.2.1 Specifications		8
12	4.2.2 Macroscopic quality.....		8
13	4.2.3 Single domain		8
14	4.2.4 Curie temperature and tolerance		9
15	4.2.5 Lattice parameter		9
16	4.3 Requirements for lumbered crystal		9
17	4.3.1 As-grown crystal for lumbered crystal.....		9
18	4.3.2 Specifications		9
19	5 Sampling and inspection.....		9
20	5.1 General		9
21	5.2 Sampling and inspection plan		10
22	5.3 Determination of inspection results		10
23	6 Test methods		10
24	6.1 Test methods for as-grown crystal		10
25	6.1.1 Diameter and cylinder length		10
26	6.1.2 Macroscopic quality.....		10
27	6.1.3 Single domain		10
28	6.1.4 Curie temperature		10
29	6.1.5 Lattice parameter		10
30	6.2 Test methods for lumbered crystal		10
31	6.2.1 Surface orientation		10
32	6.2.2 Diameter.....		11
33	6.2.3 Orientation of orientation flat.....		11
34	6.2.4 Width of orientation flat		11
35	6.2.5 Effective length.....		11
36	6.2.6 Cylindricity		11
37	6.2.7 Verticality.....		11
38	7 Identification, labelling, packaging, delivery condition		11
39	7.1 Packaging.....		11
40	7.2 Labelling and identification		11
41	7.3 Terms of delivery		11
42	Annex A (normative) Measurement of single domain for LT and LN crystals.....		12
43	A.1 General		12
44	A.2 Measurement principle		12
45	A.3 Measurement.....		12
46	A.3.1 Scattered light path method		12