

SLOVENSKI STANDARD oSIST prEN ISO 19085-20:2024

01-november-2024

Varnost lesnoobdelovalnih strojev - Krožne žage - 11. del: Polavtomatske horizontalne krožne žage za prečni rez z eno rezalno enoto (radialne žage) (ISO/DIS 19085-20:2024)

Woodworking machines - Safety - Part 20: Horizontal cutting cross-cut sawing machines with one saw unit (radial arm saws) (ISO/DIS 19085-20:2024)

Sicherheit von Holzbearbeitungsmaschinen - Kreissägemaschinen - Teil 11: Halbautomatische waagrecht schneidende Auslegerkreissägemaschinen mit einem Sägeaggregat (Radialsägen) (ISO/DIS 19085-20:2024)

Machines à bois - Sécurité - Partie 20: Tronçonneuses à coupe horizontale avec une unité de sciage (scies à bras radial) (ISO/DIS 19085-20:2024)

oSIST prEN ISO 19085-20:2024

https://st Ta slovenski standard je istoveten z:753- prEN ISO 19085-20 064c71/osist-pren-iso-19085-20-2024

ICS:

13.110 Varnost strojev Safety of machinery 25.080.60 Strojne žage Sawing machines

79.120.10 Lesnoobdelovalni stroji Woodworking machines

oSIST prEN ISO 19085-20:2024 en,fr,de

oSIST prEN ISO 19085-20:2024

iTeh Standards (https://standards.iteh.ai) Document Preview

oSIST prEN ISO 19085-20:2024

https://standards.iteh.ai/catalog/standards/sist/918637b3-9f07-4bbd-92bc-3fe866064c71/osist-pren-iso-19085-20-2024



DRAFT International Standard

ISO/DIS 19085-20

Woodworking machines — Safety —

Part 20:

Horizontal cutting cross-cut sawing machines with one saw unit (radial arm saws)

ICS: 13.110; 79.120.10

ISO/TC 39/SC 4

Secretariat: UNI

Voting begins on: **2024-09-10**

Voting terminates on: 2024-12-03

SIST prEN ISO 19085-20:2024

Document Preview

https://standards.iteh.ai/catalog/standards/sist/918637b3-9f07-4bbd-92bc-3fe866064c71/osist-pren-iso-19085-20-2024

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENTS AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

iTeh Standards (https://standards.iteh.ai) Document Preview

oSIST prEN ISO 19085-20:2024

https://standards.iteh.ai/catalog/standards/sist/918637b3-9f07-4bbd-92bc-3fe866064c71/osist-pren-iso-19085-20-202



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents				
Forew	ord		v	
Introd	luctio	n	vi	
1	Scope	e	1	
2	•	native references		
3		is and definitions		
4	Safet 4.1	y requirements and measures for controls		
	4.1	Control devices		
	4.3	Start		
	1.5	4.3.1 Direct start		
		4.3.2 Start via control power-on		
		4.3.3 Power-operated cutting stroke		
	4.4	Safe stops	7	
		4.4.1 General		
		4.4.2 Normal stop		
		4.4.3 Operational stop		
	4 5	4.4.4 Emergency stop		
	4.5	Braking function of tools		
	4.6 4.7	Mode selection		
	4.7	4.7.1 Speed changing by shifting the belts on the pulleys		
		4.7.2 Speed changing by sintring the betts on the puncys 4.7.2 Speed changing by incremental speed change motor		
		4.7.3 Infinitely variable speed by frequency inverter	7	
	4.8	Failure of any power supply		
	4.9	Manual reset control		
	4.10	Standstill detection and monitoring		
	4.11	Machine moving parts speed monitoring		
	4.12	Time delay		
	4.13	Teleservice aSIST prEM ISO 19085-20-2024		
	4.14	Power operated tilting of the saw unit and all all all all all all all all all al	.528	
5	Safet	y requirements and measures for protection against mechanical hazards	8	
		Stability	8	
	5.2	Risk of break-up during operation		
	5.3	Tool and tool fixing design		
		5.3.1 General		
		5.3.2 Spindle locking		
		5.3.3 Circular saw blade fixing device		
	- 4	5.3.4 Flange dimension for circular saw blades		
	5.4	Braking	9	
		5.4.1 Braking of tools 5.4.2 Maximum run-down time		
		5.4.2 Maximum run-down time 5.4.3 Brake release		
	5.5	Safeguards		
	5.5	5.5.1 Fixed guards		
		5.5.2 Interlocking moveable guards		
		5.5.3 Hold-to-run control		
		5.5.4 Two-hand control		
		5.5.5 Electro-sensitive protective equipment (ESPE)		
		5.5.6 Pressure sensitive protective equipment (PSPE)	10	
		5.5.7 Enabling control	10	
	5.6	Prevention of access to hazardous moving parts	10	
		5.6.1 Safeguarding the saw blade in machines with manually operated cutting stroke		
		5.6.2 Safeguarding the saw blade in machines with power-operated cutting stroke	12	

		5.6.3 Pivoting of the saw unit			
		5.6.4 Tilting of the saw unit			
	5.7	Impact hazard			
	5.8	Clamping devices			
	5.9	Measures against ejection			
	0.7	5.9.1 General			
		5.9.2 Guards materials and characteristics			
	5.10	Workpiece supports and guides			
	0.10	5.10.1 Workpiece supports			
		5.10.2 Workpiece guides			
6	Safety	y requirements and measures for protection against other hazards	15		
Ü	6.1	Fire			
	6.2	Noise			
		6.2.1 Noise reduction at the design stage			
		6.2.2 Noise emission measurement and declaration			
	6.3	Emission of chips and dust			
	6.4	Electricity	16		
	6.5	Ergonomics and handling	16		
	6.6	Lighting	16		
	6.7	Pneumatics	16		
	6.8	Hydraulics	16		
	6.9	Electromagnetic compatibility			
	6.10	Laser	16		
	6.11	Static electricity			
	6.12	Errors of fitting	17		
	6.13	Isolation	17		
	6.14	Maintenance	17		
	6.15	Relevant but not significant hazards			
7	Information for use 7.1 Warning devices				
	7.1	Warning devices	17		
	7.2	Marking			
		7.2.1 General SIST FIN ISO 10085-20-2024			
		7.2.2 Additional markings			
	7.3	Instruction handbook			
		7.3.1 General			
		7.3.2 Additional information	18		
Annex	A (info	formative) List significant hazards	20		
Annex	B (info	formative) Performance levels required	22		
Annex C (normative) Stability test					
Annex D (normative) Test for braking function					
Annex E (normative) Impact test for guards2					
Annex	F (nor	rmative) Noise test code	26		
Annex		informative) Relationship between this European Standard and the essent			
	requi	irements of Directive 2006/42/EC aimed to be covered	29		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 39, *Machine tools*, Subcommittee SC 4 *Woodworking machines*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 142, *Woodworking machines*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This document replaces EN 1870-11:2013 and EN 1870-17:2012, which have been technically revised and combined.

OSIST prEN ISO 19085-20:2024

A list of all parts in the ISO 19085 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The ISO 19085 series provides technical safety requirements for the design and construction of woodworking machinery, as well as for the content of the relevant instruction handbook. It concerns designers, manufacturers, suppliers and importers of the machines specified in the Scope.

This document is a type-C standard as defined in ISO 12100:2010.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (e.g. regulators, accident prevention organisations, market surveillance).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, for example, for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate in the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards (as defined in ISO 12100:2010), the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard. SIST DEEN ISO 19085-2002024

The full set of requirements for a particular type of woodworking machine are those given in the part of the ISO 19085 series applicable to that type, together with the relevant requirements from ISO 19085-1:2021, to the extent specified in the Scope of the applicable part of the ISO 19085 series.

As far as possible, the safety requirements of parts of the ISO 19085 series refer to the relevant clauses of ISO 19085-1:2021. Each part includes replacements and additions to the common requirements given in ISO 19085-1:2021.

All parts of the ISO 19085 series have the same structure, so that reference to ISO 19085-1:2021 is made always and only from and to the same subclause number, last indent.

<u>Clauses 1</u> to <u>3</u> are specific to each part and, therefore are distinct from ISO 19085-1:2021, Clauses 1 to 3.

For <u>Clauses 4</u> to 7 and the annexes, each subclause in ISO 19085-1:2021, is cited as:

- confirmed as a whole;
- confirmed with additions;
- excluded in total: or
- replaced with specific text.

This is indicated by one of the following possible statements:

— "ISO 19085-1:2021, [subclause/Annex], applies.";

- "ISO 19085-1:2021, [subclause/Annex], applies with the following additions." or "ISO 19085-1:2021, [subclause/Annex], applies with the following additions, subdivided into further specific subclauses.";
- "ISO 19085-1:2021, [subclause/Annex], does not apply.";
- "ISO 19085-1:2021, [subclause/Annex], is replaced by the following text." or "ISO 19085-1:2021, [subclause/Annex], is replaced by the following text, subdivided into further specific subclauses.".

Other subclauses and annexes specific to this document are indicated by the introductory sentence: "Subclause/Annex specific to this document."

iTeh Standards (https://standards.iteh.ai) Document Preview

oSIST prEN ISO 19085-20:2024

https://standards.iteh.ai/catalog/standards/sist/918637b3-9f07-4bbd-92bc-3fe866064c71/osist-pren-iso-19085-20-202

oSIST prEN ISO 19085-20:2024

iTeh Standards (https://standards.iteh.ai) Document Preview

oSIST prEN ISO 19085-20:2024

https://standards.iteh.ai/catalog/standards/sist/918637b3-9f07-4bbd-92bc-3fe866064c71/osist-pren-iso-19085-20-2024

Woodworking machines — Safety —

Part 20:

Horizontal cutting cross-cut sawing machines with one saw unit (radial arm saws)

1 Scope

This document specifies the safety requirements and measures for horizontal cutting cross-cut sawing machines with one saw unit (radial arm saws) with manual loading or unloading of the workpiece or both and capable of continuous production use, hereinafter referred to also as "machines".

The machines are designed to cut solid wood and material with similar physical characteristics to wood, as well as:

- aluminium profiles also filled or composed with plastic or foam or rubber based insulating materials;
- composite materials, with core consisting of e.g. polyurethane or mineral material, laminated with light alloy;
- polymer-matrix composite materials and reinforced with thermoplastic or thermoset or elastomeric materials;
- fibreglass;
- composite bars made from the materials listed above.

This document deals with all significant hazards, hazardous situations and events as listed in <u>Annex A</u> relevant to the machines when operated, adjusted and maintained as intended and under the conditions foreseen by the manufacturer; reasonably foreseeable misuse has been considered too. Transport, assembly, dismantling, disabling and scrapping phases have also been taken into account.

This document does not deal with hazards related to power operated pivoting.

This document does not apply to:

- a) machines designed for cross cutting of logs;
- b) machines designed for sawing and/or milling roof timber frames;
- c) machines fitted with hydraulic braking systems;
- d) machines fitted with hydraulically powered machine actuators;
- e) machines fitted with power-operated workpiece positioning system;
- f) machines fitted with the facility for ripping, milling (including trenching and grooving), sanding and/or drilling;
- g) machines intended for use in potentially explosive atmosphere;
- h) machines manufactured prior to the publication of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction

ISO 13857:2019, Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs

ISO 19085-1:2021, Woodworking machines — Safety — Part 1: Common requirements

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 12100:2010, ISO 19085-1:2021 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

horizontal cutting cross-cut circular sawing machine with one saw unit (radial arm saw)

machine where the saw unit is moved horizontally forward along a support e.g. an arm in a straight line through the workpiece during the cut and then back to its rest position

Note 1 to entry: See Figures 1 a) b), c) for examples of radial arm saws.

Note 2 to entry: The radial arm can rotate around a vertical axis (pivoting or swivelling) and the saw unit can rotate around a horizontal axis (tilting or canting) parallel to the radial arm.

Note 3 to entry: The workpiece is manually positioned on and removed from the workpiece support.

oSIST prEN ISO 19085-20:2024

https://standards.iteh.ai/catalog/standards/sist/91863/b3-9f0/-4bbd-92bc-3fe866064c/1/osist-pren-iso-19085-20-202