



SLOVENSKI STANDARD
oSIST prEN ISO 16906:2024
01-september-2024

Netekstilne talne obloge - Ugotavljanje trdnosti šiva (ISO 16906:2015)

Resilient floor coverings - Determination of seam strength (ISO 16906:2015)

Elastische Bodenbeläge - Bestimmung der Nahtfestigkeit (ISO 16906:2015)

Revêtements de sol résilients - Détermination de la résistance de la soudure (ISO 16906:2015)

Ta slovenski standard je istoveten z: prEN ISO 16906

ICS:

97.150

Talne obloge

Floor coverings

oSIST prEN ISO 16906:2024

en,fr,de

INTERNATIONAL STANDARD

ISO 16906

First edition
2015-05-15

Resilient floor coverings — Determination of seam strength

Revêtements de sol résilients — Détermination de la résistance de la soudure

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN ISO 16906:2024](https://standards.iteh.ai/catalog/standards/sist/93c78e2e-b26f-4089-b9f2-189914261b3d/osist-pren-iso-16906-2024)

<https://standards.iteh.ai/catalog/standards/sist/93c78e2e-b26f-4089-b9f2-189914261b3d/osist-pren-iso-16906-2024>



Reference number
ISO 16906:2015(E)

© ISO 2015

ISO 16906:2015(E)

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN ISO 16906:2024](https://standards.iteh.ai/catalog/standards/sist/93c78e2e-b26f-4089-b9f2-189914261b3d/osist-pren-iso-16906-2024)

<https://standards.iteh.ai/catalog/standards/sist/93c78e2e-b26f-4089-b9f2-189914261b3d/osist-pren-iso-16906-2024>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org