
**Textiles — Cotton fibres —
Determination of micronaire value**

Textiles — Fibres de coton — Détermination de l'indice micronaire

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 2403:2021](https://standards.iteh.ai/catalog/standards/iso/d400e8c7-1396-41da-95cb-370910b8c6c6/iso-2403-2021)

<https://standards.iteh.ai/catalog/standards/iso/d400e8c7-1396-41da-95cb-370910b8c6c6/iso-2403-2021>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 2403:2021

<https://standards.iteh.ai/catalog/standards/iso/d400e8c7-1396-41da-95cb-370910b8c6c6/iso-2403-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Apparatus and materials	1
6 Conditioning	2
7 Preparation of test specimen	2
8 Procedure	2
9 Calculation and expression of results	3
10 Test report	3
Annex A (informative) Method of calibration of instruments	5
Annex B (informative) Precision experiment	6
Annex C (informative) Comparison experiment	7
Bibliography	9

ITeH Standards
 (https://standards.iteh.ai)
 Document Preview

ISO 2403:2021

<https://standards.iteh.ai/catalog/standards/iso/d400e8c7-1396-41da-95cb-370910b8c6c6/iso-2403-2021>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 38, *Textiles*, Subcommittee SC 23, *Fibres and yarns*.

This third edition cancels and replaces the second edition (ISO 2403:2014), which has been technically revised.

The main changes compared to the previous edition are as follows:

- an introduction clause has been added;
- a short description of the available apparatus, operation details and reference to calibration method in [5.2](#), Notes 1 and 2, respectively, has been added ;
- permission of the use of two different sample preparation methods have been added in [7.2](#);
- the specification of applied sample preparation method, the date of the test, any deviations from the procedure, and any unusual features observed have been added in the test report in [Clause 10](#);
- former Annexes B and C (operation of different instruments) have been removed;
- a new informative [Annex B](#) with precision data for micronaire measurements has been added;
- a new informative [Annex C](#) with precision data for comparison of the both test specimen preparation methods has been added;
- a bibliography has been added;
- grammar and linguistic consistency have been reviewed.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The micronaire value, one of the most important cotton fibre quality parameters, is measured on a plug of cotton fibres, it hence represents an average value. Due to a simple test specimen preparation, a measurement is carried out in relatively short time and thereby leads to fast testing results.

Based on the air permeability of a compressed cotton fibre test specimen, early manual micronaire testers used a mechanical air-flow meter, where a float sensor indicates the amount of air flowing through the test specimen, and a mechanical manometer showing the air pressure difference across the test specimen. Modern micronaire testers generally use electronic sensors for both, the air flow and the pressure difference.

In any case, the dimensionless micronaire value is calculated from the air flow through the test specimen and the pressure difference along the test specimen. Micronaire values are within a scale of 2 and 8, where a value of 2 represents a low air permeability (high packing density of the test specimen, caused by very fine and/or immature fibres) and a value of 8 represents a high air permeability (low packing density of the test specimen, caused by very coarse and/or mature fibres).

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 2403:2021](https://standards.iteh.ai/catalog/standards/iso/d400e8c7-1396-41da-95cb-370910b8c6c6/iso-2403-2021)

<https://standards.iteh.ai/catalog/standards/iso/d400e8c7-1396-41da-95cb-370910b8c6c6/iso-2403-2021>

