0022-11-1

ISO/FDIS 16961:2023(E)

ISO/TC 67/WG 1

Secretariat: NEN

Petroleum, petrochemical, Date: 2024-02-02

<u>Oil</u> and <u>natural</u> gas industries <u>including lower carbon energy</u> — Internal coating and lining of steel storage tanks

 $\underline{Industries\ du\ pétrole\ et\ du\ gaz\ y\ compris\ les\ énergies\ \grave{a}\ faible\ teneur\ en\ carbone\ -\ Revêtement\ intérieur\ et\ doublure\ interne\ des\ réservoirs\ de\ stockage\ en\ acier}$

(https://standards.iteh.ai)
Document Preview

FDIS stage DIS 16961

https://standards.iteh.ai/catalog/standards/iso/403cbb81-d5d6-42e2-8ab41ff9fde5d8c0c/iso-fdis-16961

© ISO 2023 – All rights reserved

Edited DIS - MUST BE USED FOR FINAL DRAFT

© ISO-2022 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: + 41 22 749 01 11 EmailE-mail: copyright@iso.org Website: www.iso.org

Published in Switzerland

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 16961

https://standards.iteh.ai/catalog/standards/iso/403cbb81-d5d6-42e2-8ab4-ff9fde5d8c0c/iso-fdis-16961

ISO/FDIS 16961:2023(E)

Contents

Forew	ord	v			
Introductionvi					
1	Scope	1			
2	Normative references	1			
3	Terms, definitions and abbreviated terms	3			
3.1	Terms and definitions	4			
3.2	Abbreviated terms	6			
4	Conformance	7			
4.1	Rounding	7			
4.2	Conformance to this document	7			
5	Pre-work requirements	7			
5.1	General	7			
5.2	Safety precautions in flammable atmosphere	7			
5.3	Qualification of coating/lining application and inspection personnel	8			
5.4	Positive isolation and ventilation	8			
6	Coating/lining materials				
6.1	General General The General Ge	8			
6.2	Approvals				
6.3	Prequalification of coating/lining system	9			
6.4	Holding (blast) primer	9			
6.5	Caulking (putty) and filler compounds	9			
6.6	Fibreglass lining materials	10			
6.6.1	Fibreglass resin compound	10			
6.6.2	Glass fibre reinforcement	10			
6.7	Glass flake filled coating/lining system	10			
6.8	Epoxy coating/lining systems	11			
6.9	Material approvals — Fibreglass lining system	11			
6.10	Material approvals — Glass flake filled coating/lining system	14			
6.11	Material approvals — Thin film epoxy coating/lining systems	14			
6.12	Pre-production trial	15			
7	Surface preparation	16			
7.1	General	16			
7.2	Tank pre-cleaning and residue removal (for rehabilitation work)	16			
7.3	Preparatory patching and grinding (for new and rehabilitation work)	16			
7.4	Dry abrasive blast cleaning	17			
7.5	Humidity control	18			
7.6	After blast cleaning	18			
7.7	Removal of existing laminate linings prior to abrasive blasting	19			

ISO/FDIS 19691:2023(E)

7.8	Striker plates, steel legs, risers, down comers and supports	19	
7.9	Safety precautions	. 19	
8	Coating/lining application	. 20	
8.1	General requirements	. 20	
8.2	Safety precautions	. 20	
8.3	Fibreglass lining	. 21	
8.4	Weather conditions	. 21	
8.5	Primer application	. 21	
8.6	Caulking (putty) application	. 22	
8.7	Fibreglass laminate application	. 22	
8.8	Coating/lining thickness	. 23	
8.9	Glass flake filled coating application	23	
8.10	Thin film coating application	. 24	
9	Inspection and testing	. 26	
9.1	General requirements	. 26	
9.2	Environmental conditions testing	26	
9.3	Materials and equipment inspection	27	
9.4	Compressed air and abrasive	. 27	
9.5	Surface preparation inspection	27	
9.6	Coating/lining inspection and testing	28	
9.7	Coating/lining film thickness	28	
9.8	Holiday detection test	28	
9.9	Curing hardness test	28	
9.10	Defects and pinhole repair		
9.11	Adhesion test	. 28	
10	Quality requirements	. 29	
11	Documentation	. 29	
11.1	General	. 29	
11.2	Work proposal	. 29	
11.3	Work records/reports	30	
11.4	Inspection and testing reports and certificates of conformance	30	
11.5	Final report	30	
Annex	A (informative) Dew point calculation chart	31	
Annex	B (informative) Caulking (putty) application	32	
Annex	C (informative) Example of coating/lining work record/data sheet	34	
Annex	D (informative) Example of coating/lining inspection and testing data sheet	36	
Biblio	graphy	. 38	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn[SO draws attention to the possibility that some of the elements implementation of this document may be involve the subjectuse of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, name of committeeOil and gas industries including lower carbon energy, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 12, name of committeeOil and gas industries including lower carbon energy, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 16961:2015), which has been technically revised.

The main changes are as follows:

- inclusion of lining selection criteria (Clause 6 (Clause 6);):
- —update of requirements for non-exposure and exposure tests (Clause 6(Clause 6);):
- ——clarification of the requirements in a pre-production trial (Clause 6 (Clause 6);):
- update of the typical thicknesses based on industry standards (Clause 8(Clause 8););
- —update of references throughout this document.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO/FDIS 19691:2023(E)

Introduction

The objectives of this document are to define technical requirements for the corrosion protection by coating and lining of internal surfaces of steel storage tanks, to provide technical guidance for developing local standards and specifications, and to ensure conformance in coating and lining material selection and performance with contract requirements.

Where an alternative is proposed, the specification issuer will needneeds to identify any deviations from this document and provide details.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 16961

https://standards.iteh.ai/catalog/standards/iso/403cbb81-d5d6-42e2-8ab4-ff9fde5d8c0c/iso-fdis-16961

ISO/FDIS 16961:2023(E2024(en)

Petroleum, petrochemical

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 16961

https://standards.iteh.ai/catalog/standards/iso/403cbb81-d5d6-42e2-8ab4-ff9fde5d8c0c/iso-fdis-16961

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 16961

https://standards.iteh.ai/catalog/standards/iso/403chb81-d5d6-42e2-8ab4-ff9fde5d8c0c/iso-fdis-16961

Oil and natural gas industries including lower carbon energy— Internal coating and lining of steel storage tanks

1 Scope

This document specifies requirements for surface preparation, materials, application, inspection and testing of internal coating lining systems that are intended to be applied on internal surfaces of steel storage tanks of crude oil, hydrocarbons and water for corrosion protection.

It covers both new construction and maintenance works of tank internal coating and lining as well as the repair of defective and deteriorated coating/lining.

This document also provides requirements for shop performance testing of the coated/lined samples and the criteria for their approval.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2808, Paints and varnishes — Determination of film thickness

 $ISO\ 2812_1, Paints\ and\ varnishes\ --\ Determination\ of\ resistance\ to\ liquids\ --\ Part\ 1:\ Immersion\ in\ liquids\ other\ than\ water$

ISO 4624, Paints and varnishes — Pull-off test for adhesion

ISO 4628-2, Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 2: Assessment of degree of blistering

ISO 4628–3, Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 3: Assessment of degree of rusting

ISO 4628_4, Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 4: Assessment of degree of cracking

ISO 4628–5, Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 5: Assessment of degree of flaking

ISO 7027 (all parts), Water quality — Determination of turbidity

ISO 8501–1, Preparation of steel substrates before application of paints and related products — Visual assessment of surface cleanliness — Part 1: Rust grades and preparation grades of uncoated steel substrates and of steel substrates after overall removal of previous coatings

ISO 8501-3, Preparation of steel substrates before application of paints and related products — Visual assessment of surface cleanliness — Part 3: Preparation grades of welds, edges and other areas with surface imperfections

ISO 8502-23, Preparation of steel substrates before application of paints and related products — Tests for the assessment of surface cleanliness — Part 3: Assessment of dust on steel surfaces prepared for painting (pressure-sensitive tape method)

ISO 8502–6, Preparation of steel substrates before application of paints and related products — Tests for the assessment of surface cleanliness — Part 6: Extraction of water soluble contaminants for analysis (Bresle method)

ISO 8502–9, Preparation of steel substrates before application of paints and related products — Tests for the assessment of surface cleanliness — Part 9: Field method for the conductometric determination of water-soluble salts

ISO 8502-11, Preparation of steel substrates before application of paints and related products—Tests for the assessment of surface cleanliness—Part 11: Field method for the turbidimetric determination of water-soluble sulfate

ISO 8503—2, Preparation of steel substrates before application of paints and related products — Surface roughness characteristics of blast-cleaned steel substrates — Part 2: Method for the grading of surface profile of abrasive blast-cleaned steel — Comparator procedure

ISO 8503–5, Preparation of steel substrates before application of paints and related products — Surface roughness characteristics of blast-cleaned steel substrates — Part 5: Replica tape method for the determination of the surface profile

ISO 8573-1, Compressed air — Part 1: Contaminants and purity classes

ISO 11124 (all parts), Preparation of steel substrates before application of paints and related products — Specifications for metallic blast-cleaning abrasives

ISO 11126 (all parts), Preparation of steel substrates before application of paints and related products — Specifications for non-metallic blast-cleaning abrasives

 $ISO~11127~\frac{\text{(all parts),-7.}}{\text{Preparation of steel substrates before application of paints and related products} -- \textit{Test methods for non-metallic blast-cleaning abrasives}$

ISO 12944-3, Paints and varnishes — Corrosion protection of steel structures by protective paint systems — Part 3: Design considerations

ISO 12944–9:2018, Paints and varnishes — Corrosion protection of steel structures by protective paint systems — Part 9: Protective paint systems and laboratory performance test methods for offshore and related structures

 $ISO\ 15234,\ Paints\ and\ varnishes\ --\ Testing\ of\ formal dehyde-emitting\ coatings\ and\ melamine\ foams\ --\ Determination\ of\ the\ steady-state\ concentration\ of\ formal dehyde\ in\ a\ small\ test\ chamber$

ISO 15711, Paints and varnishes — Determination of resistance to cathodic disbonding of coatings exposed to sea water

ISO 19840, Paints and varnishes — Corrosion protection of steel structures by protective paint systems — Measurement of, and acceptance criteria for, the thickness of dry films on rough surfaces

ISO 29601, Paints and varnishes — Corrosion protection by protective paint systems — Assessment of porosity in a dry film

ISO 80000–_1:2009, Quantities and units — Part 1: General

API RP 652, Lining of Aboveground Petroleum Storage Tank Bottoms

API Std 653, Tank Inspection, Repair, Alteration and Reconstruction

© ISO-2022_2024 - All rights reserved

API Std 2015, Requirements for Safe Entry and Cleaning of Petroleum Storage Tanks

ASTM A380, Standard Practice for Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems

ASTM D522, Standard Test Methods for Mandrel Bend Test of Attached Organic Coatings

ASTM D570, Standard Test Method for Water Absorption of Plastics

ASTM D790, Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials

ASTM D2240, Standard Test Method for Rubber Property—Durometer Hardness

ASTM D2583, Standard Test Method for Indentation Hardness of Rigid Plastics by Means of a Barcol Impressor

ASTM D4060, Standard Test Method for Abrasion Resistance of Organic Coatings by the Taber Abrader

ASTM D4285, Standard Test Method for Indicating Oil or Water in Compressed Air

ASTM D5402, Standard Practice for Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs

ASTM D6943, Standard Practice for Immersion Testing of Industrial Protective Coatings and Linings

ASTM F21, Standard Test Method for Hydrophobic Surface Films by the Atomizer Test

ASTM G42, Standard Test Method for Cathodic Disbonding of Pipeline Coatings Subjected to Elevated Temperatures

EN 14020 (all parts), Reinforcements — Specification for textile glass roving's

NACE TM0304, Offshore Platform Atmospheric and Splash Zone Maintenance Coating System Evaluation

NACE TM0404, Offshore Platform Atmospheric and Splash Zone New C

SSPC Guide 12, Guide for Illumination of Industrial Painting Projects

SSPC-Guide 15-2020, Field Methods for Retrieval and Analysis of Soluble Salts on Steel and Other Nonporous Substrates

SSPC-PAINTING MANUAL VOL-SSPC, 1

SSPC-SP 1, Steel Structure Painting Council Surface Preparation Specifications — Solvent Cleaning

SSPC-SP 11, Surface Preparation Standard, Power-Tool Cleaning to Bare Metal

3 Terms, definitions and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ——ISO Online browsing platform: available at https://www.iso.org/obp
- ——IEC Electropedia: available at https://www.electropedia.org/

© ISO-2022_2024 - All rights reserved

3.1 Terms and definitions

3.1.1

application procedure specification

document describing procedures, methods, equipment and tools used for coating (3.1.7) application

3.1.2

applicator

contractor (3.1.8) or subcontractor having the technical capability, knowledge, equipment and qualified personnel that is approved by the *client* (3.1.5) for the *coating* (3.1.7) processes according to specific requirements

Note 1 to entry: The requirements are given in this document.

3.1.3

C glass

glass fibre that provides greater resistance to chemicals and is used in advanced composites

Note 1 to entry: C glass is mainly used in the form of surface tissue in the outer layer of laminates used in chemical and water pipes and tanks.

3.1.4

caulking

process of applying a 98 % to 100 % solid catalysed *epoxy* (3.1.13) material (caulking compound) on tank internal surfaces to fill pores/pits or to cover weld seams, lap joints, large projections, connections, etc.

Note 1 to entry: This is to provide a uniform gradual transition and smooth surfaces.

 $\underline{\text{Note 2 to entry: The 98 \% to 100 \% solid catalysed epoxy material is referred to as the caulking compound.}}$

3.1.5

client

party or organization for which professional services are rendered or person that receives a product

3.1.6 https://standards.iteh.ai/catalog/standards/iso/403cbb81-d5d6-42e2-8ab4-fi9fde5d8c0c/iso-fdis-16961

coat

paint, varnish or lacquer applied to surface in a single application (one layer) to form an evenly distributed film when dry

3.1.7

coating

/lining

material applied to the internal surfaces of a tank to serve as a barrier to corrosion and/or product contamination

3.1.8

contractor

vendor company or business that agrees to furnish materials and/or perform specific project/services to client (3.1.5)

3.1.9

curing

chemical process of developing the intended properties of a *coating* (3.1.7/) or polymerized product in the lining system,

© ISO-2022-2024 - All rights reserved