

ü]fc\_cdUgcj bc`X][ ]HJbc`ca fYy`Y`n`]bhY[ f]fUbj]a ]`glcf]hj Ua ]`f6 !-G8 BŁĚ`Dfctc\_c`  
 X][ ]HJbY`bUfc b]y`Y`g][ bU]nUWY`Y`yh`&f8 GG&ŁĚ`DcXdcfUzfa UHJbUg`Uj``Ub`U  
 \_cb bY[ Ug]ghYa U5 HA`n`Xcdc`b]bc`glcf]hj ]c`]XYbh]Z\_UWY`Y`yh] ]`Y`Ě`%`XY.  
 GdYV]Z\_UWY`Udfctc\_c`UQ]f]dcfc ]c`#H !H`E`"&`)%`-`f%`--`Łzgd]Ya Yb`YbcQ

Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Support of ATM end system addressing format by Number identification supplementary services; Part 1: Protocol specification [ITU-T Recommendation Q.2951.9 (1999) modified]

**(standards.iteh.ai)**

<https://standards.iteh.ai/catalog/standards/sist/672f8111-bb47-4261-8edb-d46096bb650c/sist-en-301-485-1-v1-1-1-2005>

**Ta slovenski standard je istoveten z: EN 301 485-1 Version 1.1.1**

**ICS:**

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

**SIST EN 301 485-1 V1.1.1:2005**                      **en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 301 485-1 V1.1.1:2005

<https://standards.iteh.ai/catalog/standards/sist/672f8111-bb47-4261-8edb-d46096bb650c/sist-en-301-485-1-v1-1-1-2005>

# ETSI EN 301 485-1 V1.1.1 (2000-09)

---

*European Standard (Telecommunications series)*

**Broadband Integrated Services Digital Network (B-ISDN);  
Digital Subscriber Signalling System No. two (DSS2) protocol;  
Support of ATM end system addressing format  
by Number identification supplementary services;  
Part 1: Protocol specification**

[ITU-T Recommendation Q.2951.9 (1999), modified]

---

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 301 485-1 V1.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/672f8111-bb47-4261-8edb-d46096bb650c/sist-en-301-485-1-v1-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/672f8111-bb47-4261-8edb-d46096bb650c/sist-en-301-485-1-v1-1-1-2005>



---

**Reference**

DEN/SPAN-05216-1

---

**Keywords**

ATM, B-ISDN, DSS2, supplementary service

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 301 485-1 V1.1.1:2005

<https://standards.iteh.ai/catalog/standards/sist/672f8111-bb47-4261-8edb-d46096bb650c/sist-en-301-485-1-v1-1-1-2005>

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:  
editor@etsi.fr

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.  
All rights reserved.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Services and Protocols for Advanced Networks (SPAN).

National transposition dates	
Date of adoption of this EN:	25 August 2000
Date of latest announcement of this EN (doa):	30 November 2000
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 May 2001
Date of withdrawal of any conflicting National Standard (dow):	31 May 2001

[SIST EN 301 485-1 V1.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/672f8111-bb47-4261-8edb-d46096bb650c/sist-en-301-485-1-v1-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/672f8111-bb47-4261-8edb-d46096bb650c/sist-en-301-485-1-v1-1-1-2005>

---

## Endorsement notice

The elements of ITU-T Recommendation Q.2951.9 (1999), apply, with the following modifications:

### Page 1, clause 9.1

Replace clause 9.1 by:

---

## 1 Scope

The present document specifies the stage three of Support of ATM end system addressing format by Number identification supplementary services for the pan-European Broadband Integrated Services Digital Network (B-ISDN) as provided at the  $T_B$  reference point or coincident  $S_B$  and  $T_B$  reference points (as defined in ITU-T Recommendation I.413 [18]) by means of the Digital Subscriber Signalling System No. two (DSS2) protocol. Stage three identifies the protocol procedures and switching functions needed to support a telecommunications service (see CCITT Recommendation I.130 [10]).

In addition, the present document specifies the protocol requirements at the  $T_B$  reference point where the service is provided to the user via a private B-ISDN.

NOTE 1: Procedures at the  $T_B$  reference point, to support the access of a private B-ISDN to the public B-ISDN, are **not** explicitly identified in the present document, however, some procedures are applicable only at the  $T_B$  reference point.

A basic telecommunications service is a fundamental type of service. It forms the basis on which supplementary services may be added.

NOTE 2: Specific requirements of individual B-ISDN connection-oriented basic telecommunication services are not covered by the present document.

Further parts of the present document provide the method of testing and detailed application specific requirements to determine conformance to the present document.

The present document is applicable to equipment supporting connection-oriented basic B-ISDN telecommunication services, to be attached at either side of a  $T_B$  reference point or coincident  $S_B$  and  $T_B$  reference points when used as an access to the public B-ISDN.

---

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

NOTE: Reference numbers less than [10] appear in the endorsed ITU-T Recommendation.

[10] CCITT Recommendation I.130 (1988): "Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".

[11] ETSI EN 300 443: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; B-ISDN user-network interface layer 3 specification for basic call/bearer control", version 2.

- [12] ETSI ETS 300 661: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Direct Dialling In (DDI) supplementary service".
- [13] ETSI ETS 300 662: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Multiple Subscriber Number (MSN) supplementary service".
- [14] ETSI ETS 300 663: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Calling Line Identification Presentation (CLIP) supplementary service".
- [15] ETSI ETS 300 664: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Calling Line Identification Restriction (CLIR) supplementary service".
- [16] ETSI ETS 300 665: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Connected Line Identification Presentation (COLP) supplementary service".
- [17] ETSI ETS 300 666: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Connected Line Identification Restriction (COLR) supplementary service".
- [18] ITU-T Recommendation I.413 (1993): "B-ISDN user-network interface".

Throughout the text of ITU-T Recommendation Q.2951.9

Replace references as shown in the following table.

Reference in ITU-T Recommendation Q.2951.9	Modified reference
ITU-T Recommendation Q.2931	ITU-T Recommendation Q.2931 as modified by EN 300 443 [11]
ITU-T Recommendation Q.2951.1	ITU-T Recommendation Q.2951.1 as modified by ETS 300 661 [12]
ITU-T Recommendation Q.2951.2	ITU-T Recommendation Q.2951.2 as modified by ETS 300 662 [13]
ITU-T Recommendation Q.2951.3	ITU-T Recommendation Q.2951.3 as modified by ETS 300 663 [14]
ITU-T Recommendation Q.2951.4	ITU-T Recommendation Q.2951.4 as modified by ETS 300 664 [15]
ITU-T Recommendation Q.2951.5	ITU-T Recommendation Q.2951.5 as modified by ETS 300 665 [16]
ITU-T Recommendation Q.2951.6	ITU-T Recommendation Q.2951.6 as modified by ETS 300 666 [17]
ITU-T Recommendation Q.2931, Amendment 4	ITU-T Recommendation Q.2931 as modified by EN 300 443 [11]

### 3 Definitions and abbreviations

The text of clauses 9.3 and 9.4 of the endorsed recommendation applies. After the end of clause 9.3, add the following:

NOTE: ITU-T Recommendations frequently use the term "connection". ETSI has decided to use the term "bearer" instead (i.e. if this term is used in the context of a bearer for a connection-oriented bearer service).

---

## History

Document history			
V1.1.1	December 1999	Public Enquiry	PE 200016: 1999-12-22 to 2000-04-21
V1.1.1	June 2000	Vote	V 20000825: 2000-06-26 to 2000-08-25
V1.1.1	September 2000	Publication	

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 485-1 V1.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/672f8111-bb47-4261-8edb-d46096bb650c/sist-en-301-485-1-v1-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/672f8111-bb47-4261-8edb-d46096bb650c/sist-en-301-485-1-v1-1-1-2005>