



SLOVENSKI STANDARD
SIST EN 13445-5:2021+A1:2024

01-december-2024

Nadomešča:
SIST EN 13445-5:2021

Nekurjene tlačne posode - 5. del: Pregled in preskušanje (vključno z dopolnilom A1)

Unfired pressure vessels - Part 5: Inspection and testing

Unbefeuerte Druckbehälter - Teil 5: Inspektion und Prüfung

Réceptients sous pression non soumis à la flamme - Partie 5: Inspection et contrôle

Ta slovenski standard je istoveten z: EN 13445-5:2021+A1:2024

[SIST EN 13445-5:2021+A1:2024](https://standards.iteh.ai/catalog/standards/sist/134c2540-adb7-4642-a149-6dec203bad7f/sist-en-13445-5-2021a1-2024)

<https://standards.iteh.ai/catalog/standards/sist/134c2540-adb7-4642-a149-6dec203bad7f/sist-en-13445-5-2021a1-2024>

ICS:

23.020.32 Tlačne posode Pressure vessels

SIST EN 13445-5:2021+A1:2024 **en,fr,de**

EUROPEAN STANDARD

EN 13445-5:2021+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2024

ICS 23.020.30

Supersedes EN 13445-5:2021

English Version

Unfired pressure vessels - Part 5: Inspection and testing

Réceptifs sous pression non soumis à la flamme -
Partie 5: Inspection et contrôle

Unbefeuerte Druckbehälter - Teil 5: Inspektion und
Prüfung

This European Standard was approved by CEN on 24 February 2021 and includes Amendment approved by CEN on 30 June 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

International Standards
Document Preview

[SIST EN 13445-5:2021+A1:2024](https://standards.iteh.ai/catalog/standards/sist/134c2540-adb7-4642-a149-6dec203bad7f/sist-en-13445-5-2021a1-2024)

<https://standards.iteh.ai/catalog/standards/sist/134c2540-adb7-4642-a149-6dec203bad7f/sist-en-13445-5-2021a1-2024>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

	Page
European foreword.....	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	8
4 Performance of inspection and testing	10
4.1 General.....	10
4.2 Inspection	10
4.3 Non-destructive testing (NDT)	10
5 Technical documents	10
5.1 General.....	10
5.2 Information to be contained in the technical documents	10
5.2.1 General.....	10
5.2.2 General description of the pressure vessel	10
5.2.3 Design and construction drawings	11
5.2.4 Descriptions and explanations necessary for an understanding of the drawings and diagrams and the operation of the pressure vessel.....	11
5.2.5 Results of design calculations and examinations carried out.....	11
5.2.6 Test reports.....	13
5.2.7 Technical/manufacturing schedule	13
5.3 Design review	14
5.3.1 General.....	14
5.3.2 Design review	14
6 Inspection and testing during fabrication	14
6.1 General.....	14
6.2 Manufacturing procedures and construction drawings	15
6.3 Material traceability	15
6.3.1 General.....	15
6.3.2 Special Conditions - Material marking	15
6.4 Preparation for manufacturing processes.....	15
6.4.1 General.....	15
6.4.2 Joint preparation testing.....	15
6.4.3 Inspection of vessel supports	15
6.4.4 Inspection associated with forming	16
6.4.5 Testing of areas subject to significant through thickness tensile stress.....	16
6.5 Welding.....	16
6.5.1 General.....	16
6.5.2 Verification of welder and welding operator qualification and procedures qualification	16
6.5.3 Inspection of repairs.....	16
6.6 Non-destructive testing of welded joints.....	17
6.6.1 Extent of non-destructive testing.....	17
6.6.2 Determination of extent of non-destructive testing.....	20
6.6.3 Performing non-destructive testing.....	28
6.6.4 Description and acceptance level of imperfections.....	29
6.6.5 Stage of performance	29

6.6.6	Procedure for non-destructive retesting.....	29
6.6.7	Non-destructive testing documentation	30
6.7	Destructive testing	30
6.7.1	Extent of destructive testing.....	30
6.7.2	Schedule for destructive testing.....	30
6.7.3	Verification of destructive tests	30
6.7.4	Records.....	30
6.8	Heat-treatment.....	30
7	Subcontracted items.....	31
7.1	General	31
7.2	Subcontracted non-destructive testing activities.....	31
7.2.1	Use of contract NDT personnel at the premises of the vessel manufacturer.....	31
7.2.2	Subcontracting of NDT at a subcontractors premises.....	31
8	Miscellaneous tests.....	32
9	Calibration.....	32
9.1	General	32
9.2	Calibration procedure.....	32
9.2.1	General	32
9.2.2	Calibration.....	33
9.2.3	Frequency.....	33
9.3	Identification.....	33
9.4	Registration	33
10	Final assessment.....	34
10.1	General	34
10.2	Extent of final assessment	34
10.2.1	Visual and dimensional inspection	34
10.2.2	Review of documentation	35
10.2.3	Proof test.....	35
10.2.4	Post pressure test inspection.....	46
10.2.5	Inspection of safety accessories.....	46
11	Marking and declaration of compliance with the standard.....	46
11.1	General	46
11.2	Marking method.....	46
11.2.1	General	46
11.2.2	Direct stamping.....	47
11.2.3	Nameplate	47
11.3	Marking units.....	47
11.4	Marking contents.....	47
11.5	Declaration of compliance with the standard	49
12	Documents	49
12.1	Type of documents	49
12.2	Control and access of documents.....	50
12.3	Retention of documents	50
Annex A	(normative) Inspection and testing of serially produced pressure vessels.....	51
A.1	Introduction.....	51
A.2	Limitations for vessels permitted to be classified as serially produced	51
A.3	Limitations for model.....	51
A.4	Prototype test.....	52
A.5	Model acceptance	52
A.6	Quality or manufacturing plan	52

EN 13445-5:2021+A1:2024 (E)

A.7	Inspection, non-destructive testing and pressure testing	53
A.7.1	Introduction	53
A.7.2	General NDT procedure for serially produced pressure vessels	53
A.7.3	Pressure test for serially produced pressure vessels	53
A.8	Marking	53
A.9	Documentation / Certification	53
Annex B (normative) Detailed dimensional requirements for pressure vessels		54
Annex C (normative) ^[A1] Openings for examination, closing mechanisms and special locking elements		56
C.1	Openings for examination	56
C.1.1	General requirements	56
C.1.2	Exemptions for openings for examination	56
C.2	Types and dimensions of openings for examination	56
C.2.1	Sightholes	56
C.2.2	Handholes	56
C.2.3	Headholes	57
C.2.4	Inspection openings	57
C.2.5	Access openings	57
C.3	Types, location and minimum number of openings for examination	57
C.4	Alternative requirements for sightholes openings on small vessels	59
C.5	Closing mechanisms and special locking elements	59
C.5.1	Purpose	59
C.5.2	Definitions	59
C.5.3	Materials of construction, design	59
C.5.4	Screw clamps	60
C.5.5	Hinged bolts	61
C.5.6	Yoke-type closures	62
C.5.7	Quick opening and closing devices	62
Annex D (informative) Leak Testing		69
D.1	General	69
D.2	Leak testing personnel	69
Annex E (informative) Acoustic emission		70
E.1	General	70
E.2	Useful standards	70
E.3	Acoustic emission personnel	70
E.4	Additional requirements	70
Annex F (normative) Inspection and testing of pressure vessels or parts subject to creep		71
F.1	General	71
F.2	Extent of inspection and testing	71
F.3	Performance of NDT and acceptance criteria	73
F.4	Documents	73
Annex G (normative) Inspection and testing of pressure vessels subject to cyclic loads		74
G.1	General	74
G.2	Extent of inspection and testing	74
G.3	Performance and acceptance criteria	74
G.4	Technical documentation, additional requirements	75
Annex H (informative) Declaration of compliance with this standard		76
Annex I (informative) Specific tests during construction to assist in-service inspection		78
I.1	General	78

I.2	Metallographic investigation.....	78
I.3	Hardness measurements	78
I.4	Dimensional measurements.....	79
	Annex Y (informative) History of EN 13445-5.....	80
Y.1	Differences between EN 13445-5:2014 and EN 13445-5:2021.....	80
	Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/68/EU aimed to be covered	81
	Bibliography	83

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN 13445-5:2021+A1:2024](https://standards.iteh.ai/catalog/standards/sist/134c2540-adb7-4642-a149-6dec203bad7f/sist-en-13445-5-2021a1-2024)

<https://standards.iteh.ai/catalog/standards/sist/134c2540-adb7-4642-a149-6dec203bad7f/sist-en-13445-5-2021a1-2024>

EN 13445-5:2021+A1:2024 (E)**European foreword**

This document (EN 13445-5:2021+A1:2024) has been prepared by Technical Committee CEN/TC 54 “Unfired pressure vessels”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2025, and conflicting national standards shall be withdrawn at the latest by February 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1, approved by CEN on 30 June 2024.

This document supersedes A1 EN 13445-5:2021 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

This new edition incorporates the Amendments which have been approved previously by CEN members, and the corrected pages up to Issue 5 without any further technical change. Annex Y provides details of significant technical changes between this European Standard and the previous edition.

A1 *deleted text* A1

Corrections to the standard interpretations where several options seem possible are conducted through the Migration Help Desk (MHD). Information related to the Help Desk can be found at A1 <https://unm.fr/en/maintenance-agencies/maintenance-agency-en-13445/> A1. A form for submitting questions can be downloaded from the link to the MHD website. After subject experts have agreed an answer, the answer will be communicated to the questioner. Corrected pages will be given specific issue number and issued by CEN according to CEN Rules. Interpretation sheets will be posted on the website of the MHD.

A list of all parts in the EN 13445 series can be found on the CEN website.

Although these Parts may be obtained separately, it should be recognized that the Parts are inter-dependant. As such the manufacture of unfired pressure vessels requires the application of all the relevant Parts in order for the requirements of the Standard to be satisfactorily fulfilled.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

1 Scope

This Part of this document specifies the inspection and testing of individual and serially produced pressure vessels made of steels in accordance with EN 13445-2:2021.

Special provisions for cyclic operation are given in Annex G of this Part.

Special provisions for vessels or vessel parts working in the creep range are given in Annex F and Annex I of this Part.

NOTE The responsibilities of parties involved in the conformity assessment procedures are given in Directive 2014/68/EU. Guidance on this can be found in CR 13445-7.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CEN/TR 764-6:2012, *Pressure equipment — Part 6: Structure and content of operating instructions*

EN 1779:1999, EN 1779:1999/A1:2003, *Non-destructive testing — Leak testing — Criteria for method and technique selection*

EN 13445-1:2021, *Unfired pressure vessels — Part 1: General*

EN 13445-2:2021, *Unfired pressure vessels — Part 2: Materials*

EN 13445-3:2021, *Unfired pressure vessels — Part 3: Design*

EN 13445-4:2021, *Unfired pressure vessels — Part 4: Fabrication*

EN ISO 5817:2014, *Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) – Quality levels for imperfections (ISO 5817:2014)*

EN ISO 6520-1:2007, *Welding and allied processes — Classification of geometric imperfections in metallic materials — Part 1: Fusion welding (ISO 6520-1:2007)*

EN ISO 9606-1:2017, *Qualification testing of welders - Fusion welding - Part 1: Steels (ISO 9606-1:2012 including Cor 1:2012 and Cor 2:2013)*

EN ISO 9712:2022, *Non-destructive testing — Qualification and certification of NDT personnel (ISO 9712:2021)*

EN ISO 14732:2013, *Welding personnel — Qualification testing of welding operators and weld setters for mechanized and automatic welding of metallic materials (ISO 14732:2013)*

EN ISO 17635:2016, *Non-destructive testing of welds — General rules for metallic materials (ISO 17635:2016)*

EN 13445-5:2021+A1:2024 (E)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp/>

3.1

design review

procedure by which a manufacturer ascertains and declares that the design meets the requirements of this standard

3.2

design approval

procedure by which a responsible authority ascertains that the design meets the requirements of this standard

3.3

testing group

grouping which determines the appropriate level of non-destructive testing (NDT) on a welded joint

Note 1 to entry: There are four testing groups.

3.4

inspection

survey activity which assesses the compliance of the pressure vessel to the technical specification

Note 1 to entry: It is a major activity, undertaken mainly by the manufacturer during design, manufacture and testing of equipment. It can be complemented by inspection by other parties. Inspection includes the assessment of testing activities.

3.5

testing

procedure used to verify vessel compliance with the technical requirements of this standard by one or more tests

3.6

technical specification

document stating requirements for a product or a procedure

3.7

repair

action or series of actions of rectifying a condition in either base material or weld to establish compliance with this standard

3.8**serial production**

manufacture of identical vessels or parts which subsequently are joined to form a complete vessel and which are manufactured to a single model acceptance, using the same manufacturing procedure involving a continuous fabrication process

Note 1 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

3.9**continuous fabrication process**

process where the welding of the main seams and branch welds is essentially continuous, that means there are no stoppages or fabrication break-downs requiring resetting of the welding machine and/or NDT equipment

Note 1 to entry: Adjustments to the welding machine within the welding procedure limitations do not qualify as resetting the welding machine.

Note 2 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

3.10**model acceptance**

procedure which ascertains that a representative sample of the production (a prototype vessel/part) meets the requirements of this standard in respect of design, manufacturing and testing

Note 1 to entry: Model acceptance is conducted by the manufacturer or the responsible authority depending on the conformity assessment module chosen.

Note 2 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

3.11**prototype vessel/part**

first or representative sample of a series of pressure vessels/parts covered by a single model acceptance

Note 1 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

3.12**batch of vessels**

part of a series where the welding of the main weld joints and branch welds has been essentially continuously produced by the same welding procedures

Note 1 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

3.13**shift**

period of time per day during which the welders and welding operators remain the same

Note 1 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

A1 deleted text **A1**

EN 13445-5:2021+A1:2024 (E)

4 Performance of inspection and testing

4.1 General

Each individual vessel shall be inspected during construction and upon completion. Inspections shall be made to ensure that in all respects the design, materials, manufacturing, and testing comply with the requirements of this standard. Documented evidence shall be prepared to verify implementation of this requirement.

4.2 Inspection

Inspection shall be carried out by the manufacturer to verify that all requirements of this standard have been met. The level of non-destructive testing (NDT) shall be dependent on the testing group as described in 4.3.

All inspections shall be carried out by qualified personnel.

4.3 Non-destructive testing (NDT)

The type and amount of non-destructive testing of a pressure vessel shall be based upon the testing group or combination of testing groups when permitted in 6.6.1.2 (see Table 6.6.1-1: testing groups for steel pressure vessels and Table 6.6.2-1: extent of non-destructive testing).

5 Technical documents

5.1 General

The vessel manufacturer shall document those items listed in 5.2, which shall be reviewed in accordance with 5.3, prior to manufacture commencing.

The manufacturer shall state which vessels are covered by the same design.

5.2 Information to be contained in the technical documents

5.2.1 General

For the purposes of this standard the following types of documents shall be considered necessary as technical documents.

5.2.2 General description of the pressure vessel

- a) Name of vessel manufacturer and subcontractors, if applicable;
- b) Location/s of vessel manufacturer and sub-contractors, if applicable;
- c) Document describing design data and special consideration which covers:
 - 1) maximum and minimum allowable pressures, design pressures and test pressures in bar for each compartment (vacuum with minus sign);
 - 2) capacity in litres for each compartment;
 - 3) maximum and minimum design temperatures;

- 4) nature and location of marking of the pressure vessel, nameplate or stamp;
- 5) the fluid group;
- 6) if the vessel is designed for cyclic operation the allowed numbers of cycles, the range of action (as defined in EN 13445-3:2021, 5.3.1) during the cycle and the locations where the cumulative fatigue damage index D (as defined in EN 13445-3:2021, Clauses 17 and 18) is greater than 0,8. The maximum permissible peaking shall also be given.
- 7) if the vessel is working in the creep range, the following additional information:
 - the design life (e.g. 100 000 h) and expected life for each load case
 - the parts of the vessel which are subjected to creep
 - the value of the weld creep strength reduction factor which has been used for each weld joint subjected to creep
 - whether lifetime monitoring, as defined in Clause 19 of EN 13445-3:2021, is being applied or not.

5.2.3 Design and construction drawings

The manufacturer analysis of hazards identifying those which apply to the pressure vessel on account of action (as defined in EN 13445-3:2021, 5.3.1) shall be documented and be of sufficient detail.

Details of the design including the design methods adopted, performance criteria and construction drawings shall be provided. Guidance about the detailed dimensional information that shall be provided is given in Annex B. Process diagrams, sub-assemblies or other data relevant to design shall also be maintained.

5.2.4 Descriptions and explanations necessary for an understanding of the drawings and diagrams and the operation of the pressure vessel

- a) operating instructions;
- b) special checks to be carried out e.g. tests envisaged on closures, bellows, clamping bolts, etc.
- c) operational position if this is significant with regard to the safety evaluation.

5.2.5 Results of design calculations and examinations carried out

5.2.5.1 Design calculations shall be provided by the vessel manufacturer to the extent necessary to demonstrate compliance to this standard.

Supporting detailed drawings shall be prepared with all dimension notations marked. At least on the pressure vessel general arrangement drawing, the testing group(s) shall be clearly identified.

5.2.5.2 If calculations are made with the aid of a computer software in order to comply with this standard, then at least the following data shall be presented:

- a) explanation of notations;
- b) input values;

EN 13445-5:2021+A1:2024 (E)

- c) reference number of the standard including edition and reference number of the formula;
- d) results of intermediate formulae;
- e) calculated minimum thickness without additions or the calculated stress and its comparison to the allowable stress;
- f) wastage (corrosion) allowance;
- g) thickness tolerance (negative thickness tolerance);
- h) the chosen thickness.

5.2.5.3 In the event that stress analysis is carried out with the finite element method or other equivalent design methods they shall be documented as follows:

- a) input data;
- b) graphs which show;
 - 1) the element subdivision (mesh size);
 - 2) the stresses, e.g. as line or arrow figures or equal stress curves; stress curves of surfaces;
 - 3) the displacements;
- c) boundary conditions;
- d) the stresses in the most critical areas;
- e) where appropriate, the dividing and classifying of the stresses into different stress categories;
- f) the comparison of stress intensities and the allowable stress values.

5.2.5.4 In specific cases the following information shall be given:

- a) type of post weld heat treatment and, where necessary, type and extent of associated material tests;
- b) construction sequence schedule if the testing is to be carried out in several steps;
- c) fluid(s) being contained and its (their) specific gravity, if this is required for the design of the vessel;
- d) pressure testing medium, if the initial or the periodic pressure tests are to be carried out with a medium other than water, the test minimum metal temperature for proof tests (both hydrostatic and pneumatic);
- e) position of the vessel in the pressure tests (e.g. horizontal or vertical), if this is significant with regard to the safety evaluation;
- f) maximum and minimum liquid levels, if these are required with regard to the safety evaluation;
- g) static supplementary forces, e.g. bearing forces, wind and snow loads. An extra calculation shall be presented if the supplementary forces essentially affect the design of the pressure vessel;
- h) cyclic and dynamic loading, including seismic loading, where applicable;