

ISO/IEC 30134-7:2022/2023(E)

ISO IEC JTC 1/SC 39/WG 1

Date: 2022-11-12/2023-01-13

Information technology — Data centres key performance indicators — Part 7: Cooling efficiency ratio (CER)

- Style Definition
- Formatted: Font: 11 pt, English (United Kingdom)
- Formatted
- Formatted: zzCover, Left
- Formatted: English (United Kingdom)
- Formatted: zzCover, Left, Space After: 0 pt
- Formatted: Font: 11 pt
- Formatted: zzCover, Line spacing: single

DIS stage

Warning for WDs and CDs

This document is not an ISO International Standard. It is distributed for review and comment. It is subject to change without notice and may not be referred to as an International Standard.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 30134-7

<https://standards.iteh.ai/catalog/standards/sist/ae2695c0-cda5-47c8-8a5e-8b581c699095/iso-iec-30134-7>

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office

CP 401 • Ch. de Blandonnet 8

CH-1214 Vernier, Geneva

Phone: +41 22 749 01 11

Email: copyright@iso.org

Website: www.iso.org

Published in Switzerland

Formatted: Font: 11 pt, Font color: Blue

Formatted: Border: Box: (Single solid line, Blue, 0.5 pt Line width)

Formatted: Font: 11 pt, Font color: Blue, English (United Kingdom)

Formatted: Font: 11 pt, Font color: Blue

Formatted: Font: 11 pt, Font color: Blue, English (United Kingdom)

Formatted: Font: 11 pt, Font color: Blue, English (United Kingdom)

iteh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 30134-7](https://standards.iteh.ai/catalog/standards/sist/ae2695c0-cda5-47c8-8a5e-8b581c699095/iso-iec-30134-7)

<https://standards.iteh.ai/catalog/standards/sist/ae2695c0-cda5-47c8-8a5e-8b581c699095/iso-iec-30134-7>

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

iv © ISO #### All rights reserved

iv © ISO/IEC 2023 – All rights reserved

Edited DIS - MUST BE USED FOR FINAL DRAFT

Contents

Foreword.....	v
Introduction.....	vi
1 — Scope.....	1
2 — Normative references.....	1
3 — Terms, definitions and abbreviations.....	1
3.1 — Terms and definitions.....	1
3.2 — Abbreviated terms.....	2
3.3 — Symbols.....	2
4 — Applicable area of the data centre.....	3
5 — Definition of the CER.....	3
6 — Measurement of CER.....	4
6.1 — General.....	4
6.2 — Requirements.....	4
6.3 — Recommendations.....	5
7 — Application of CER.....	5
8 — Reporting of CER.....	5
8.1 — Requirements.....	5
8.1.1 — Standard construct for communicating CER.....	5
8.1.2 — Data for public reporting of CER.....	5
8.2 — Recommendations.....	6
Annex A (informative) Correlation of CER and other KPIs.....	8
A.1 — General.....	8
A.2 — Discussion of existing terms for performance rating.....	8
Annex B (normative) Examples of usage of CER.....	10
B.1 — Determining PUE in data centres with different computer rooms using CER.....	10
B.2 — Determining CER in cases of energy re-use.....	10
Annex C (informative) Parameters influencing CER.....	11
C.1 — Adjustment of temperature.....	11
C.2 — Demand of cooling.....	11
Annex D (normative) Derivatives of CER.....	12
D.1 — Purpose of CER derivatives.....	12
D.2 — Using CER derivatives.....	12
D.3 — Interim CER.....	12
D.4 — Determination of CPR.....	12
D.4.1 — Calculation of CPR.....	12

© ISO #### — All rights reserved

© ISO/IEC 2023 – All rights reserved

Formatted: Space Before: 48 pt, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

D.4.2	Measurement of CER	13
D.4.2.1	Requirements	13
D.4.2.2	Recommendations	13
D.4.3	Reporting of CER	13
D.4.3.1	Requirements	13
D.4.3.2	Recommendations	13
D.4.4	Using CPR in capacity management	13
D.5	Determination of CER	13
D.5.1	Calculation of CER	13
D.5.2	Partial CER	14
D.5.3	Example	14
	Bibliography	16
	Foreword	viii
	Introduction	ix
1	Scope	1
2	Normative references	1
3	Terms, definitions and abbreviations	1
3.1	Terms and definitions	1
3.2	Abbreviated terms	2
3.3	Symbols	3
4	Applicable area of the data centre	3
5	Definition of the CER	4
6	Measurement of CER	6
6.1	General	6
6.2	Requirements	6
6.3	Recommendations	6
7	Application of CER	6
8	Reporting of CER	6
8.1	Requirements	6
8.1.1	Standard construct for communicating CER	6
8.1.2	Data for public reporting of CER	7
8.2	Recommendations	8
	Annex A (informative) Correlation of CER and other KPIs	10
	Annex B (normative) Examples of usage of CER	12
	Annex C (informative) Parameters influencing CER	14
	Annex D (normative) Derivatives of CER	15
	Bibliography	20

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 30134-7

<https://standards.iteh.ai/catalog/standards/sist/ae2695c0-cda5-47c8-8a5e-8b581c699095/iso-iec-30134-7>

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <https://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 39, *Sustainability, IT and data centres*.

A list of all parts in the ISO/IEC 30134 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

viii © ISO #### – All rights reserved

viii © ISO/IEC 2023 – All rights reserved

Edited DIS - MUST BE USED FOR FINAL DRAFT

Formatted: English (United Kingdom)

Formatted: English (United Kingdom)

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Introduction

The global economy is today reliant on information and communication technologies and the associated generation, transmission, dissemination, computation and storage of digital data. All markets have experienced exponential growth in that data, for social, educational and business sectors and, while the internet backbone carries the traffic, there are a wide variety of data centres at nodes and hubs within both private enterprise and shared/collocation facilities.

The historical data generation growth rate exceeds the capacity growth rate of information and communications technology hardware and, with less than half (in 2014) of the world's population having access to an internet connection, that growth in data can only accelerate. In addition, with many governments having "digital agendas" to provide both citizens and businesses with ever-faster broadband access, the very increase in network speed and capacity will, by itself, generate ever more usage (Jevons Paradox). Data generation and the consequential increase in data processing and storage are directly linked to increasing power consumption.

With this background, data centre growth, and power consumption in particular, is an inevitable consequence; this growth will demand increasing power consumption despite the most stringent energy efficiency strategies. This makes the need for key performance indicators (KPIs) that cover the effective use of resources (including but not limited to energy) and the reduction of CO₂ emissions essential.

Within the ISO/IEC 30134 series, the term "resource usage effectiveness" is more generally used for KPIs in preference to "resource usage efficiency", which is restricted to situations where the input and output parameters used to define the KPI have the same units.

The cooling efficiency ratio (CER) allows data centre operators to quickly determine the efficiency of their data centre cooling system, compare the results, and determine if energy efficiency improvements need to be made. The impact of operational cooling efficiency is proving to be extremely important in the design, location and operation of current and future data centres.

In order to determine the overall resource efficiency of a data centre, a holistic suite of metrics is required. This document is one of a series of International Standards for such KPIs and has been produced in accordance with ISO/IEC 30134-1, which defines common requirements for a holistic suite of KPIs for data centre resource efficiency. This document does not specify limits or targets for the KPI and does not describe or imply, unless specifically stated, any form of aggregation of this KPI into a combination with other KPIs for data centre resource efficiency. This document presents specific rules on CER's use, along with its theoretical and mathematical development. This document concludes with several examples of site concepts that could employ the CER metric.

Formatted: No page break before, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Body Text, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: std_publisher

Formatted: std_docNumber

Formatted: std_docPartNumber

Formatted: std_publisher

Formatted: std_docNumber

Formatted: std_docPartNumber

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Information technology — Data centres key performance indicators —

Part 7:

Cooling efficiency ratio (CER)

1 Scope

This document specifies the cooling efficiency ratio (CER) as a key performance indicator (KPI) for quantifying the efficient use of energy to control the temperature of spaces within the data centre (DC). This document:

- a) defines the CER of a DC;
- b) describes the relationship of this KPI to a DC's infrastructure, information technology equipment and information technology operations;
- c) defines the measurement, the calculation and the reporting of the parameter; and
- d) provides information on the correct interpretation of the CER.

Annex-A describes the correlation of the CER and other KPIs.

Annex-B provides examples of the usage of the CER.

Annex-C introduces the parameters that affect the CER.

Annex-D describes requirements and recommendations for derivatives of KPIs associated with the CER.

This document is not applicable to cooling systems that are not powered by electricity (e.g. heat-driven absorption chillers).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC-30134-1, Information technology — Data centres — Key performance indicators — Part 1: Overview and general requirements

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 30134-1 and the following apply.

Formatted: Font color: Blue

Formatted: Different first page header

Formatted: Font color: Blue

Formatted: Font: Bold, Font color: Blue

Formatted: Font color: Blue

Formatted: Space Before: 20 pt, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: List Number 1, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers, Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

Formatted: cite_app

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: cite_app

Formatted: cite_app

Formatted: cite_app

Formatted: cite_app

Formatted: cite_app

Formatted: cite_app

Formatted: cite_app

Formatted: English (United States)

Formatted: std_publisher

Formatted: RefNorm, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers, Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

Formatted: std_docNumber

Formatted: std_docPartNumber

Formatted: std_docTitle, Font: Not Italic

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted

ISO/IEC 30134-7:2023(E)

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1 cooling efficiency ratio
CER

ratio of total heat removed and electrical energy used by a cooling system

Note 1 to entry: The value of "total heat annual removed" from the DC is measured in kWh.

3.1.2 cooling performance ratio
CPR

ratio of actual heat load and electrical power used by a cooling system

Note 1 to entry: The actual heat load is measured in kW.

3.1.3 energy loss
dissipation of energy caused by electric utilities

Note 1 to entry: The energy loss turned into heat are measured in kWh.

Note 2 to entry: Energy loss is caused, for example, by transformers, uninterruptible power supply (UPS), fans of computer room air handling units (CRAH), pumps, lighting, power cables.

3.2 Abbreviated terms

For the purposes of this document, the terms and definitions given in ISO/IEC 30134-1 and the following apply.

CEF	cooling efficiency factor
CER	cooling efficiency ratio
COP	coefficient of performance
CPR	cooling performance ratio
DC	data centre
EER	energy efficiency ratio
HVAC	heating, ventilation, air conditioning
iCER	interim cooling efficiency ratio
NSenCOP	Net Sensible Coefficient of Performance net sensible coefficient of performance
PUE	power usage effectiveness
pCEF	partial cooling efficiency factor

Formatted: Space After: 36 pt, Line spacing: Exactly 12 pt

Formatted: Font: 12 pt

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers, Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted: std_publisher

Formatted: std_docNumber

Formatted: std_docPartNumber

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single