### INTERNATIONAL STANDARD

ISO 4973

First edition 2023-09

# Cosmetics — Microbiology — Quality control of culture media and diluents used in cosmetics standards

Cosmétiques — Microbiologie — Contrôle qualité des milieux de culture et des diluants utilisés dans les normes relatives aux cosmétiques

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 4973:2023

https://standards.iteh.ai/catalog/standards/sist/61a9ed1c-e046-40b4-96t6-ad6253e/ac9c/iso-4973-2023



### iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 4973:2023

https://standards.iteh.ai/catalog/standards/sist/61a9ed1c-e046-40b4-96t6-ad6253e/ac9c/iso-49/3-2023



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org Published in Switzerland

ii

Contents		Page
Fore	eword	v
Intro	oduction	<b>v</b> i
1	Scope	1
2	Normative references	
3	Terms and definitions	
_		
4	Principle 4.1 General information	
	4.2 pH	
	4.3 Absence of microbiological growth	
	4.4 Growth promotion 4.5 Selective and indicative properties	3
_		
5	Diluents, neutralizers and culture media 5.1 General	
	5.2 Diluents and neutralizers	4
	5.3 Culture media	
6	Apparatus and glassware	4
7	Strains of microorganisms	4
8	Procedure iTeh Standards	6
Ü	8.1 General recommendation	6
	8.2 Preparation of strains 8.2.1 General	6
	8.2.1 General 8.2.2 Preparation of bacterial and <i>Candida albicans</i> suspensions	6
	8.2.2 Preparation of bacterial and <i>Candida albicans</i> suspensions	g
	8.2.4 Control of the concentration of the calibrated suspension	10
	8.3 Absence of microbial growth	
	8.3.1 Solid culture media and diluents 4054-966-ad6253e7ac9c/iso-49	
	8.4 Growth promotion	10
	8.4.1 Solid culture media	10
	8.4.2 Liquid culture media	
	8.5 Selective properties 8.5.1 Solid culture media — For indicative properties	
	8.5.2 Solid culture media — For inhibition properties	
9	Expression of results	
	9.1 Absence of microbial growth	
	9.1.1 Solid culture media	
	9.1.2 Liquid culture media	
	9.2.1 Solid culture media	
	9.2.2 Liquid culture media	11
	9.3 Selective and indicative properties	
	9.3.1 Solid culture media — For indicative properties	
10	Interpretation and acceptance criteria	
10	10.1 General	
	10.2 Absence of microbial growth	12
	10.3 Growth promotion	
	10.3.1 Solid culture media	
	10.5.2 Growth promotion — Elquid media culture	13

#### ISO 4973:2023(E)

10.4.1 For indicative properties		
10.4.2 For inhibition properties	13	
Annex A (normative) Specifications for growth promoting, inhibitory and indicative		
properties of culture media	14	
Annex B (informative) Quality control report for culture media		
Bibliography	21	

### iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 4973:2023

https://standards.iteh.ai/catalog/standards/sist/61a9ed1c-e046-40b4-96t6-ad6253e7ac9c/iso-4973-2023

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <a href="www.iso.org/patents">www.iso.org/patents</a>. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 217, *Cosmetics,* in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 392, *Cosmetics,* in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

#### Introduction

The quality of culture media used in the current standards for cosmetic microbiology is an essential part of microbiological analysis reliability and needs to be verified.

Checking different parameters of culture media such as growth promotion, absence of microbial growth for non-inoculated culture media, physical characteristics, can help to assess their quality.

This document is intended to provide methods to assess the quality of the media used in cosmetics microbiology standards and define the minimum acceptance criteria required to ensure their performance.

This applies to:

- a) commercially ready-to-use culture media;
- b) culture media prepared from dehydrated culture media plus additional ingredients, or only ingredients.

### iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 4973:2023

https://standards.iteh.ai/catalog/standards/sist/61a9ed1c-e046-40b4-96t6-ad6253e7ac9c/iso-4973-2023

## Cosmetics — Microbiology — Quality control of culture media and diluents used in cosmetics standards

#### 1 Scope

This document specifies the minimum requirements for quality control of microbiological culture media and diluents in order to demonstrate their ability to detect microorganisms and to ensure reliability of the microbiological test methods described in the ISO cosmetics microbiology standards.

This document describes mainly growth promotion and microbial control tests and is applicable to both commercially ready-to-use culture media and culture media prepared from dehydrated culture media or basic constituents in the user's laboratory.

Other methods can be substituted provided that their equivalence has been demonstrated.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

 ${\tt ISO~21148, Cosmetics-Microbiology-General\ instructions\ for\ microbiological\ examination}$ 

#### 3 Terms and definitions coment Preview

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="https://www.electropedia.org/">https://www.electropedia.org/</a>

#### 3.1

#### culture medium

mixture of ingredients, in liquid or solid form, prepared according to a formula and intended to support the growth of microorganisms under specific conditions

Note 1 to entry: There are different types of culture media suitable for growing different types of microorganisms depending on different included nutrients and chemicals present in the formulation.

#### 3.1.1

#### batch of culture medium

#### lot of culture medium

homogenous and fully traceable unit of culture medium referring to a defined amount of bulk, which has been produced within one defined production period, having been assigned the same batch number

#### 3.1.2

#### ready-to-use culture medium

sterile *liquid culture medium* (3.1.3) or *solid culture medium* (3.1.4) that is supplied in plates, tubes, or other containers in ready-to-use form

#### 3.1.3

#### liquid culture medium

*culture medium* (3.1) consisting in aqueous solution of one or more constituents, such as peptone water or nutrient broth

Note 1 to entry: Liquid culture media in tubes, flasks or bottles are commonly called "broths".

Note 2 to entry: Enrichment culture media are generally liquid media which, due to their composition, provide favourable conditions for microorganisms' multiplication.

#### 3.1.4

#### solid culture medium

*culture medium* (3.1) containing solidifying substances (e.g. agar, gelatin) in different concentrations

#### 3.1.5

#### selective culture medium

liquid culture medium (3.1.3) or solid culture medium (3.1.4) which allows specifically the growth of a selected microorganism while inhibiting partially or totally the growth of different, non-target microorganisms which can be in the product to be tested

Note 1 to entry: It may have indicative properties with growth of characteristic aspect of colonies if this is a solid culture medium.

#### 3.2

#### diluent

liquid phase designed to separate microorganisms from a *solid culture medium* (3.1.4) and/or to reduce their concentration by dilution without multiplication or inhibition during the time of contact

Note 1 to entry: Diluent can contain neutralizing agent to inactivate the antimicrobial properties of the product.

#### 3.3

#### strain

test microorganism used for quality control of the *culture medium* (3.1)

#### 3.3.1

ISO 4973:2023

**reference strain** ds.iteh.ai/catalog/standards/sist/61a9ed1c-e046-40b4-96f6-ad6253e7ac9c/iso-4973-2023 test microorganism provided by a reference culture collection centre

#### 3.3.2

#### reference stock culture

#### stored reference strain

set of separate identical cultures obtained by a single subculture from the reference strain (3.3.1)

Note 1 to entry: The reference stock culture or stored reference strain can be stored in a seed lot system (e.g. single-use vials or beads) to maintain reference strains in the laboratory.

#### 3.3.3

#### stock culture

subculture from a reference stock culture (3.3.2)

#### 3.3.4

#### working culture

subculture from a *reference stock culture* (3.3.2) or *stock culture* (3.3.3) and is often kept as slants or plates, used for preparation of calibrated microbial suspension

#### 3.3.5

#### subculture

passage, i.e. transfer of organisms from a viable culture to fresh medium with growth of the microorganisms

Note 1 to entry: Any form of subculturing is considered to be a transfer/passage.

#### 4 Principle

#### 4.1 General information

The quality control of culture media refers to different parameters such as:

- pH;
- absence of microbial growth;
- growth promotion;
- selective and indicative properties (when relevant).

These are the key parameters to ensure and control the quality of the culture media. However, particular attention should also be paid to:

- the manufacturer's instructions;
- preparing conditions (volume, weighing, water quality);
- sterilization conditions (cycle time, temperature, pressure, packaging);
- storage conditions (temperature, duration).

Failure to comply with these instructions and conditions can affect appearance and functional characteristics provided in the manufacturer's guidance such as colour, gel consistency, clarity and homogeneity.

NOTE For sterilization conditions and/or other conditions, see ISO 21148 and ISO 11133.

The user's laboratory should ensure its own preparation process is accurate.

#### 4.2 pH

httpH is an essential physical parameter of all culture media. 064-9666-ad6253e7ac9c/iso-4973-2023

The target pH value should be reached after autoclaving when culture media are prepared from dehydrated media or basic constituents in the user's laboratory.

#### 4.3 Absence of microbiological growth

The purpose of this test is to check that the medium does not contain any microbiological contamination which can interfere with microbial tests results.

#### 4.4 Growth promotion

The purpose of this test is to ensure the ability of microorganisms to grow on the culture media.

NOTE Growth promotion is also called 'productivity' of culture medium.

#### 4.5 Selective and indicative properties

The purpose of this test is to verify the ability of the culture medium to allow the growth of target microorganisms and/or to confirm its colony morphology within the range of incubation time and temperature.

An additional purpose of this test is to ensure that there is no growth of the target inhibited microorganism(s).

#### 5 Diluents, neutralizers and culture media

#### 5.1 General

The diluents, neutralizers and culture media suitable for enumeration and detection of microorganisms are described in ISO 11930, ISO 16212, ISO 18415, ISO 18416, ISO 21149, ISO 21150, ISO 21322, ISO 22717 and ISO 22718. Other diluents, neutralizers and culture media may be used if they have been demonstrated to be suitable for use.

Use the general instructions given in ISO 21148. When water is mentioned in this international standard, use water as specified in ISO 21148.

#### 5.2 Diluents and neutralizers

Diluents may be used for preparation and dilutions of calibrated microbial suspensions and to disperse the samples. In this case, it is required that a diluent contains neutralizers if the sample to be tested has antimicrobial properties or contains preservatives. Diluents and neutralizers are described in ISO 11930, ISO 16212, ISO 18415, ISO 18416, ISO 21149, ISO 21150, ISO 21322, ISO 22717 and ISO 22718...

#### 5.3 Culture media

Culture media for enumeration and/or detection of microorganisms are described in ISO 11930, ISO 16212, ISO 18415, ISO 18416, ISO 21149, ISO 21150, ISO 21322, ISO 22717 and ISO 22718.

Culture media may be prepared from dehydrated culture media using specific standards instructions or the instructions provided by the manufacturer of the culture media.

Already prepared commercially manufactured ready-to-use culture media in liquid or solid form may also be used if they meet the criteria described in this document.

#### 6 Apparatus and glassware

The laboratory equipment, apparatus and glassware are described in ISO 21148. 53-7a-9c/iso-4973-2023

#### 7 Strains of microorganisms

The culture should be reconstituted according to the procedures provided by the supplier of the reference strain. The strains may be stored as described in EN 12353 or according to another suitable method.

The following strains are used for the growth promotion test. The relationship between the medium to be checked and the test microorganisms to be used is described in  $\underline{\text{Annex A}}$ .

- Pseudomonas aeruginosa ATCC®9027<sup>TM1</sup>) (equivalent strain: CIP®82.118<sup>TM2</sup>) or NCIMB®8626<sup>TM3</sup>) or NBRC®13275<sup>TM4</sup>) or KCTC®2513<sup>TM5</sup>) or WDCM 00026<sup>6</sup>) or other equivalent national collection strain);
- Staphylococcus aureus ATCC®6538<sup>TM</sup> (equivalent strain: CIP®4.83<sup>TM</sup> or NCIMB®9518<sup>TM</sup> or NBRC®13276<sup>TM</sup> or KCTC®1916<sup>TM</sup> or NCTC®10788<sup>TM7</sup>) or WDCM 00032 or other equivalent national collection strain);
- *Escherichia coli* ATCC®8739<sup>TM</sup> (equivalent strain: CIP®53.126<sup>TM</sup> or NCIMB®8545<sup>TM</sup> or NBRC®3972<sup>TM</sup> or KCTC®2571<sup>TM</sup> or NCTC®12923<sup>TM</sup> or WDCM 00012 or other equivalent national collection strain);
- *Candida albicans* ATCC®10231<sup>TM</sup> (equivalent strain: IP 48.72<sup>TM</sup> or NCPF® 3179<sup>TM8)</sup> or NBRC®1594<sup>TM</sup> or KCTC®7965<sup>TM</sup> or WDCM 00054 or other equivalent national collection strain);
- Aspergillus brasiliensis ATCC $^{\$}$ 16404 $^{TM}$  (equivalent strain: IP 1431 or IMI $^{\$}$ 149007 $^{TM9}$ ) or NBRC $^{\$}$ 9455 $^{TM}$  or KCTC $^{\$}$ 6196 $^{TM}$  or WDCM 00053 or other equivalent national collection strain).

Other relevant strains or in-house isolates can be used as needed to supplement the strains cited in this clause.

### iTeh Standards (https://standards.iteh.ai) Document Preview

- 1) ATCC®6538<sup>TM</sup>, 9027<sup>TM</sup>, 8739<sup>TM</sup>, 10231<sup>TM</sup> and 16404<sup>TM</sup> are trademarks of the American Type Culture Collection. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.
- 2)  $CIP^{\otimes}82.118^{TM}$ ,  $4.83^{TM}$  and  $53.126^{TM}$  are trademarks of the Collection de l'Institut Pasteur. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.
- 3) NCIMB®8626<sup>TM</sup>, 9518<sup>TM</sup> and 8545<sup>TM</sup> are trademarks of the National Collection of Industrial Marine Bacteria. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.
- 4) NBRC®13275<sup>TM</sup>, 13276<sup>TM</sup>, 3972<sup>TM</sup>, 1594<sup>TM</sup> and 9455<sup>TM</sup> are trademarks of the NITE Biological Resource Center, JP. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.
- 5) KCTC®2513<sup>TM</sup>, 1916<sup>TM</sup>, 2571<sup>TM</sup>, 7965<sup>TM</sup>, 6196<sup>TM</sup> are trademarks of the Korean Collection for Type Cultures. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.
- 6) WDCM: World Data Center for Microorganisms.
- 7) NCTC®10788<sup>TM</sup> and 12923<sup>TM</sup> are trademarks of the National Collection of Type Cultures. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.
- 8) NCPF® 3179<sup>TM</sup> is a trademark of the National Collection of Pathogenic Fungi. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.
- 9) IMI®149007<sup>TM</sup> is a trademark of the International Mycological Institute, UK. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.