

INTERNATIONAL
STANDARD

ISO/IEC
15444-16

Second edition
2021-09

**Information technology — JPEG 2000
image coding system —**

**Part 16:
Encapsulation of JPEG 2000 images
into ISO/IEC 23008-12**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[ISO/IEC 15444-16:2021](https://standards.iteh.ai/catalog/standards/sist/91e62eb3-7b35-4a50-89ba-fbdf2b3c7831/iso-iec-15444-16-2021)

<https://standards.iteh.ai/catalog/standards/sist/91e62eb3-7b35-4a50-89ba-fbdf2b3c7831/iso-iec-15444-16-2021>



Reference number
ISO/IEC 15444-16:2021(E)

© ISO/IEC 2021

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 15444-16:2021](https://standards.iteh.ai/catalog/standards/sist/91e62eb3-7b35-4a50-89ba-fbdf2b3c7831/iso-iec-15444-16-2021)

<https://standards.iteh.ai/catalog/standards/sist/91e62eb3-7b35-4a50-89ba-fbdf2b3c7831/iso-iec-15444-16-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier; Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by ITU-T (as Rec. ITU-T T.815) and drafted in accordance with its editorial rules, in collaboration with Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This second edition cancels and replaces the first edition (ISO/IEC 15444-16:2019) which has been technically revised.

The main changes compared to the previous edition are as follows:

- the encapsulation of Rec. ITU-T T.802 | ISO/IEC 15444-3 image sequences is deprecated, and replaced by the encapsulation of Rec. ITU-T T.800 | ISO/IEC 15444-1 image sequences;
- adds support for quality and resolution layers;
- the syntax and semantics of the JPEG 2000 header item property are clarified; and
- reader conformance requirements are removed.

A list of all parts in the ISO/IEC 15444 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

CONTENTS

	<i>Page</i>
1 Scope	1
2 Normative references.....	1
2.1 Identical Recommendations International Standards.....	1
2.2 Paired Recommendations International Standards equivalent in technical content.....	1
2.3 Additional references.....	1
3 Definitions.....	1
3.1 Terms defined elsewhere	1
3.2 Terms defined in this Recommendation International Standard	1
4 Abbreviations	2
5 Conventions	2
6 Encapsulation of Rec. ITU-T T.800 ISO/IEC 15444-1 images and image collections.....	2
6.1 General.....	2
6.2 JPEG 2000 coded image item	2
6.3 JPEG 2000 header item property.....	2
6.4 JPEG 2000 layers box.....	3
6.5 File conformance.....	4
6.6 Media type.....	4
6.7 Media type registration	4
7 Encapsulation of Rec. ITU-T T.800 ISO/IEC 15444-1 sequences	5
7.1 General.....	5
7.2 JPEG 2000 image sequence.....	5
7.3 JPEG 2000 visual sample entry.....	6
7.4 JPEG 2000 prefix	6
7.5 JPEG 2000 header info	6
7.6 File conformance.....	6
7.7 Media type.....	7
7.8 Media type registration	7
8 Encapsulation of Rec. ITU-T T.802 ISO/IEC 15444-3 image sequences (informative).....	8
Bibliography	9

ITh STANDARD PREVIEW
 (standards.iteh.ai)

**INTERNATIONAL STANDARD ISO/IEC 15444-16
RECOMMENDATION ITU-T T.815**

**Information technology – JPEG 2000 image coding system –
Encapsulation of JPEG 2000 images into ISO/IEC 23008-12**

1 Scope

This Recommendation | International Standard specifies the encapsulation of image formats specified in the JPEG 2000 family of Recommendations | International Standards in the framework defined in ISO/IEC 23008-12.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. At the time of publication, the editions indicated in dated references were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T T.800 (latest) | ISO/IEC 15444-1: (latest), *Information technology – JPEG 2000 image coding system – Core coding system*.

2.2 Paired Recommendations | International Standards equivalent in technical content

None.

2.3 Additional references

- ISO/IEC 23008-12:2017, *Information technology – High efficiency coding and media delivery in heterogeneous environments – Part12: Image file format*.

3 Definitions

3.1 Terms defined elsewhere

This Recommendation | International Standard uses the following terms defined elsewhere:

For the purposes of this Recommendation | International Standard, the definitions given in ISO/IEC 23008-12 apply. ITU, ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ITU terminology database: <https://www.itu.int/go/terms>
- ISO Online browsing platform: <https://www.iso.org/obp>
- IEC Electropedia: <http://www.electropedia.org/>

3.2 Terms defined in this Recommendation | International Standard

This Recommendation | International Standard defines the following terms:

None.

4 Abbreviations

For the purposes of this Recommendation | International Standard, the following abbreviations apply:

JPEG Joint Photographic Experts Group

5 Conventions

None.

6 Encapsulation of Rec. ITU-T T.800 | ISO/IEC 15444-1 images and image collections

6.1 General

This clause specifies the encapsulation of individual JPEG 2000 codestreams, as specified in Rec. ITU-T T.800 | ISO/IEC 15444-1, as individual images or as image collections as specified in ISO/IEC 23008-12.

6.2 JPEG 2000 coded image item

A JPEG 2000 coded image item is a coded image item, as defined in ISO/IEC 23008-12, with type 'j2k1' that conforms to the provisions of this subclause.

The body of the coded image item shall be exactly one Contiguous Codestream box as specified in Rec. ITU-T T.800 | ISO/IEC 15444-1.

NOTE 1 – The JPEG 2000 codestream contained in the Contiguous Codestream box can require capabilities not defined in Rec. ITU-T T.800 | ISO/IEC 15444-1, including those specified in Rec. ITU-T T.814 | ISO/IEC 15444-15. Such required capabilities are signalled in the CAP Marker Segment specified in Rec. ITU-T T.800 | ISO/IEC 15444-1.

The coded image item shall be associated with exactly one JPEG 2000 header item property specified in 6.3, and the essential field of the item property shall be equal to 1.

The coded image item shall be associated with exactly one 'colr' item property, and the essential field of that item property shall be equal to 1.

If a 'pixi' item property is associated with the coded image item, its information shall be consistent with the Ssiz¹ fields of the SIZ marker of the JPEG 2000 codestream within the Contiguous Codestream box.

If a 'lsel' item property is associated with the coded image item, then:

- the layers field of the JPEG 2000 header item property shall be present and contain an entry with a layer_id field equal to that of the 'lsel' item property; and
- the decoded image shall be the result of decoding the layer identified by the layer_id field of the 'lsel' item property.

The image_width and image_height fields of the 'ispe' item property shall be equal to width and height of the decoded image.

NOTE 2 – Item properties other than those referenced above can be associated with the coded image item.

6.3 JPEG 2000 header item property

6.3.1 Syntax

```
class J2KHeaderItemProperty extends ItemProperty('j2kH') {  
    J2KChannelDefinition    channels;  
    J2KComponentMapping    components;  
    J2KPalette              palette;  
    J2KLayers                layers;  
}
```

NOTE – All boxes are optional unless specified otherwise, and boxes other than those listed above can be present.

6.3.2 channels field

The `channels` field is a Channel Definition box, as defined in Rec. ITU-T T.800 | ISO/IEC 15444-1.

The `channels` field shall be present.

Each `Typi` value shall be equal to 0, 1, or 2.

If `Typi` is equal to 0, then `Asoci` shall be in the range $[1, 2^{16} - 2]$.

At most one `Typi` value shall be equal to 1 or 2, and the corresponding `Asoci` field shall be equal to 0.

NOTE – At most one alpha channel is allowed.

6.3.3 components field

The `components` field is a Component Mapping box, as specified in Rec. ITU-T T.800 | ISO/IEC 15444-1.

If the `components` field is absent, the components of the codestream shall be mapped directly to channels, such that component `i` is mapped to channel `i`.

The `CMPi` values shall be equal to 0 or 1.

If one or more `CMPi` value is equal to 1, then the `palette` field, as specified in 6.3.4, shall be present.

If the `palette` field is absent, then the `components` field shall be absent.

6.3.4 palette field

The `palette` field is a Palette box, as defined in Rec. ITU-T T.800 | ISO/IEC 15444-1.

Each entry of the `palette` field shall be referenced by one or more `PCOLi` fields of the `components` field specified in 6.3.3.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

6.3.5 layers field

The `layers` field is a Palette box, as defined in Rec. ITU-T T.800 | ISO/IEC 15444-1.

6.4 JPEG 2000 layers box

ISO/IEC 15444-16:2021

<https://standards.iteh.ai/catalog/standards/sist/91e62eb3-7b35-4a50-89ba-fbdf2b3c7831/iso-iec-15444-16-2021>

6.4.1 General

The JPEG 2000 layers box declares a list of quality and resolution layers of a JPEG 2000 codestream.

NOTE – The JPEG 2000 codestream can contain layers not listed in the JPEG 2000 layers box.

6.4.2 Syntax

```
class J2KLayers extends FullBox('j2kL') {
    unsigned int (16) num_layers;
    for (i=0; i < num_layers; i++) {
        unsigned int (16) layer_id;
        unsigned int (8) discard_levels;
        unsigned int (16) decode_layers;
    }
}
```

6.4.3 num_layers field

The `num_layers` field is the number of declared layers.

6.4.4 layer_id field

The `layer_id` field identifies the layer.

No two values of the `layer_id` field in an instance of the box shall be identical.

NOTE – The value `layer_id` field can be referenced from the 'lsel' item property.

6.4.5 `discard_levels` field

The `discard_levels` field specifies the number of resolution levels of the JPEG 2000 codestream that can be discarded.

6.4.6 `decode_layers` field

The `decode_layers` field specifies the minimum number of quality layers of the JPEG 2000 codestream to be decoded.

6.5 File conformance

A file that includes 'j2ki' as a compatible brand:

- shall conform to the 'mif1' brand as specified in ISO/IEC 23008-12.
- shall contain one or more JPEG 2000 coded image item specified in 6.2.

NOTE – This Recommendation | International Standard does not specify reader conformance for the 'j2ki' brand.

6.6 Media type

The `image/hej2k` media type, as defined in 6.7, refers to content that consists of a single file that conforms to the 'j2ki' brand specified in 6.5.

6.7 Media type registration

6.7.1 General

Many Internet protocols are designed to carry arbitrary labelled content. The mechanism used to label such content is a media type, which is defined in IETF RFC 6838 and consists of a top-level type, a subtype, and in some instances, optional parameters.

The media type specification of the following clause has a matching registration in the IANA central registry, as specified in IETF RFC 6838.

ISO/IEC 15444-16:2021
<https://standards.iteh.ai/catalog/standards/sist/91e62eb3-7b35-4a50-89ba-fbdf2b3c7831/iso-iec-15444-16-2021>

6.7.2 Registration

Type name: image

Subtype name: hej2k

Required parameters: None

Optional parameters: Same as for the media type image/heif. The presence of an image item of type 'j2ki' is signalled by including, in the itemtypes parameter, an item description whose item type string starts with 'j2ki'.

Encoding considerations: binary

Notes: None

Security considerations: See media type image/heif. In addition, image items of type 'j2ki' contain structures of variable length and have an extensible syntax. Both aspects present potential security risks for implementations. In particular, variable length structures present buffer overflow risks and extensible syntax could result in the triggering of adverse actions.

Interoperability considerations: Same as for the media type image/heif. In addition, image items of type 'j2ki' can conform to one of several profiles and/or require one of several capabilities, e.g. as specified in Rec. ITU-T T.800 | ISO/IEC 15444-1, not all of which are necessarily supported by a receiving decoder. As a result, decoders might attempt to process the contents only to determine that they cannot be rendered either partially or in full.

Published specification: Rec. ITU-T T.815 | ISO/IEC 15444-16

Applications: Multimedia and scientific

Fragment identifier considerations: None

Restrictions on usage: None

Additional information:

(standards.iteh.ai)

Deprecated alias names for this type: N/A

Magic number(s): None

[ISO/IEC 15444-16:2021](https://standards.iteh.ai/catalog/standards/sist/91e62eb3-7b35-4a50-89ba-fbdf2b3c7831/iso-iec-15444-16-2021)

File extension(s): hej2

<https://standards.iteh.ai/catalog/standards/sist/91e62eb3-7b35-4a50-89ba-fbdf2b3c7831/iso-iec-15444-16-2021>

Macintosh File Type Code(s): N/A

Object Identifiers: N/A

Intended usage: COMMON

Notes: None

Contact name: ISO/IEC JTC 1/SC 29/WG 1 Convenor

Contact email address: sc29-sec@itscj.ipsj.or.jp

Author/Change controller: ITU-T & ISO/IEC JTC 1

7 Encapsulation of Rec. ITU-T T.800 | ISO/IEC 15444-1 sequences

7.1 General

This clause specifies the encapsulation of a sequence of JPEG 2000 codestreams, as specified in Rec. ITU-T T.800 | ISO/IEC 15444-1, as an image sequence, as defined in ISO/IEC 23008-12.

7.2 JPEG 2000 image sequence

A JPEG 2000 image sequence is an image sequence, as defined in ISO/IEC 23008-12, that conforms to the following:

- each visual sample entry shall be a JPEG 2000 visual sample entry, as specified in 7.3;
- each sample shall consist of one Contiguous Codestream box as specified in Rec. ITU-T T.800 | ISO/IEC 15444-1; and
- each sample shall be a sync sample.

NOTE – The JPEG 2000 codestream contained in the Contiguous Codestream box can require capabilities not defined in Rec. ITU-T T.800 | ISO/IEC 15444-1, including those specified in Rec. ITU-T T.814 | ISO/IEC 15444-15. Such required capabilities are signalled in the CAP Marker Segment specified in Rec. ITU-T T.800 | ISO/IEC 15444-1.

7.3 JPEG 2000 visual sample entry

7.3.1 Syntax

```
class J2KSampleEntry extends VisualSampleEntry('j2ki') {  
    J2KHeaderInfo      j2kheader;  
    J2KCodestreamPrefix j2kprefix;  
}
```

7.3.2 Semantics

The width and height fields shall be equal to the width and height of the image resulting from decoding the JPEG 2000 codestreams associated with the sample entry.

The displayable data of the compressorname field should be equal to the string of "JPEG 2000".

The j2kheader field shall apply to all the JPEG 2000 codestreams associated with the sample entry.

NOTE – The j2kprefix field can be used to store repetitive data stored at the beginning of all JPEG 2000 codestreams to which the sample entry applies.

7.4 JPEG 2000 prefix

7.4.1 Syntax

```
class J2KCodestreamPrefix() extends Box('j2kP'){  
    int(8)[] data;  
}
```

iTeh STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/91e62eb3-7b35-4a50-89ba-fbdf2b3c7831/iso-iec-15444-16-2021>
ISO/IEC 15444-16:2021

7.4.2 Semantics

The data field contains a sequence of bytes to be prepended to the contents of a Contiguous Codestream box before presentation to the decoder.

7.5 JPEG 2000 header info

7.5.1 Syntax

```
class J2KHeaderInfo extends Box('j2kH') {  
    // same as J2KHeaderItemProperty  
}
```

7.5.2 Semantics

The contents and semantics of this box are identical to those of the JPEG 2000 header item property in 6.3.

7.6 File conformance

This subclause specifies requirements for a file that conforms to the 'j2is' brand.

The file shall conform to the 'msf1' brand as specified in ISO/IEC 23008-12.

The file shall include 'j2is' as a compatible brand.

The file shall contain one or more JPEG 2000 image sequences as specified in 7.2.

NOTE – This Recommendation | International Standard does not specify reader conformance for the 'j2is' brand.