FINAL DRAFT

AMENDMENT

ISO 965-5:1998 FDAM 1

ISO/TC₁

Secretariat: SAC

Voting begins on: **2021-04-01**

Voting terminates on: **2021-05-27**

ISO general purpose metric screw threads — Tolerances —

Part 5:

Limits of sizes for internal screw threads to mate with hot-dip

iTeh State and s

AMENDMENT 1

https://standards.iteh.ai/catalog/standards/sist/802c7af1-a71b-469d-868b-

b546b47e96f3/iso-965-5-1998-fdamd-1

Filetages métriques ISO pour usages généraux — Tolérances —

Partie 5: Dimensions limites pour filetages intérieurs pour assemblages avec des filetages extérieurs galvanisés à chaud de position de tolérance maximale h avant galvanisation

AMENDEMENT 1

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 965-5:1998/FDAmd 1 https://standards.iteh.ai/catalog/standards/sist/802c7af1-a71b-469d-868bb546b47e96f3/iso-965-5-1998-fdamd-1



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information/about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. (Standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 1, *Screw threads*.

A list of all parts in the ISO 965 series can be found on the ISO websited 868b-b546b47e96f3/iso-965-5-1998-fdamd-1

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW (standards.iteh.ai)

 $\frac{ISO\ 965-5:1998/FDAmd\ 1}{\text{https://standards.iteh.ai/catalog/standards/sist/}802c7af1-a71b-469d-868b-b546b47e96f3/iso-965-5-1998-fidamd-1}$

ISO general purpose metric screw threads — Tolerances —

Part 5:

Limits of sizes for internal screw threads to mate with hotdip galvanized external screw threads with maximum size of tolerance position h before galvanizing

AMENDMENT 1

Scope, first paragraph

Replace "deviations" with "limit deviations".

Replace "ISO 262" with "the coarse thread series of ISO 262 (from M8 to M64)".

Scope, third to fifth paragraphs STANDARD PREVIEW

Replace the third to fifth paragraphs, including the two formulae for fundamental deviations AZ and AX, with the following:

"Internal threads shall be tapped after the hot-dip galvanizing process has been completed, therefore no galvanizing coating is present on the surface of internal threads."

Normative references

Change all the references to be undated.

Move ISO 68-1, ISO 262 and ISO 898-2 into the Bibliography.

Update the title of ISO 5408 as follows:

"ISO 5408, Screw threads — Vocabulary"

Clause 5

Change the clause title to "Limit deviations".

Replace the first paragraph with the following:

"The limit deviations for internal screw threads as specified in <u>Table 1</u> are derived from the formulae for fundamental deviations below and from tolerances specified in ISO 965-1."

Clause 5, Table 1

Change the table title to "Limit deviations".

Add the limit deviations for M8 as follows:

Table 1 — Limit deviations

	Pitch	Internal thread					
	P		Pitch di	Pitch diameter		Minor diameter	
Thread		Tolerance class	ES	EI	ES	EI	
	mm		μm	μm	μm	μm	
M8	1,25	6AZ	+ 485	+ 325	+ 590	+ 325	
		6AX	+ 415	+ 255	+ 520	+ 255	

Clause 6

Add the following new fourth paragraph:

"The actual root contour shall not at any point transgress the basic profile and fundamental deviation." Add the limits for M8 in Table 2 as follows:

Table 2 — Internal screw thread limits of sizes for tolerance class 6AZ

Dimensions in millimetres

Thread	Length of thread engagement		Major di-Pitch diametera		ameter ^a	Minor diameter ^c	
	over	up to and including	min.b	max.	min.	max.	min.
M8	4	12	8,325	7,673	7,513	7,237	6,972

ISO 965-5:1998/FDAmd 1

https://standards.iteh.ai/catalog/standards/sist/802c7af1-a71b-469d-868b-

Add the limits for M8 in Table 3 as follows:6b47e96f3/iso-965-5-1998-fdamd-1

Table 3 — Internal screw thread limits of sizes for tolerance class 6AX

Dimensions in millimetres

Thread	Length of thread engagement		Major di- ameter ^a	Pitch diameter ^a		Minor diameter ^c	
	over	up to and including	min.b	max.	min.	max.	min.
M8	4	12	8,255	7,603	7,443	7,167	6,902

iTeh STANDARD PREVIEW (standards.iteh.ai)

 $\frac{ISO\ 965-5:1998/FDAmd\ 1}{\text{https://standards.iteh.ai/catalog/standards/sist/}802c7af1-a71b-469d-868b-b546b47e96f3/iso-965-5-1998-fidamd-1}$