
**Improving transparency in
financial and business reporting —
Harmonization topics —**

**Part 3:
Mapping between DPM and MDM**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 5116-3:2021](https://standards.iteh.ai/catalog/standards/iso/d270f528-34e1-4373-8e76-d21fcabc350e/iso-5116-3-2021)

<https://standards.iteh.ai/catalog/standards/iso/d270f528-34e1-4373-8e76-d21fcabc350e/iso-5116-3-2021>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 5116-3:2021

<https://standards.iteh.ai/catalog/standards/iso/d270f528-34e1-4373-8e76-d21fcabc350e/iso-5116-3-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Introduction to the Multidimensional Data Model	1
5 Preconditions on mapping	2
5.1 Types of Database Management Systems (DBMSs)	2
5.2 Fundamental choices	3
5.3 Fact definitions: presentation vs DPM	5
5.4 Storing native XBRL facts	6
5.5 Dimension/defaultMember	7
5.6 Options	8
5.7 Versioning	8
5.8 Changes on fact values	8
6 Definitions	8
7 Mapping from Data Point Model to Multidimensional Data Model	9
7.1 General	10
7.2 Framework	11
7.3 Taxonomy	12
7.4 Dimensions	14
7.5 Context	19
7.6 Primary Items	21
7.7 Fact table or Data points	23
7.8 Summary	24
8 Metamodel defined by the EBA (FINREP and COREP) mapped to MDM	26
8.1 General	26
8.2 Creation of the structure and load of the DPM from the EBA in a RDBMS	27
8.3 Loading DPM_ROLAP from DPM_EBA	27
9 Implementation of the DPM in the MDM using the design ROLAP	34
9.1 General	34
9.2 Structure ROLAP	34
9.3 Creation of the infrastructure through MS SQL Server	34
10 DPM of FINREP 2012 in the MDM using the design ROLAP	38
10.1 General	38
10.2 DPM of FINREP 2012	39
11 DPM of the first prototype of Solvency II in the MDM using the design ROLAP	47
11.1 General	47
11.2 DPM of the prototype	47
Bibliography	51

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by the European Committee for Standardization (CEN) (as CWA XBRL 005) and was adopted with the following modifications by Technical Committee ISO/TC 68, *Financial services*, Subcommittee SC 9, *Information exchange for financial services*.

- [Clause 2](#), Normative references, added; [ISO 5116-3:2021](https://standards.iteh.ai/catalog/standards/iso/d270f528-34e1-4373-8e76-d21fcabc350e/iso-5116-3-2021)
- minor editorial changes.

A list of all parts in the ISO 5116 series can be found on the ISO website.

This document uses different verbal forms from those listed in the ISO/IEC Directives, Part 2.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

0.1 General

This document aims to provide an introduction to the topic of creating a conceptual model for storing multidimensional data which is received as XBRL instances that follow the rules defined by European taxonomies published by the European Banking Authority (EBA) or by the European Insurance and Occupational Pensions Authority (EIOPA).

Disclaimer: The Multidimensional Data Model (MDM) presented in this document is intended to be a starting point for a subsequent modelling process to be adjusted and extended to specific analytical or transactional needs. It solely refers to the concepts of Data Point Model (DPM) and European XBRL Taxonomy Architecture (EXTA), which build the basis of European supervisory reporting.

The structure of the data model is based on meta classes, introduced in part 1 and 4 of the CWA1 document [26]. The data model represents a relational model using Relational Online Analytical Processing (ROLAP). In this document UML data structures of a DPM are used because its comprehension will be easier. With the UML class model representing the description of the European filing rules, this document visualizes the mapping between UML meta classes and their correspondence in the form of database tables in the MDM.

This document consists of eight sections, save the bibliography. Section one explains working with a Multidimensional Data Model as a step towards working with the Relational Data Model. Section two makes a study of the architecture of XBRL, the databases and their aims, requirements and preconditions in catering for XBRL. Section three defines the conditions used for mapping from DPM to MDM. Section four is detailing point by point the mapping. Section five shows the metamodel defined by the European Banking Authority (EBA) through the FINREP (Financial Report) and COREP (Common Solvency Report) taxonomies and its mapping into MDM. Section six displays the MDM implemented in a relational database. Sections seven and eight show two implementation examples.

0.2 Objective

The objective of this sample MDM is to provide a starting point into the topic of mapping DPM and XBRL instance structures into a multidimensional database. Based on an easily comprehensible example, more complex issues are addressed that would need to be taken into account by defining an MDM for production use.

0.3 Target audience

This document is aimed at users of European supervisory taxonomies that have the need to store reporting data based on these data definitions and to retrieve them for analytical or transactional purposes. Database experts should get detailed information about the specifics to be taken into account when modelling multidimensional database structures for storing supervisory data based on XBRL. Therefore, the audience of this document might be financial or economic institutions, agencies or universities with the intention to provide micro or macro prudential analysis on supervisory data.

0.4 Relationship to other work

The reader of this document is expected to be familiar with the principles of data modelling, having a thorough understanding of the concept of DPM as well as basic knowledge of XBRL. The reader is also expected to have knowledge in creating conceptual models for relational and multidimensional databases.

Improving transparency in financial and business reporting — Harmonization topics —

Part 3: Mapping between DPM and MDM

1 Scope

This document aims to provide an introduction to the topic of creating a conceptual model for storing multidimensional data which is received as XBRL instances that follow the rules defined by European taxonomies published by the European Banking Authority (EBA) or by the European Insurance and Occupational Pensions Authority (EIOPA).

2 Normative references

There are no normative references in this document.

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

NOTE The terms and definitions used in the mapping with Data Point Model are inspired by vocabulary already known from their use for describing multidimensional databases and Data Warehouses.

4 Introduction to the Multidimensional Data Model

The multidimensional database is primarily used to create OLAP (Online Analytical Process) applications and their databases using a fact table and set of dimensions. A multidimensional structure stores multidimensional data, that is to say, cubes. A cell or fact is an intersection consisting of elements that form the dimension(s) which in turn form a cube. A cell can have zero or more measures, but in this document only one measure is taken into account.

The Multidimensional Data Model (MDM) is used instead of the Relational Model, because the European architecture of economic-financial reports is relying on dimensions heavily, which makes implementation in MDM the logical choice. Moreover, the performance of queries is better in this type of database.

The goal of this document is to store the Data Point Model in a database, in an efficient, easy way.

5 Preconditions on mapping

5.1 Types of Database Management Systems (DBMSs)

In this section some types of DBMS's are analysed that appear suitable for storing DPM and XBRL documents. Only those databases are considered where, in a previous study, it seemed possible to store the DPM and to extend XML or XBRL documents.




Figure 1 — Different types of DBMS's

The typical solutions are (Figure 1):

- Hierarchical databases;
- Multidimensional databases;
- Relational databases;
- Mixtures, where, normally, the relational database is the base.

Hierarchical databases (e.g. Tamino by Software AG, GT.M, IBM Information Management System (IMS)), which rely on the hierarchical model, that is to say, databases organized into a tree-like structure. In this structure, data uses relationships among their leaves. Each leaf on a superior level has 0..* relationship with leaves on the inferior level. A leaf on an inferior level only has a 0..1 relationship with a leaf on the superior level.

Multidimensional databases, not being based on relational databases, have the data is stored in an optimized multi-dimensional storage array, and not in a relational format. However, it is necessary to organize the information in a cube beforehand. These databases have very fast response times in queries. Examples of Multidimensional databases are: Essbase, icCube, Infor BI OLAP Server.

In relational databases the information is stored in relational format. But, moreover, in these databases it is possible to store cubes, but in a relational format, changing their internal structures.

In all these solutions, it is necessary to verify that database transactions are processed reliably. For this, a database must fulfil ACID (Atomicity, Consistency, Isolation, and Durability) properties. Not all databases fulfil the ACID requirements, this depends on the vendor. These properties are:

- Atomicity: each transaction is “all or nothing”;
- Consistency: it ensures that any transaction will bring the database from one valid state to another valid state;
- Isolation: it ensures that the concurrent transactions result in a system state that would be obtained if transactions were executed serially;
- Durability: once a transaction is committed, it will remain so even in the event of power loss, crashes, or errors.
- This document will not analyse whether databases carry out the ACID properties. However, the majority of commercial Relational Database Management Systems (RDBMS) achieve these properties. These databases are very common in the Information Systems Departments of this environment. Examples of these RDBMS's, are Oracle, DB2 or MS SQL Server, amongst others.

5.2 Fundamental choices

This section will discuss, if the XBRL document instance is stored directly in the database in part or in a relational model.

There are two mainstream solutions for storing XBRL instances and their facts into a relational database system. The question is, when Information Systems (IS) receive a XBRL taxonomy or an instance document, how these XML documents can be stored with the lowest cost in resources in the database. As relational databases can only store relational data and XML documents are not relational, the mapping is not a direct process.

The topic to analyse is:

- Mapping the XBRL instance document to the relational model;
- Storing the XBRL instance document as a blob, or PDF document in the database;
- Storing the XBRL instance as a XML document or as a XBRL document.

Not all XML documents can be mapped into the relational model. However, XBRL instance documents can be mapped to the relational database, as they show many references. The XBRL specification contains a very important aspect: validation by formulae. Formulae are based on XPath 2.0 (XML Path Language), which is based on XML. When the XBRL instance document is transformed into the relational model, the instance document cannot be validated by formulae anymore. Moreover, as these validations are based on the XBRL Formulae and Calculation specifications, the mapping to a RDBMS is not easy nor immediate [19]. As XBRL validation requires the use of XML enabled tools, this cannot be done in the RDBMS. There are many validators, both commercial and open source (Openfiling) in XML. On the other hand, the mapping of instance documents into a relational database is available through different commercial or open source vendors (Openfiling).

An XBRL instance document can be stored in a relational database as an XML document or in a relational format. Analysing the queries in both solutions resulted in:

- In XML, these queries use XQuery and XPath.
 - The end user has difficulties accessing the language of the queries directly or through tools;
 - The query language is very specific. Experts in this language are necessities;

- The tuning of XML documents is complex.
- Relational Database use standard SQL.
 - The end user can obtain the data in an easy way through spread sheets, linked tables or other tools;
 - The query language is a standard, and is part of university IT curricula;
 - The performance and tuning of a relational database has been extensively analysed.
- If the XBRL instance document is stored directly in the database (as a blob), the problems are the same but the RDBMS is an inferior level. Cases are:
 - Storing as a photo (Blog or Clog);
 - Storing as a XML document.

In the first case the database is only used as a storehouse. In the second case, storing as an XML document, with functions embedded in the engine of the database. This means that the database manager has embedded these functions in the engine. Today there are vendors that add the type XML as Oracle, MS SQL Server or DB2. Depending on the vendors the main features are:

- Generating XML Instances;
- Methods or procedures on the XML data type;
- Queries on XML instances;
- Processing namespaces;
- Indexes;
- Navigation through the document;
- ...

XBRL is an extension of XML, but it is not XML, the cost of implementation therefore has to be evaluated, and the performance of the database must be re-tuned for optimization.

MS SQL Server has also utilities for working with XBRL that is necessary to analyse, in the same way.

Oracle 11g release 2 (as from version 11.2.0.3.0) works with XBRL instance documents Oracle 11g with XBRL (https://docs.oracle.com/cd/E20212_01/doc/doc.11/e17070/intro.htm):

- Manages XBRL content;
- Can create multiple XBRL repositories and project XBRL data relationally or query it in various ways;
- Operations of aggregated business and financial reports such as extraction, transformation, and loading (ETL); business intelligence (BI); and online analytical processing (OLAP);
- The validation is outside to the database Out oracle (<https://www.xbrl.org/xbrl-solutions-oracle>).

Both the Microsoft and Oracle solutions have to be evaluated in terms of costs, resources, tuning and performance in the engine of the database.

In summary; this document is not considering storing the XML document (instance) as a whole, as it is storing the instance in a native XML database. Only storing the content of the XML document in a RDBMS is discussed. One can either:

- Store almost native facts and their aspects, or

- Convert the facts and the required aspects into a proprietary set of data before storage.
- For both scenarios all relevant aspects on the facts will need to be determined from the analyst point of view.

Another consideration for the importance of aspects is to decide if the database will also be the source to generate (the same or new) XBRL instances (more information on Openfiling). More XBRL-specific requirements need to be considered to create a valid instance. When the target is to (re)create instances, special consideration has to be given to any merge processes on fact values. Merged fact values will cause problems for instance creation unless there is a possibility of an 'undo' (split) routine or a structure more complex in the relational model. This can be created as easily as storing both the original fact values and the merged value. However, different instances can coexist because, as it is explained below, each fact is defined in a time period and it belongs to an entity.

[Table 1](#) below shows a summary of the possible advantages and disadvantages of both methods.

Table 1 — Pros and cons of alternatives

Proposals	Native store	Convert before store
Quantity of aspects to store (direct from instance)	(+)(-)	(+)(-)
Quantity of aspects to store (indirect from <i>Discoverable Taxonomy Set</i> (DTS))	(-)	(+)
Speed of storage process	(+)	(-)
Maintenance (mapping table, mapping software)	(+)	(-)
Analyst queries, degree of difficulty	(-)	(+)
Analyst queries, speed	(-)	(+)
Easy handling of new DTS versions	(+)	(-)
Extensibility towards proprietary XBRL reports	(+)	(-)
Extensibility towards proprietary non-XBRL reports	(-)	(+)

5.3 Fact definitions: presentation vs DPM

XBRL Taxonomies created with DPM contain two definitions of individual reportable facts:

- Primaries, dimensions and members have readable labels and optional references to external documentation;
- Tables, axes headers and table footers have generic (text) labels and indicators pointing towards an 'RC' (row-column) value that identifies a cell in the templates that form the basis of the DPM.

Since there is no guarantee that both definitions will match, a reported fact can rely on either definition. It depends on whether the reporter used a form, based on the table linkbase, or a mapping based on the primaries/dimensions/members combinations. From a theoretical point of view the templates are transformed to DPM and then the DPM into XBRL concepts, i.e. the concepts are leading. This has not been stated explicitly by EBA. In order to stay independent from EBA modelling it is best to store both definitions as relevant aspects. The definition texts as such are the only means for a business analyst to create a query and understand its outcome. Definitions that rely on documentation outside the DTS and is referred to by XLink references, is only available for concepts, not on the presentation of the table. Linking this information into the database (and query) is outside the scope of this document. In theory such external reference pointers could be created on the presentation, EBA has however not used this feature; it would be used in accordance with XBRL specifications.

When using the instance transformation option, the definitions have to be manually mapped to the internal definitions. This only needs to be done once. The maintenance task is to check every new release of the DTS for changes in definitions regardless where they are being used. Every change needs to be re-evaluated and again manually mapped into the internal definitions. Analyst queries work with

internal definitions, their meaning should be clear to the users. Another point of consideration is that there is no guarantee that what is dimensionally valid in the DTS will be presented as a cell in any table. The other way around, what is in a table is always dimensionally valid, is guaranteed. There needs to be a process to detect such anomalies, either upon loading a new version of the DTS or upon storage of the facts. There may even be a need for a disclaimer that facts reported without a proper 'cell' in a table are being disregarded. In this sense the table linkbase is forming a third validation mechanism of reportable facts (XSD and XDT being the others).

Lastly the introduction by EBA of a new mechanism called 'filing indicators', needs to be thought through. If instance creation from the database is in order, these XML nodes need to be stored too. They are used to ease the validation process of the XBRL formulae. The mechanism indicates from which tables the instance contains facts. Some facts could be placed in multiple tables (e.g. a total in the total table and in its specification table) and different formulae may need to be executed depending on its usage. There is no mechanism in place that links the *filingIndicator* value to anything in the DTS. Therefore, one could report table 999 that does not exist as long as there are no facts reported against it. This makes for little use in back office applications; it only needs to be stored when instance creation is part of the requirements. The table number used stems directly from the templates and the number is accompanied by explanatory texts in the label that is placed on a presentable table. It is not part of any structured part of the taxonomy.

5.4 Storing native XBRL facts

Regulators will receive a container file (ZIP) with at least one XBRL instance in it. Depending on internal processes this container needs to be unzipped first and its content evaluated. Validation of the instance is not part of this document, a valid instance is assumed. Instances can represent multiple taxonomies; an assurance statement could be made part of the instance containing the reportable figures. Solutions to prevent or accommodate this are not part of this document. An instance based on a single taxonomy is assumed, referring to a taxonomy that is enabling reportable figures only. An instance can contain Xlink content. This is not discussed in this document. The instance is expected to contain only facts, units, contexts, one schemaRef and filingIndicators. Table 2 shows different aspects of storing native XBRL facts.

Table 2 — Different aspects of storing native XBRL facts

Technical part	Aspects	Comment
Instance file name.	Optional hash code.	For NSA's (National Supervisory Authorities) working with assurance solutions.
Root node <i>xbrli:xbrl</i> .	Character set, and optional language, version and id.	
At least one <i>link:schemaRef</i> .	Contains an URI (Uniform Resource Identifier) and a location.	This is considered to be the entrypoint of the DTS for which this instance is being reported. XBRL allows multiple schemaRef nodes, EBA only one. EBA has determined that the URI represents an absolute location (web address) and the location only the name of the schema file.
Optional multiple <i>link:linkbaseRef</i> .		EBA will not be using these.
At least one <i>find:fIndicators</i> .	This contains multiple <i>find:fIndicator</i> .	The value is string based and represents a table.
Optional multiple contexts using <i>xbrli:context</i> .	Each context must have one ID attribute, one <i>xbrli:entity</i> node and one <i>xbrli:period</i> node. It may contain many <i>xbrli:segment</i> and <i>xbrli:scenario</i> nodes.	

Table 2 (continued)

Technical part	Aspects	Comment
<i>xbrli:entity</i> .	Contains an identifier value and its Scheme URI value.	These represent the reporting entity with its unique identifier within the NSA and the owner of the identifiers (NSA).
<i>xbrli:period</i> .	Contains either an instance date or a <i>periodStart</i> and <i>periodEnd</i> date.	XBRL allows also <i>forever</i> but EBA has prohibited this use.
<i>xbrli:segment</i> and <i>xbrli:scenario</i> container.	Contain dimensional aspects and/or proprietary XML schema based content.	EBA allows only <i>xbrli:scenario</i> to be used and no proprietary content. The dimensional aspects consist of a set of dimension and member <i>QNames</i> and/or a dimension <i>QName</i> with a typed member <i>QName</i> AND its value.
Optional multiple <i>xbrli:unit</i> .	Each unit must have one ID attribute. It can hold either one measure or a set of numerator/denominator.	These are all <i>QNames</i> . Each <i>QName</i> must have a value that goes with it.
Optional multiple facts.	A fact is represented with a <i>QName</i> (a <i>primary</i> concept in the DTS). It holds a <i>contextRef</i> and <i>unitRef</i> attribute (the latter only on numeric typed concepts). It may hold a decimals, language, nilable and ID attribute.	

For the definition of the fact aspects the following may be of interest: Each concept (primary, dimension, member) will have at least one label, the standard label. There may be more types of labels to a concept. A label is defined by its role (the 'type') and the language it is in. Multiple labels of the same language and role may occur. EBA will provide only the English language and only one occurrence of each role. The label texts may contain special characters. Within a table in the DTS, any cell defined by a set of primary, dimension/member combinations may have multiple labels attached to it. These labels are also represented with a role and language. EBA will again utilize only one occurrence of text in each role per language, the language being English. 16-3:2021

<https://standards.iteh.ai/catalog/standards/iso/d270f528-34e1-4373-8e76-d21fcabc350e/iso-5116-3-2021>

5.5 Dimension/defaultMember

Special attention needs to go to default dimension members. All EBA defined dimensions will have a default member. Often the definition of this member reads 'Total/Not applicable'. The XBRL specification describes that any default member that is discovered when starting to discover the DTS from the fact is eligible for the default member. This applies even if that dimension is not used on the fact and even when the fact is not dimensional at all. In theory this means that all defaults apply to all facts since a single entry point will cover the whole of the EBA DTS. With some common sense a limitation can be applied that default members apply only on the facts reported in a certain table, when that table is using the parenting dimension. Logic could even go further stating that individual cells can be evaluated if the default member makes any sense at all. If not, the 'definition' of 'Not applicable' could be read in which case the dimension and member are not appropriate on the fact at all. In all other cases the default member applies to the fact and needs to be stored by an alternative (to storing only data from the instance) process.

Naturally, these default dimension/member combinations must be identified in storage since they are not allowed in the instance.

The XML schema also allows nodes to be identified carrying a default value. In particular, when typed dimensions are being used there could be a typed element that carries a default. The EBA DTS does not use this option.

In the MDM the default member is another normal attribute of dimension. However, it is marked as attribute by default, because it is only relevant for the mapping process and has no a special meaning in the MDM.

5.6 Options

XBRL allows for more presentation texts to be added besides primary, dimension, member, table or axis. These texts could be part of the definition of a fact. Careful evaluation of the taxonomy in an XBRL enabled tool using both XDT and TLB specifications can reveal these texts. If they are part of the definition they need to be stored or used for creating the mapping to local data elements. As, for example, the Linkrole labels, and so on.

5.7 Versioning

When a new version of the DTS is being released, the EBA has chosen to include two special attributes on every concept: *creationDate* and *modificationDate*. Up to the public release DTS of September 18th, 2013, there were no *modificationDates* present and the *creationDate* was increased on each new version. In theory these dates could be the trigger to signal any change in definition of the concept but if the mechanism is not used other ways to detect changes must be found. Another matter is that there is no such set of dates on the labels that form the table, which can be equally regarded as representing (a part of) the definition. For this part of the DTS a detailed 'diff' function needs to be designed. It is clear that every definition change breaks the trend on any reported fact. Manual intervention on mapping to local sources must be undertaken.

5.8 Changes on fact values

If the NSA has the authority to change reported fact values, they must be aware that recreating the original instance may be cumbersome, unless appropriate versioning mechanisms have been put in place to conserve the original fact values. Special care has to be taken with business rules that have been defined by the DTS author on such a fact. The change in value may trigger a business rule. These rules can however only be executed on an instance, not the RDBMS.

6 Definitions

For the purposes of this document, the following terms and definitions applied are shown. The terms and definitions used in the mapping with Data Point Model are inspired by vocabulary already known from their use for describing multidimensional databases and Data Warehouses [1] [2] [3] [4] [5]. In turn, the DPM is based in the XBRL Meta-metadata Model [27]. IT specialists originally introduced these terms. However, for an understanding and creation of Data Point Models they are established in the language of business specialists as well.

In this section, the set of definitions necessary for mapping the DPM in ROLAP are shown. The majority of the definitions are obtained from [6] [7] [8] [9] [10] [26]. When the definition is in the area of CEN WS XBRL (http://www.xbrlwiki.info/index.php?title=Main_Page) [11] [22] [26] only the name of the term is shown.

The terms used directly or indirectly in the mapping of DPM in the MDM are:

- concept;
- data point model;
- dimension;
- domain;
- family;
- framework;
- item;
- (domain) member;