



SLOVENSKI STANDARD
SIST EN 1254-3:2021+A1:2025

01-april-2025

Baker in bakrove zlitine - Fitingi - 3. del: Fitingi z nakrčenima priključkoma za spajanje s plastičnimi in večplastnimi cevmi (vključno z dopnilom A1)

Copper and copper alloys - Plumbing fittings - Part 3: Compression fittings for use with plastics and multilayer pipes

Kupfer und Kupferlegierungen - Fittings - Teil 3: Klemmverbinder für Kunststoffrohre und Mehrschichtverbundrohre

Cuivre et alliages de cuivre - Raccords - Partie 3 : Raccords à compression pour tubes en matières plastiques et multicouches

Ta slovenski standard je istoveten z: EN 1254-3:2021+A1:2025

[SIST EN 1254-3:2021+A1:2025](http://standards.slovenski-standard.si/standards/sist/1254-3:2021+A1:2025)

<http://standards.slovenski-standard.si/standards/sist/1254-3:2021+A1:2025>

ICS:

23.040.40	Kovinski fittingi	Metal fittings
77.150.30	Bakreni izdelki	Copper products

SIST EN 1254-3:2021+A1:2025 **en,fr,de**

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 1254-3:2021+A1

February 2025

ICS 23.040.40

Supersedes EN 1254-3:2021

English Version

Copper and copper alloys - Plumbing fittings - Part 3: Compression fittings for use with plastics and multilayer pipes

Cuivre et alliages de cuivre - Raccords - Partie 3 :
Raccords à compression pour tubes en matières
plastiques et multicouches

Kupfer und Kupferlegierungen - Fittings - Teil 3:
Klemmverbinder für Kunststoffrohre und
Mehrschichtverbundrohre

This European Standard was approved by CEN on 23 November 2020 and includes Amendment 1 approved by CEN on 5 December 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/5e05b73c-a6b5-472c-b0f8-33e5088409f1/sist-en-1254-3-2021a1-2025>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	4
Introduction	6
1 Scope	7
2 Normative references	8
3 Terms and definitions	10
4 Product characteristics	10
4.1 Internal pressure	10
4.2 Tightness.....	10
4.3 Resistance to high temperature for fittings with elastomeric seals (for heating networks).....	11
4.4 Release of dangerous substances.....	11
4.5 Durability.....	12
4.6 Wall thickness at the threaded portions of fittings and/or compression nut	12
4.7 Dimensions of tail pipe ends for swivel fittings.....	12
4.8 Dimensions of gas union connectors	13
4.9 Threaded end dimensions.....	13
4.10 Other adapter ends (not defined in A1 EN 1254-20:2021+A1:2025 A1).....	13
4.11 Bore dimensions.....	13
4.12 Identity of elastomeric sealing material for liquid applications	13
4.13 Identity of elastomeric sealing material for gas applications.....	13
4.14 Pipe abutment.....	14
4.15 Alignment of the fitting ends.....	14
4.16 Shapes for tightening systems.....	14
4.17 Surface condition	14
4.18 Plated or coated surfaces	14
4.19 A1 Wall thickness of the fitting body A1	14
5 Testing, assessment and sampling methods	14
5.1 General.....	14
5.2 Internal pressure	15
5.3 Tightness.....	16
5.4 Durability.....	20
5.5 Wall thickness at threaded portions of adaptor fittings.....	20
5.6 Dimensions of tail pipe ends for swivel fittings.....	21
5.7 Dimensions of gas union connectors	21
5.8 Threaded end dimensions	21
5.9 Bore dimensions.....	21
5.10 Identity of elastomeric sealing material for liquid applications	21
5.11 Identity of elastomeric sealing material for gas applications.....	21
5.12 Alignment of the fitting ends.....	21
5.13 A1 Wall thickness of the fitting body A1	22
6 Evaluation of conformity	22
6.1 General.....	22
6.2 Type testing.....	22
6.3 Factory production control (FPC)	28
7 Designation	31
8 Marking, labelling and packaging	31
8.1 General.....	31

8.2	Additional marking	31
8.3	Dezincification resistant copper zinc alloys	32
	Annex A (normative) Operating temperatures and design pressures	33
	Bibliography	35

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[SIST EN 1254-3:2021+A1:2025](https://standards.itih.ai/catalog/standards/sist/5e05b73c-a6b5-472c-b0f8-33e5088409f1/sist-en-1254-3-2021a1-2025)

<https://standards.itih.ai/catalog/standards/sist/5e05b73c-a6b5-472c-b0f8-33e5088409f1/sist-en-1254-3-2021a1-2025>

EN 1254-3:2021+A1:2025 (E)**European foreword**

This document (EN 1254-3:2021+A1:2025) has been prepared by Technical Committee CEN/TC 133 “Copper and copper alloys”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2025, and conflicting national standards shall be withdrawn at the latest by August 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 5 December 2024.

This document supersedes A1 EN 1254-3:2021 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

The main changes compared to EN 1254-3:1998 are:

- improved alignment with plastics and multilayer pipe standards for hot and cold water applications;
- separation of test methods into part 20.

A1 The need for an amendment was based on the following points:

- update normative references;
- include a wall thickness requirement for copper alloy fittings used in systems according to EN ISO 15874, EN ISO 15875, EN ISO 15876, EN ISO 15877, EN ISO 21003 and EN ISO 22391. A1

This part of the standard (EN 1254-3) should be read in conjunction with A1 EN 1254-20:2021+A1:2025 A1.

EN 1254 comprises the following parts under the general title “Copper and copper alloys — Plumbing fittings”:

- *Part 1: Capillary fittings for soldering or brazing to copper tubes*
- *Part 2: Compression fittings for use with copper tubes*
- *Part 3: Compression fittings for use with plastics and multilayer pipes*
- *Part 4: Threaded fittings*
- *Part 5: Capillary fittings with short ends for brazing to copper tubes*
- *Part 6: Push-fit fittings for use with metallic tubes, plastics and multilayer pipes*
- *Part 7: Press fittings for use with metallic tubes*
- *Part 8: Press fittings for use with plastics and multilayer pipes*

— *Part 20: Definitions, thread dimensions, test methods, reference data and supporting information*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[SIST EN 1254-3:2021+A1:2025](https://standards.itih.ai/catalog/standards/sist/5e05b73c-a6b5-472c-b0f8-33e5088409f1/sist-en-1254-3-2021a1-2025)

<https://standards.itih.ai/catalog/standards/sist/5e05b73c-a6b5-472c-b0f8-33e5088409f1/sist-en-1254-3-2021a1-2025>

EN 1254-3:2021+A1:2025 (E)**Introduction**

Products complying with this document may be used for several fluids including the transport of water intended for human consumption if they comply with the relevant national, regional or local regulatory provisions applicable in the place of use.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[SIST EN 1254-3:2021+A1:2025](https://standards.itih.ai/catalog/standards/sist/5e05b73c-a6b5-472c-b0f8-33e5088409f1/sist-en-1254-3-2021a1-2025)

<https://standards.itih.ai/catalog/standards/sist/5e05b73c-a6b5-472c-b0f8-33e5088409f1/sist-en-1254-3-2021a1-2025>

1 Scope

This document specifies product characteristics, assessment methods, compliance criteria of test results and a designation system for fittings with compression ends for use with plastics and multilayer pipes which are defined in the applicable pipe standard. For the purposes of joining plastics pipes, the fitting ends have a nominal diameter from 6 mm to 160 mm. The fittings are designed for a service lifetime up to fifty years.

The compression fittings are used up to the operating temperatures and corresponding maximum operating pressures as indicated in Annex A.

This document applies to copper alloy fittings. A non-exhaustive list of these copper alloys is given in CEN/TS 13388.

Adaptor fittings for use with plastics and multilayer pipes may combine compression ends with fitting ends defined in the other parts of EN 1254.

Compression fittings for use with plastics and multilayer pipes may also have flanged end connections according to EN 1092-3.

Compression fittings for use with plastics and multilayer pipes may also have a plated or other decorative surface coating.

Fittings can be produced by machining, metal forming, casting, or fabrication.

Products covered by this document are intended to be used in:

a) liquid applications:

- hot, cold or combined hot and cold water, including systems according to EN 806;
- closed heating systems according to EN 12828;
- cooling systems;
- drainage systems;
- fire protection systems including sprinkler systems according to EN 12845.

b) gas applications (not valid for multilayer pipes):

- natural gas and liquefied petroleum gas systems with a maximum operating pressure less than or equal to 5 bar according to EN 1775;
- compressed air systems.

EN 1254-3:2021+A1:2025 (E)**2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

A1 EN 549:2019+A2:2024, *Rubber materials for seals and diaphragms for gas appliances and gas equipment* **A1**

EN 681-1:1996, *Elastomeric seals — Materials requirements for pipe joint seals used in water and drainage applications - Part 1: Vulcanized rubber*

EN 682, *Elastomeric Seals — Materials requirements for seals used in pipes and fittings carrying gas and hydrocarbon fluids*

A1 EN 1254-20:2021+A1:2025, *Copper and copper alloys — Plumbing fittings — Part 20: Definitions, thread dimensions, test methods, reference data and supporting information* **A1**

EN 1555-2, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 2: Pipes*

EN 10226-3, *Pipes threads where pressure tight joint are made on the threads — Part 3: Verification by means of limit gauges*

EN 12201-2, *Plastics piping systems for water supply, and for drainage and sewerage under pressure - Polyethylene (PE) — Part 2: Pipes*

EN 12201-5, *Plastics piping systems for water supply, and for drainage and sewerage under pressure - Polyethylene (PE) — Part 5: Fitness for purpose of the system*

EN 12502-2, *Protection of metallic materials against corrosion — Guidance on the assessment of corrosion likelihood in water distribution and storage systems — Part 2: Influencing factors for copper and copper alloys*

EN ISO 3501, *Plastics piping systems — Mechanical joints between fittings and pressure pipes — Test method for resistance to pull-out under constant longitudinal force (ISO 3501)*

EN ISO 3503, *Plastics piping systems — Mechanical joints between fittings and pressure pipes - Test method for leaktightness under internal pressure of assemblies subjected to bending (ISO 3503)*

EN ISO 6506-1, *Metallic materials — Brinell hardness test — Part 1: Test method (ISO 6506-1)*

EN ISO 6507-1, *Metallic materials — Vickers hardness test — Part 1: Test method (ISO 6507-1)*

EN ISO 1167 (all parts), *Thermoplastics pipes, fittings and assemblies for the conveyance of fluids — Determination of the resistance to internal pressure (ISO 1167)*

EN ISO 13056, *Plastics piping systems — Pressure systems for hot and cold water — Test method for leaktightness under vacuum (ISO 13056)*

EN ISO 15874-2, *Plastics piping systems for hot and cold water installations — Polypropylene (PP) — Part 2: Pipes (ISO 15874-2)*

EN ISO 15874-5, *Plastics piping systems for hot and cold water installations — Polypropylene (PP) — Part 5: Fitness for purpose of the system (ISO 15874-5)*

EN ISO 15875-2, *Plastics piping systems for hot and cold water installations — Crosslinked polyethylene (PE-X) - Part 2: Pipes (ISO 15875-2)*

EN ISO 15875-5, *Plastics piping systems for hot and cold water installations — Crosslinked polyethylene (PE-X) - Part 5: Fitness for purpose of the system (ISO 15875-5)*

EN ISO 15876-2, *Plastics piping systems for hot and cold water installations — Polybutene (PB) — Part 2: Pipes (ISO 15876-2)*

EN ISO 15876-5, *Plastics piping systems for hot and cold water installations — Polybutene (PB) — Part 5: Fitness for purpose of the system (ISO 15876-5)*

EN ISO 15877-2, *Plastics piping systems for hot and cold water installations — Chlorinated poly(vinyl chloride) (PVC-C) — Part 2: Pipes (ISO 15877-2)*

EN ISO 15877-5, *Plastics piping systems for hot and cold water installations — Chlorinated poly(vinyl chloride) (PVC-C) — Part 5: Fitness for purpose of the system (ISO 15877-5)*

EN ISO 19892, *Plastics piping systems — Thermoplastics pipes and fittings for hot and cold water — Test method for the resistance of joints to pressure cycling (ISO 19892)*

EN ISO 19893, *Plastics piping systems — Thermoplastics pipes and fittings for hot and cold water — Test method for the resistance of mounted assemblies to temperature cycling (ISO 19893)*

EN ISO 21003-2, *Multilayer piping systems for hot and cold water installations inside buildings — Part 2: Pipes (ISO 21003-2)*

EN ISO 21003-5, *Multilayer piping systems for hot and cold water installations inside buildings — Part 5: Fitness for purpose of the system (ISO 21003-5)*

EN ISO 22391-2, *Plastics piping systems for hot and cold water installations — Polyethylene of raised temperature resistance (PE-RT) — Part 2: Pipes (ISO 22391-2)*

EN ISO 22391-5, *Plastics piping systems for hot and cold water installations — Polyethylene of raised temperature resistance (PE-RT) — Part 5: Fitness for purpose of the system (ISO 22391-5)*

ISO 7-2, *Pipe threads where pressure-tight joints are made on the threads — Part 2: Verification by means of limit gauges*

ISO 228-2, *Pipe threads where pressure-tight joints are not made on the threads — Part 2: Verification by means of limit gauges*

ISO 2859-1:1999, *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

ISO 9080, *Plastics piping and ducting systems — Determination of the long-term hydrostatic strength of thermoplastics materials in pipe form by extrapolation*

ISO 9924-1, *Rubber and rubber products — Determination of the composition of vulcanizates and uncured compounds by thermogravimetry — Part 1: Butadiene, ethylene-propylene copolymer and terpolymer, isobutene-isoprene, isoprene and styrene-butadiene rubbers*